

平成26年度 排ガス中のばい煙濃度等

4月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0	0	0	22	0	15	39	2	29	0	0	0	4	0	3
2	0	0	0	25	1	19	32	7	21	1	0	0	4	1	3
3	0	0	0	27	11	11	37	15	23	1	0	0	5	3	4
4	0	0	0	28	12	20	37	0	25	7	0	1	7	0	4
5	0	0	0	27	12	20	36	18	28	1	0	0	6	2	3
6	0	0	0	27	18	24	37	3	25	1	0	0	4	2	3
7	0	0	0	27	3	14	38	2	22	1	0	0	5	1	3
8	0	0	0	26	0	16	40	16	32	0	0	0	8	1	3
9	0	0	0	26	8	15	45	7	33	1	0	0	7	0	3
10	0	0	0	26	3	17	40	14	29	1	0	0	7	3	5
11	0	0	0	24	2	17	39	9	30	1	0	0	5	0	3
12	0	0	0	28	6	20	38	0	27	1	0	0	11	2	6.5
13	0	0	0	26	13	19.5	40	22	31	0	0	0	7	2	4.5
14	0	0	0	24	5	15	50	8	35	5	0	0	7	2	5
15	0	0	0	24	2	14.5	49	12	35	6	0	0	6	0	3
16	0	0	0	24	6	16.5	51	9	33.5	1	0	0	5	0	2
17	0	0	0	23	0	13.5	63	0	42.5	1	0	0	4	0	2.5
18	0	0	0	25	6	17.5	41	2	31	3	0	0	6	0	4
19	0	0	0	23	2	18.5	43	1	34.5	0	0	0	4	0	1.5
20	0	0	0	26	13	20.5	47	4	31.5	1	0	0	8	3	4.5
21	0	0	0	28	6	19	44	1	29.5	3	0	0	6	2	3.5
22	0	0	0	25	4	12.5	53	12	38.5	2	0	0	6	1	3.5
23	0	0	0	22	6	13.5	54	4	36.5	1	0	0	5	0	3.5
24	0	0	0	27	5	13.5	57	24	41	2	0	0	5	0	4
25	0	0	0	21	0	9.5	59	1	32	2	0	0	7	0	3.5
26	0	0	0	28	9	19.5	50	14	33.5	5	0	1	12	1	6.5
27	0	0	0	27	10	19.5	41	6	31.5	1	0	0	10	2	7.5
28	0	0	0	28	3	13	47	13	31	1	0	0	11	2	5.5
29	0	0	0	23	1	14	45	2	29.5	1	0	0	9	1	6
30	0	0	0	22	6	16	42	3	28	1	0	0	4	0	2

平成26年度 排ガス中のばい煙濃度等

5月	ばいじん濃度(mg/Nm3) 管理値:20mg/Nm3以下 排出基準:150mg/Nm3以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0	0	0	18	3	11	39	14	29	0	0	0	2	0	1
2	0	0	0	19	1	11	41	0	30	0	0	0	2	1	1
3	0	0	0	23	5	15.5	60	15	39	0	0	0	4	1	2.5
4	0.01	0	0	26	5	16.5	58	10	35	2	0	0	3	0	0.5
5	0	0	0	24	1	15	62	14	37	3	0	0	4	0	2
6	0	0	0	17	4	11	47	5	36	0	0	0	2	0	1.5
7	0	0	0	26	3	13	43	2	31	6	0	0.5	6	0	2.5
8	0	0	0	25	5	14	49	21	37	1	0	0	9	0	5.5
9	0	0	0	19	2	11	57	5	41	0	0	0	5	0	2
10	0	0	0	25	6	15	60	23	35	0	0	0	6	2	4
11	0	0	0	23	8	18	42	5	28.5	1	0	0	7	2	4
12	0	0	0	21	0	15.5	35	0	27	0	0	0	4	2	3
13	0	0	0	27	9	17	33	20	26	0	0	0	6	3	4
14	0	0	0	26	11	19	32	3	22	0	0	0	15	4	6
15	0	0	0	27	10	20	33	14	26	0	0	0	7	4	6
16	0	0	0	24	6	13	36	2	21	0	0	0	6	2	4
17	0	0	0	24	0	17	33	0	20	1	0	0	8	2	5
18	0	0	0	26	16	22	35	20	28	0	0	0	10	4	7
19	0	0	0	25	9	18	33	3	22	0	0	0	5	0	1
20	0	0	0	25	7	19	33	3	24	0	0	0	3	0	2
21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	18	4	10	34	1	23	0	0	0	3	2	2
23	0	0	0	20	3	13	32	15	26	0	0	0	3	1	2
24	0	0	0	28	13	20	34	5	24	0	0	0	5	2	3
25	0	0	0	27	16	21	36	16	26	0	0	0	5	2	3
26	0	0	0	28	9	18	32	11	24	0	0	0	4	1	2
27	0	0	0	21	6	13	31	5	23	0	0	0	5	1	2
28	0	0	0	24	2	13	36	0	22	0	0	0	2	1	1
29	0	0	0	26	8	18	32	2	16	0	0	0	3	0	1
30	0	0	0	25	9	16	31	7	22	1	0	0	3	1	2
31	0	0	0	26	15	22	31	16	23	0	0	0	5	1	3

平成26年度 排ガス中のばい煙濃度等

6月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0	0	0	27	19	24	30	4	19	1	0	0	8	2	5
2	0	0	0	25	9	20	29	5	20	0	0	0	5	2	3
3	0	0	0	25	11	18	31	3	22	0	0	0	4	0	2
4	0	0	0	26	12	19	35	5	22	0	0	0	4	2	3
5	0	0	0	29	8	17	32	3	20	0	0	0	5	0	3
6	0	0	0	25	5	13	32	10	25	0	0	0	3	1	2
7	0	0	0	25	8	18	36	19	28	0	0	0	3	1	2
8	0	0	0	22	10	17	34	21	28	0	0	0	3	2	2
9	0	0	0	23	2	13.5	37	0	23	0	0	0	3	0	1
10	0	0	0	22	6	14	43	2	31	0	0	0	4	0	1.5
11	0	0	0	25	2	15	54	0	28	0	0	0	3	0	1
12	0	0	0	22	4	13.5	42	6	27.5	0	0	0	3	0	1
13	0	0	0	24	4	14	40	17	32	0	0	0	3	1	2
14	0.01	0	0	29	8	19.5	39	3	26	2	0	0	6	2	4
15	0	0	0	25	10	19	36	12	27.5	0	0	0	5	2	3.5
16	0.01	0	0	24	8	16	38	11	26	1	0	0	5	2	3.5
17	0.01	0	0.01	26	3	15	34	14	24	0	0	0	5	2	4
18	0.01	0	0.01	24	10	18	34	0	18	0	0	0	4	0	1
19	0.01	0	0.01	22	2	16	31	1	20	0	0	0	3	0	1
20	0.01	0	0.01	21	1	15	32	0	17	0	0	0	2	1	1
21	0.01	0	0.01	25	13	19	33	5	23	0	0	0	3	1	2
22	0.01	0	0.01	24	12	19	36	6	22	1	0	0	2	1	1
23	0.01	0	0	22	6	15	35	8	23	0	0	0	3	0	2
24	0.01	0	0	21	4	14	32	7	22	0	0	0	5	2	3
25	0.01	0	0	20	3	11	31	6	21	0	0	0	4	2	3
26	0.01	0	0	23	1	14	38	0	20.5	2	0	0	5	0	2
27	0.01	0	0	24	8	16	38	0	27.5	0	0	0	4	2	3
28	0	0	0	25	6	14.5	37	1	25	0	0	0	4	1	2.5
29	0	0	0	25	8	17	39	6	28.5	0	0	0	4	1	2.5
30	0	0	0	26	9	18	36	9	28	1	0	0	4	1	2

平成26年度 排ガス中のばい煙濃度等

7月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0.01	0	0	25	5	15.5	38	4	25	14	0	0.5	6	1	3
2	0.01	0	0	29	7	19	36	0	21.5	1	0	0	5	1	3
3	0.01	0	0	27	1	17.5	36	7	25	2	0	0	3	0	1.5
4	0.01	0	0	28	5	16.5	57	8	31	1	0	0	4	0	2
5	0.01	0	0	26	7	18	41	15	28	1	0	0	4	2	3
6	0.01	0	0	26	14	20.5	37	10	25	1	0	0	4	2	2.5
7	0.01	0	0.01	29	0	17	38	0	23	1	0	0	4	1	2.5
8	0.01	0	0	27	2	13.5	35	0	22	5	0	0	6	2	3
9	0.01	0	0	25	7	15.5	41	0	22	1	0	0	3	2	2
10	0	0	0	24	6	16	32	6	20	1	0	0	3	2	2
11	0	0	0	22	1	12	36	8	24	1	0	0	3	2	2
12	0.01	0	0	26	4	17.5	39	7	26.5	1	0	0	4	2	2.5
13	0.01	0	0	28	14	21.5	34	0	21	1	0	0	4	2	3
14	0	0	0	26	4	17	39	10	26.5	1	0	0	4	2	2
15	0	0	0	20	1	11	40	3	27	0	0	0	4	1	2
16	0	0	0	20	2	12	40	2	24	1	0	0	3	0	1.5
17	0.01	0	0	20	2	9.5	37	1	25.5	1	0	0	5	2	3
18	0.01	0	0	25	3	14	37	2	25	1	0	0	3	0	1.5
19	0.01	0	0	27	1	17.5	41	0	28	1	0	0	4	0	2.5
20	0.01	0	0	27	9	18	34	6	22	1	0	0	4	1	2
21	0	0	0	23	3	13	36	11	27	1	0	0	3	0	1.5
22	0.01	0	0	26	5	14.5	38	6	27	1	0	0	5	1	2.5
23	0.01	0	0	27	4	16.5	57	7	31.5	2	0	0	6	0	4
24	0	0	0	23	4	14	38	6	22.5	0	0	0	6	2	3
25	0	0	0	27	3	13	38	0	26	0	0	0	4	1	3
26	0	0	0	22	5	14.5	38	0	25.5	1	0	0	5	2	3
27	0.01	0	0	25	7	18	31	5	22	1	0	0	9	2	4.5
28	0	0	0	24	3	14	38	2	26	1	0	0	4	1	2.5
29	0.01	0	0	23	2	14.5	36	0	24	0	0	0	4	1	2.5
30	0.01	0	0	27	5	15.5	48	0	16	4	0	0.5	7	1	3
31	0.01	0	0	27	4	15.5	34	7	20.5	3	0	0	7	1	4

平成26年度 排ガス中のばい煙濃度等

8月	ばいじん濃度(mg/Nm3) 管理値:20mg/Nm3以下 排出基準:150mg/Nm3以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0.01	0	0	25	2	12.5	34	0	20.5	2	0	0	5	1	2.5
2	0.01	0	0	27	1	16	37	4	25	1	0	0	4	0	2.5
3	0.01	0	0.01	26	10	20.5	33	6	20.5	2	0	0.5	8	2	5
4	0	0	0	26	2	14	36	11	25	1	0	0	4	1	2.5
5	0.01	0	0.01	23	1	10.5	34	3	23.5	0	0	0	4	1	2
6	0.01	0	0	19	0	10	38	2	23	1	0	0	4	1	2
7	0.01	0	0	24	2	11	35	0	21	1	0	0	4	1	2.5
8	0.01	0	0.01	25	3	13	34	1	21.5	1	0	0	8	2	3.5
9	0.01	0	0	27	4	15.5	38	14	27	4	0	0	7	1	3
10	0.01	0	0	26	7	17.5	35	3	22	2	0	0	7	2	4.5
11	0.01	0	0	26	4	14.5	35	0	21.5	3	0	0	5	1	3.5
12	0.01	0	0	26	2	12.5	59	10	29	2	0	0	4	1	2.5
13	0	0	0	22	3	11	40	1	25	2	0	0	4	1	2.5
14	0	0	0	27	2	16	35	8	27	1	0	0	5	1	3
15	0.01	0	0	24	0	12.5	36	15	26.5	1	0	0	6	1	3
16	0.01	0	0	24	5	16	39	19	29.5	1	0	0	5	1	3
17	0.01	0	0	27	8	19	34	11	25.5	2	0	0	6	1	2
18	0.01	0	0	27	3	19.5	35	6	23.5	2	0	0.5	11	1	3.5
19	0	0	0	24	2	14.5	37	14	29	1	0	0	7	1	2.5
20	0	0	0	26	4	15	39	6	28	0	0	0	2	1	1
21	0.01	0	0	24	2	15.5	37	6	28.5	1	0	0	6	0	2
22	0.01	0	0	26	5	17.5	35	11	26.5	1	0	0	4	1	2
23	0.01	0	0	25	9	18	36	11	27.5	1	0	0	4	1	2.5
24	0.01	0	0	27	10	19.5	32	7	22	2	0	0	6	1	3
25	0.01	0	0	27	3	15.5	34	10	24.5	1	0	0	4	1	2
26	0	0	0	24	7	15.5	36	8	26.5	1	0	0	4	1	2
27	0.01	0	0	20	3	12.5	40	8	30	0	0	0	3	1	1.5
28	0.01	0.01	0.01	24	4	13	31	5	21	1	0	0	3	1	2
29	0.01	0	0.01	23	5	11	33	6	24	0	0	0	2	1	1
30	0.01	0	0.01	23	6	12	51	18	30	1	0	0	3	1	2
31	0.01	0	0.01	21	5	14	54	0	26	1	0	0	3	1	2

平成26年度 排ガス中のばい煙濃度等

9月	ばいじん濃度(mg/Nm3) 管理値:20mg/Nm3以下 排出基準:150mg/Nm3以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0.01	0	0.01	26	5	16	19	0	8	1	0	0	3	1	2
2	0.01	0	0	16	5	13	20	4	14	0	0	0	3	1	2
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	0	0	0	22	8	15	46	2	32	0	0	0	17	8	14
16	0	0	0	26	14	21	48	7	28	0	0	0	20	11	15
17	0.01	0	0	28	5	24	50	8	25	3	0	0.5	27	2	10
18	0.01	0	0	27	8	20.5	53	14	32	2	0	0	10	0	4
19	0.01	0	0	28	8	17	49	8	33.5	4	0	0	5	0	2
20	0.01	0	0	27	15	22.5	49	3	28.5	2	0	0.5	16	3	6.5
21	0.01	0	0	26	1	20.5	46	1	30	1	0	0	7	3	5
22	0.01	0	0	25	6	15.5	63	3	33	1	0	0	10	2	4.5
23	0.01	0	0	27	4	19	40	1	28	1	0	0	8	3	6
24	0.01	0	0.01	28	7	19	40	5	24.5	1	0	0	7	1	3.5
25	0.01	0	0.01	28	9	17.5	41	20	31.5	1	0	0	9	2	4.5
26	0.01	0	0.01	26	8	16	42	5	30	1	0	0	4	2	3
27	0.01	0	0	22	5	11	41	19	32.5	1	0	0	4	2	3
28	0.01	0	0	25	8	15.5	46	17	34	1	0	0	5	2	3
29	0.01	0	0	26	0	13.5	56	0	30.5	0	0	0	5	0	3.5
30	0.01	0	0	25	8	16.5	42	11	30.5	1	0	0	6	2	4