

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

平成26年 ※1時間ごとの平均値。空白部分のごみの供給停止中。

(単位:℃)

4月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	951	950	948	957	924	947	921	936	923	918	920	911	937	900	859	862	880	922	959	985	992	954			
	2号炉																									休炉
2	1号炉					931	921	938	934	959	820	858	893	971	741	933	913	929	918	932	926	979	945	1,002	940	13:22~14:00給じん停止
	2号炉																									休炉
3	1号炉	917	966	966	955	932	984	970	949	991	955	946	887	909	968	1,000	1,005	991	969	924	890	897	1,018	939	903	
	2号炉																									休炉
4	1号炉	900	900	913	908	921	934	916	929	898	923	998	945	1,055	1,017	940	907	933	934	883	890	919	937	933	931	
	2号炉																									休炉
5	1号炉	925	943	958	972	920	910	926	928	950	931	928	935	912	959	974	973	941	946	966	953	942	989	971	964	
	2号炉																									休炉
6	1号炉	950	921	919	948	948	954	940	914	788	996	942	944	949	938	942	923	931	938	946	939	972	975	1,004	992	8:45~8:50給じん停止
	2号炉																									休炉
7	1号炉	992	991	1011	973	838		553	973	924	932	951	952	910	873	873	898	890	876	902	871	856	917	989		4:40~6:48給じん停止
	2号炉																									休炉
8	1号炉					905	937	903	923	898	870	872	906	989	907	871	873	860	907	891	886	904	899	863	868	
	2号炉																									休炉
9	1号炉	929	943	906	935	923	916	910	929	920	934	780	863	943	901	883	887	893	885	932	920	923	899	947	911	10:30~11:03給じん停止
	2号炉																									休炉
10	1号炉	952	897	937	911	914	944	912	912	932	916	869	890	904	887	912	930	905	923	892	875	885	859	903	910	
	2号炉																									休炉
11	1号炉	928	887	904	873	890	916	938	931	919	919	934	936	929	942	971	932	942	880	907	925	888	916	943	947	
	2号炉														890	895	947	977	944	938	940	954	961	996	970	立ち上げ~定常運転
12	1号炉	958	963	943	933	931	913	912	953	916	938	964	912	948	973	979	911	894	945	986	924	944	911	923	947	
	2号炉	919	953	936	908		889	900	940	955	839	756	770	980	965	958	941	906	942	946	890	942	916	920	924	9:30~10:20、10:40~11:00、11:10~11:14、11:21~11:40給じん停止
13	1号炉	912	919	942	918	921	909	919	913	942	928	912	925	954	934	945	950	967	965	932	957	928	962	969	949	
	2号炉	933	941	963	972	959	956	907	959	974	949	910	929	903	934	936	925	928	937	968	967	920	901	895	921	
14	1号炉	922	919	940	934	906	947	923	894	922	906	944	955	979	904	907	896	892	875	907	872	927	911	914	932	
	2号炉	928	920	939	920	927	925	927	909	954	1,007	1,024	1,056	952	947	949	943	911	891	942	909	902	914	913	919	
15	1号炉	945	933	917	893	901	890	906	883	961	910	939	885	915	907	881	862	874	904	891	905	984	1,047	847	869	
	2号炉	971	878	847	914	902	915	907	922	945	897	889	864	922	950	893	905	870	935	908	941	887	978	913	945	

4月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
16	1号炉	899	909	914	904	917	922	909	874	928	730	868	886	879	936	922	939	945	982	910	914	922	936	935	991	9:16~10:06給じん停止
	2号炉	970	966	975	911	859	916	911	963	908	922	746	901	973	973	950	960	900	918	910	928	898	896	944	965	9:52~10:34給じん停止
17	1号炉	903	901	917	898	921	913	887	901	906	930	911	1,042	893	916	941	937	907	894	902	896	925	879	911	901	
	2号炉	900	922	945	916	960	925	943	924	918	804			870	878	883	904	874	906	901	897	910	910	903	929	
18	1号炉	905	909	924	971	950	940	906	952	903	938	927	926	917	905	887	910	928	919	888	954				1,064	
	2号炉	889	878	911	925	914	946	927	952	924	1,002	1,035	1,058	968	939	967	869	890	899	874	887	901	905	899	904	
19	1号炉	867	898	855	893	874	903	898	893	896	878	872	888	899	856	939	999	900	877	922	890	906	899	920	912	
	2号炉	921	912	859	972	926	919	912	909	892	888	916			866	894	902	903	893	933	943	939	911	929	940	
20	1号炉	902	925	935	935	896	965	1,020	888	891	901	942	915	902	895	912	966	912	925	890	922	937	907	921	940	
	2号炉	916	894	905	901	742	940	907	899	910	943	968	921	939	912	928	942	920	921	900	937	1,016	938	874	935	4:03~5:00給じん停止
21	1号炉	913	928	899	928	921	899	887	966	969	928	1,011	1,020	959	884	918	911	879	905	927	964	892	898	904	902	
	2号炉	931	934	934	920	925	926	936	933	966	962	950	982	971	878	906	900	883	883	909	962	925	947	930	953	
22	1号炉	922	902	924	938	845	875	901	879	901	929	911		923	903	887	868	890	909	995	885	880	909	867	896	
	2号炉	923	917	928	954	903	922	899	901	910	974	1,009	958	889	894	889	903	922	927	924	917	905	898	889	909	
23	1号炉	920	951	940	891	893	905	892	908	911	837	915	892	940	867	896	860	876	918	936	896	892	896	898	919	
	2号炉	907	890	957	906	891	910	937	944	913	769	853	924	890	888	902	883	849	886	914	906	882	896	950	914	9:20~10:15給じん停止
24	1号炉	878	906	906	895	890	868	862	949	895	918	920	897	938	892	876	896	893	903	909	884	865	910	949	859	
	2号炉	918	916	954	904	891	869	894	897	911	1,029	956	968	875	860	867	870	885	859	867	869	882	875	873	869	
25	1号炉	841	757	834	832	918	975	961	891	889	864				945	882	858	859	856	859	827	757	858	879	883	0:50~1:10、1:25~2:00、19:58~20:05、20:18~20:28給じん停止
	2号炉	905	879	899	946	934	956	913	884	895	923	946	922	918	955	935	908	932	945	811				730	904	18:33~22:16給じん停止
26	1号炉	884	907	865	893	904	913	1,011	901	887	885	894	900	909	901	907	924	934	942	948	951	914	921	941	876	
	2号炉	876	877	887	895	901	936	944	949	914	914	945	931	955	1,003	919	891	936	955	963	884	932	969	1,027	917	
27	1号炉	900	931	927	910	906	901	924	942	893	896	895	891	947	895	903	917	943	884	987	951	844	901	902	933	
	2号炉	868	879	944	938	933	904	966	928	970	891	909	824				855	929	883	879	875	896	946	917	902	
28	1号炉	943	991	923	855	880	874	884	888	870	862	965	947	868	874	943	874	879	885	863	865	888	931	969	884	
	2号炉	902	905	903	896	917	894	936	878	901	890	882	952	921	993	900	874	941	916	919	899	908	979	953	916	
29	1号炉	874	864	858	923	934	972																			定常運転~立ち下げ
	2号炉	879	983	877					877	903	966	880	917	903	886	904	912	956	965	926	922	900	923	873	886	
30	1号炉																									休炉
	2号炉	899	914	921	898	900	866	721	912	912	830	768	915	954	933	893	909	889	934	944	894	892	905	903	892	6:13~7:05、9:45~10:26給じん停止

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

平成26年 ※1時間ごとの平均値。空白部分のごみの供給停止中。

(単位:℃)

5月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉																									休炉
	2号炉	879	874	885	869	866	861	876	881	879	982	850	865	853	902	889	909	808	875	873	899	871	878	837	724	23:15~給じん停止
2	1号炉																									休炉
	2号炉				839	865	856	867	868	861	902	900	882	870	869	851	842	883	946	920	892	866	903	874	883	
3	1号炉														777	834	815	856	841	834	859	839	835	878	立ち上げ~定常運転	
	2号炉	906	917	879	886	887	865	896	901	884	875	859	895	900	925	925	890	873	907	882	905	921	881	906	906	
4	1号炉	844	858	884	881	943	980	924	905	896	884	871	872	883	877	868	874	887	871	915	895	877	904	881	887	
	2号炉	902	897	929	929	890	920	957	918	832	887	858	892	897	892	882	948	892	897	892	896					
5	1号炉	865	885	894	911	905	907	928	945	997	943	864	885	877	882	877	939	888	895	903	921	913	902	1,002	982	
	2号炉				864	881	865	894	881	873	861	849	886	931	898	907	874	888	863	863	873	901	918	929	910	
6	1号炉	847	858	865	883	875	873	879	884	891	905	900	909	888	912	841	844	871	843	832	850	874	882	881	937	
	2号炉	871	938	862	895	893	889	876	872	879	886	860	910	898	898	889	872	904	875	881	871	868	878	900	856	
7	1号炉	992	868	850	876	858	867	895	904	878	876	861	902	1,001	879	896	858	881	894	867	857	852	880	889	974	
	2号炉	863	885	900	888	880	879	882	898	885	719	817	926	970	894	900	917	879	873	910	901	884	875	891	903	9:18~10:18給じん停止
8	1号炉	871	874	883	890	868	898	894	968	894	943	894	899	923	937	887	913	889	844	849	837	855	858	842	852	
	2号炉	899	906	920	921	893	931	888	885	872	868	955	955	922	908	881	896	882	851	875	853	851	882	894	906	
9	1号炉	847	820	837	847	880	919	853	879	866	870	849	880	835	812	820	868	869	858	858	863	848	838	848	853	
	2号炉	882	851	890	895	922	875	928	903	879	925	923	942	886	882	873	847	880	879	881	882	890	869	882	876	
10	1号炉	841	875	957	910	835	849	842	844	870	861	841	832	851	865	865	885	895	868	888	882	866	859	862	866	
	2号炉	849	839	845	849	864	862	905	845	882	909	869	848	924	944	999	879	916	892	884	871	883	891	876	898	
11	1号炉	841	894	867	881	868	854	874	895	910	865	900	877	879	884	845	836	835	860	836	875	882	863	864	868	
	2号炉	888	877	888	889	889	887	872	857	882	899	932	895	905	902	865	913	880	894	916	877	903	878	898	888	
12	1号炉	861	858	871	871	872	866	834	836	838	835															定常運転~立ち下げ
	2号炉	884	863	868	876	905	874	882	877	851	878	871	890	851	876	863	863	880	886			838	877	884	896	
13	1号炉																									休炉
	2号炉	906	857	866	851	854	848	849	855	865	852	862	877	914	911	903	886	889	929	893	891	925	898	898	918	
14	1号炉																									休炉
	2号炉	932	897	894	882	865	859	878	872	882	879	860	893	938	683	869	876	870	900	902	890	869	853	859	884	13:05~14:03給じん停止
15	1号炉																									休炉
	2号炉	864	864	880	873	889	876	909	904	896	922	881	945	909	950	953	956	903	899	884	877	869	870			

5月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備考	
16	1号炉																										休炉
	2号炉	840	875	868	883	849	878	858	840	859	886	883	875	902	873	872	881	860	892	916			898	914	933	937	
17	1号炉																										休炉
	2号炉	908	891	919				879	980	918	891	889	889	882	870	886	888	888	891	851	841	872	876	876	923		
18	1号炉																										休炉
	2号炉	900	928	919	907	913	913	935	919	933	895	900	967	962	955	959	904	892	971	962	962	962	941	913	916		
19	1号炉																										休炉
	2号炉	900	934	909	814	949	935	926	921	912	972	911	891	982	902	880	872	912	894	979	936	866	948	916	880		
20	1号炉																										休炉
	2号炉	923	931	913	943	923	982	905	880	935	942	987	981	945	939	896	926	870	897	828	752						定常運転～立ち下げ
21	1号炉																										休炉
	2号炉																										休炉
22	1号炉																										休炉
	2号炉									945	851	868	853	830	856	846	830	862	869	895	921	928	804	794	854		立ち上げ～定常運転 22:15～23:30給じん停止
23	1号炉																										休炉
	2号炉	872	857	872	880	876	887	905	886	878	860	928	917	919	908	908	928	856	872	895	874	873	882	896	893		
24	1号炉																										休炉
	2号炉	882	904	883	896	881	899	905	901	900	931	915	912	875	920	918	939	886	883	936	953	909	896	917	935		
25	1号炉																										休炉
	2号炉	921	893	900	931	933	906	892	925	884	885	909	913	896	954	939	873	912	876	932	884	889	893	926	926		
26	1号炉																										休炉
	2号炉	905	887	896	888	883	904	900	876	895	894	969	941	937	888	866	884	876	917	888	885	897	909	877	870		
27	1号炉																										休炉
	2号炉	881	933	902	897	899	874	863	880	886	900	894	889	892	913	869	858	873	895	899	872	852	876	862	868		
28	1号炉																										休炉
	2号炉	881	906	902	873	891	892	871	869	862	685	854	866	858	859		875	847	867	858	890	862	890	891	882		8:48～9:58給じん停止
29	1号炉																										休炉
	2号炉	866	885	901	896	874	885	895	904	894	874	902	908	920	930	908	865	907	860	887	881	877	882	846	884		
30	1号炉																										休炉
	2号炉	842	845	896	889	887	886	902	925	865	940	879	902	852	886	872	854	857	872	888	892	888	865	864	873		
31	1号炉																										休炉
	2号炉	877	904	889	882	890	911	884	881	884	902	901	922	931	886	931	891	890	884	880	931	872	919	851	883		

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

平成26年 ※1時間ごとの平均値。空白部分のごみの供給停止中。

(単位:℃)

6月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉																									休炉
	2号炉	880	885	886	887	871	891	877	883	931	947	999	951	899	884	920	901	964	927	928	903	884	904	911	915	
2	1号炉																									休炉
	2号炉	914	956	943	860	873	896	896	867	888	929	889	901	859	951	892	829	863	907	892	913	867	884	868	897	
3	1号炉																									休炉
	2号炉	914	903	891	923	908	920	906	891	883	782	909	888	878	915	882	871	868	911	895	896	855	899	899	888	9:20~9:56給じん停止
4	1号炉																									休炉
	2号炉	920	901	888	893	853	894	876	896	895	911	898	898	969	955	951	918	873	841	887	870	927	921	907	925	
5	1号炉																									休炉
	2号炉	904	935	933	915	929	955	900	927	902	900	904	904	905	856	837	886	862	861	877	878	882	883	884	862	
6	1号炉																									休炉
	2号炉	870	899	853	877	879	867	885	885	887	865	870	907	898	862	881	941	959	911	875	868	881	885	873	878	
7	1号炉																									休炉
	2号炉	869	897	900	942	937	910	957	877	885	903	874	912	908	868	904	929	914	889	950	891	867	893	884	877	
8	1号炉																									休炉
	2号炉	880	898	907	910	892	924	874	918	876	896	893	880	896	912	875	921	909	877	858	885	891	890	907	902	
9	1号炉																									立ち上げ～定常運転
	2号炉	905	895	897	890	880	919	933	908	888	908	907	891	973	882	858	856	922	937	907	863	897	885	876	886	
10	1号炉	901	908	896	892	867	859	892	879	871	900	889	907	878	878	867	892	877	871	872	886	898	888	894	891	
	2号炉	903	934	874	860	882	867	872	877	876	850	867	837	853	874	893	864	918	862	862	888	906	898	886	873	
11	1号炉	893	865	866	864	860	890	876	873	884	946	900	933	916	926	895	915	881	896	919	892	900	891	885	900	
	2号炉	882	869	862	853	859	866	880	862	769		629	879	864	853	879	905	908	868	894	882	898	904	873	884	8:25~10:47給じん停止
12	1号炉	908	900	888	887	890	894	877	866	873	888	896	822	873	862	851	947	856	881	896	881	877	875	881	871	
	2号炉	825	903	887	882	892	875	858	867	858	903	878	904	904	885	861	879	899	872	880	882	878	882	899	860	
13	1号炉	874	898	876	879	890	870	897	872	874	881	892	984	894	933	908	907	880	895	904	899	900	894	926	898	
	2号炉	869	871	903	930	932	929	853	826	881	872	877	863	880	862	854	860	879	883	872	861	883	873	917	879	
14	1号炉	895	911	908	905	897	904	907	915	886	863	875	871	891	900	930	904	864	876	894	898	990	1,007	928	942	
	2号炉	874	918	911	896	888	903	838	821	871	876	877	883	885	876	904	870	851	882	890	898	963	900	960	958	
15	1号炉	881	882	915	935	901	894	904	909	905	887	904	904	868	888	876	905	900	899	944	871	886	878	911	911	
	2号炉	874	867	880	862	889	875	876	866	885	878	926	875	867	865	874	873	866	870	908	909	869	881	885	897	

6月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	913	900	891	904	873	925	904	900	889	937	897	896	906	887	888	899	885	888	887	892	875	876	869	904	
	2号炉	873	874	879	881	874	893	898	890	823																
17	1号炉	849	855	888	866	893	901	946	871	888	952	946	912	900	875	852	849	831	846	788	854	885	882	886	888	18:45～18:49給じん停止
	2号炉																									
18	1号炉	897	893	918	919	952	921	950	923	914	904	892	911	947	804	906	873	844	870	887	912	879	893	873	894	
	2号炉																									
19	1号炉	900	919	913	926	881	895	909	911	903	894	899	887	885	892	881	895	917	898	872	868	894			889	
	2号炉																									
20	1号炉	817	842	927	894	897	906	903	919	911	916	874	902	922	898	889	900	899	891	865	899	890	900	912	893	
	2号炉																									
21	1号炉	876	886	878	880	868	888	876	892	895	886	898	913	908	885	908	901	913	920	913	909	898	907	912	900	
	2号炉																									
22	1号炉	891	887	875	889	903	886	903	884	891	928	900	905	894	892	896	911	910	905	927	915	909	895	896	902	
	2号炉																									
23	1号炉	909	898	881	873	883	889	890	896	906	954	1,004	933	904	893	850	868	851	903	912	893	894	908	861	851	
	2号炉																									
24	1号炉	861	860	852	879	897	948	899	858	847	868	871	834	887	886	892	939	885	874	890	884	883	882	879	887	
	2号炉																									
25	1号炉	896	880	870	887	860	887	894	897	873	883	893	921	894	866	879	869	865	900	879	899	866	866	891	874	
	2号炉																									
26	1号炉	899	876	851	871	904	883	855	878	888	905	863	916	911	728	877	865	879	870	875	888	873	854	899	870	13:20～14:03給じん停止
	2号炉												702	912	887	860	877	909	864	868	882	887	892	863	915	立ち上げ～定常運転
27	1号炉	888	882	881	901	886	893	892	884	874	854	970	917	948	988		869	823	834	854	848	884	864	856	851	
	2号炉	908	870	873	875	891	917	890	912	885	956	949	881	854	851	843	834	856	885	886	858	868	882	857	847	
28	1号炉	825	853	860	884	868	866	884	868	869	880	852	863	879	875	928	865	866	864	882	872	855	885	866	885	
	2号炉	871	926	885	885	890	904	893	888	904	891	883	896	910	923	822	833	860	873	861	874	866	885	869	882	
29	1号炉	914	900	935	906	844	893	899	875	882	875	867	888	879	925	950	861	854	871	883	868	898	878	875	883	
	2号炉	885	902	876	877	887	883	894	892	888	860	872	886	895	891	893	920	891	893	895	895	863	877	877	891	
30	1号炉	913	928	895	870	866	865	860	872	884	858	859	871	881	885	888	878	922	871	865	854	877	885	868	865	
	2号炉	909	912	909	909	914	889	918	928	911	942	986	887	926	899	896	866	948	902	899	867	880	880	869	894	

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

平成26年 ※1時間ごとの平均値。空白部分のごみの供給停止中。

(単位:℃)

7月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	877	871	869	889	856	889	882	884	895	870	854	891	831	816	864	870	884	852	886	864	861	867	873	870	
	2号炉	895	882	874	901	903	908	881	760		894	862	866	860	880	872	871	867	892	902	891	864	879	879	908	7:26~9:01給じん停止
2	1号炉	852	891	914	867	871	867	870	847	868	731	855	881	880	881	895	890	891	861	855	870	866	870	869	861	9:18~10:00給じん停止
	2号炉	893	884	884	892	909	905	933	894	919	942	747	886	898	876	960	904	916	872	909	902	889	894	871	885	9:56~10:37給じん停止
3	1号炉	865	886	909	865	878	888	870	862	874	859	925	893	867	888	872	876	864	847	848	851	865	872	864	856	
	2号炉	885	897	931	906	910	957	954	902	893	932	929	887	863	909	884	858	869	895	866	901	869	896	882	863	
4	1号炉	864	829	861	870	861	868	877	878	900	892	891	898	890	896	883	892	932	901	869	863	895	908	911	897	
	2号炉	905	871	903	1,016	895	864	884	886	893	897	896	889	898	873	882	882	880	864	873	873	900	900	916	895	
5	1号炉	886	868	868	899	859	913	861	861	886	909	954	889	863	866	880	890	880	894	873	870	895	888	896	898	
	2号炉	903	904	892	881	872	915	913	881	886	903	901	896	898	909	920	911	886	890	888	904	909	874	885	892	
6	1号炉	905	869	946	910	873	882	893	931	906	889	901	898	946	898	914	950	886	900	904	899	898	892	907	873	
	2号炉	888	863	885	931	925	901	949	906	919	892	902	915	881	889	928	972	917	918	913	911	889	895	880	883	
7	1号炉	886	877	879	860	869	881	874	853	887	874	876	925	904	906	891	921	883	886				875	872	875	
	2号炉	877	915	891	970	897	913	911	869	906	921	911	989	922	918	891	894	843	885	897	896	886	884	889	899	
8	1号炉	871	877	881	874	862	857	900	861	887	868	858	892	913	881	889	865	898	859	861	887	868	881	884	889	
	2号炉	889	882	903			870	887	870	897	896	914	874	1,029	959	873	954	875	879	913	899	890	890	913	877	
9	1号炉	893	875	872	873	854	862	876	893	870	838	917	883	862	938	953	889	900	898	886	905	914	902	888	887	
	2号炉	911	878	909	892	879	889	870	904	874	754	833	831	906	846	899	878	884	865	875	960	906	892	882	918	9:19~10:22給じん停止
10	1号炉	893	875	866	870	892	878	890	893	886	885	864	885	870	878	847	877	874	868	885	884	876	838	745	892	21:54~22:09、22:12~22:19、22:48~22:53給じん停止
	2号炉	877	862	875	870	879	894	882	879	890	926	901	877	879	855	867	886	896	875	882	865	876	876	875	882	
11	1号炉	867	877	855	847	878	890	883	884	881	912	877	903	844	876	897	892	872	850	886	872	856	892			
	2号炉	848	867	864	844	892	886	864	900	887	884	874	881	867	872	868	883	863	915	903	925	899	892	930	903	
12	1号炉			903	900	887	876	873	852	858	859	866	874	873	878	888	906	904	916	892	871	908	890	880	883	
	2号炉	914	911	930	899	924	902	930	924	901	880	895	872	886	892	905	937	902	888	931	899	916	921	940	893	
13	1号炉	936	911	878	906	897	886	900	896	902	859	896	894	905	891	920	900	867	945	880	885	871	879	906	881	
	2号炉	909	899	950	917	922	896	913	898	899	872	886	895	937	929	939	926	951	936	887	904	910	897	926	883	
14	1号炉	877	866	875	910	864	910	884	892	898	870	879	887	924	898	899	887	890	865	877	857	876	864	870	888	
	2号炉	927	879	959	943	895	885	928	929	936	967	959	896	920	875	887	917	876	851	870	867	859	873	881	870	
15	1号炉	874	863	860	872	869	867	882	866	877	866	877	894	876	853	930	861	840	871	886	900	859	834	861	859	
	2号炉	883	881	881	884	875	884	921	875	871	816	843	858	861	872	865	879	866	908	914	894	884	866	848	869	

7月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	856	860	863	866	880	825	833	839	830	760	891	838	846	837	864	911	878	858	869	867	855	855	867	865	9:05~9:45給じん停止
	2号炉	880	869	900	945	883	874	850	864	869	852	836	885	919	872	868	918	876	883	875	869	882	873	846	861	
17	1号炉	841	878	867	867	853	904	887	833	838	856	872	863	845	825	828	834	827	832	838	848	875	919	915	890	
	2号炉	863	897	874			894	904	878	883	889	831	923	878	882	871	871	870	852	855	889	881	897	891	878	
18	1号炉	889	877		855	888	881	862	872	894	871	900	927	924	917	890	884	898	867	886	884	875	870	916	918	
	2号炉	915	880	858	860	899	884	910	878	927	889	890	857	861	855	863	883	854	867	860	875	892	949	997	889	
19	1号炉	907	893	877	925	921	900	911	906	881	901	894			941	865	871	861	876	874	860	871	886	885	874	
	2号炉	898	848	860	895	875	889	890	896	885	913	891	885	864	879	885	889	873	871	888	902	898	894	887	896	
20	1号炉	888	858	875	861	880	867	886	886	891	897	879	892	892	878	892	891	886	856	861	883	879	874	871	868	
	2号炉	894	891	898	880	872	917	906	883	866	906	886	870	882	919	890	902	902	884	909	902	902	893	886	875	
21	1号炉	872	874	863	871	863	888	867	876	864	829	849	832	849	840	868	843	840	872	893	875	860	858	865	853	
	2号炉	918	896	869	878	855	841	863	855	863	865	858	857	868	853	884	858	870	907	872	899	893	870	891	891	
22	1号炉	862	869	874	867	866	855	833	853	900	937	871	853	872	854	859	859	869	882	855	864	859	874	877	863	
	2号炉	880	858	881	885	887	858	862	891	909	881	897	857	877	890	891	899	895	865	830	845	949			848	
23	1号炉	875	879	873	870	850	843	845	854	862	808	898	861	857	867	830	846	851	824	873	862	868	862	865	868	
	2号炉	884	892	889	880	867	868	866	896	887	793	885	918	916	870	884	871	891	878	883	882	886	871	889	886	
24	1号炉	851	880	867	856	881	859	854	851	871	884	869	914	878	865	872	864	837	886	863	850	879	865	851	864	
	2号炉	865	876	885	866	894	870	857	866	881	875	904	872	874	879	856	859	864	853	871	842	867	880	865	884	
25	1号炉	871	856	863	880	877	855	850	856	849	864	842	873	896	880	895	836	849	849	846	870	849	869	873	855	
	2号炉	878	863	876	877	866	866	863	873	861	909	852	872	870	905	871	842	885	851	863	898	890	909	856	854	
26	1号炉	867	849	851	873	884	859	836	854	858	848	876	885	856			866	871	873	876	870	859	865	857	857	
	2号炉	872	859	874	852	859	852	845	858	862	850	863	898	876	881	890	881	882	892	881	881	843	875	864	856	
27	1号炉	849	877	864	851	849	849	868	862	852	863	840	872	884	850	870	853	863	873	875	886	857	878	866	877	
	2号炉	870	867	886	870	864	864	883	915	891	886	910	869	889	871	898	913	916	928	922	891	882	902	896	887	
28	1号炉	886	883	867	870	878	841	856	855	905	882	853	841	859	848	846	874	854	841	870	832	858	879	870	870	
	2号炉	871	878	901	901	884	862	855	907	889	885	870	885	883	878	869	885	879	871	884	831	878	884	921	966	
29	1号炉	886	874	865	897	882	912	911	901	885	937	856	926	945	919	887	872	832	868	883	902	909	916	948	880	
	2号炉	958	889	897	870	912	918	897	890	891	930	907	955	890	904	897	862	905	888	904		890	888	859	868	
30	1号炉	859	939	858	877	916	930	880	862	888	828	888	899	872	932	887	936	899	901	903	865	892	873	869	894	
	2号炉	851	874	853	875	871	890	884	868	878	723	897	923	884	914	888	910	929	892	920	862	884	870	884	977	
31	1号炉	936	916	906	874	891	855	876	893	909	938	910	903	906	890	873	937	859	875	872	902	866	869	889	883	
	2号炉	927	930	945	890	864	871	877	877	885	876	953	960	923	923	822	841	830	849	905	844	844	860	865	861	

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

平成26年 ※1時間ごとの平均値。空白部分のごみの供給停止中。

(単位:℃)

8月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	874	890	885	897	876	909	842	889	911	942	915	885	878	886	863	879	886	857	915	993				935	
	2号炉	861	859	849	858	867	880	802	857	860	860	861	866	874	860	856	876	871	840	862	857	880	871	874	858	
2	1号炉	901	878	887	888	878	902	888	880	883	855	897	903	895	890	928	901	897	874	908	869	905	943	958	968	
	2号炉	884	883	893	868	899	873	859	864	883	867	886	916	842	860	862	862	856	899	866	871	862	882	937	913	
3	1号炉	944	916	922	926	899	904	909	910	876	888	888	893	909	900	931	923	851	874	888	890	863	868	898	912	
	2号炉	925	928	917	943	901	909	898	879	901	900	894	883	906	896	911	923	881	950	832	871	872	861	889	876	
4	1号炉	897	882	891	893	892	900	891	896	960	943	872	895	916	880	887	894	926	879	877	900	899	877	864	869	
	2号炉	868	870	889	902	872	870	870	866	899	903	912	927	903	866	857	904	989	837	859	854	876	863	851	861	
5	1号炉	877	883	879	899	899	869	852	860	896	896	887	967	904	867	884	864	850	897	903	883	870	892	906	908	
	2号炉	845	868	862	867	865	825	830	854	893	897		895	876	872	891	838	868	867	848	824	855	881	859	887	
6	1号炉	865	901	885	844	873	864	881	860	887	928	884	899	883	901	944	901	898	876	878	905	884	877	899	887	
	2号炉	886	853	879	903	848	844	861	840	855	807	825	904	928	966	880	862	971	884	854	869	899	857	866	883	
7	1号炉	890	877	870	923	900	898	879	859	877	873	900	883	896	915	899	906	863	877	900	888	876	874	891	887	
	2号炉	868	812				856	845	865	850	837	901	882	876	844	838	835	850	841	859	858	899	870	865	892	
8	1号炉	894	859	847	884	889	902	884	926	876	857	863	870	902	896	888	904	913	864	867	898	895	901	887	902	
	2号炉	877	861	846	854	868	884	771	906	857	897	788	806	892	867	873	897	911	866	899	866	871	868	862	900	6:10~6:41、10:26~11:30給じん停止
9	1号炉	879	874	854	875	896	864	858	917	877	888	872	878	882	984	940	893	893	889	897	890	878	881	877	887	
	2号炉	891	852	850	840	851	849	870	840	869	866	868	873	867	862	897	875	864	870	908	922	892	885	898	895	
10	1号炉	897	873	860	881	873	866	895	882	898	918	914	905	885	922	885	892	917	914	1041	899	890	902	909	885	
	2号炉	883	881	880	885	875	882	871	886	890	868	905	868	881	897	888	890	899	876	888	892	869	897	878	881	
11	1号炉	894	902	917	909	894	895	922	915	900	936	904	917	857	848	886	943	935	889	953	987				976	
	2号炉	885	904	863	868	873	890	890	911	897	889	889	894	909	858	857	854	870	872	845	856	811	890	839	842	
12	1号炉	1053	972	952	934	868	903	902	873	874	862	901	880	836	855	851	866	838	832	879	875	881	855	853	850	
	2号炉	837	854	877	859	811	846	837	838	846	865	847	904	875	945	875	872	862	846	847	874	878	875	866	855	
13	1号炉	835	836	849	869	852	835	853	858	865	834	888	900	871	863	844	824	869	854	874	876	871	899	878	877	
	2号炉	858	846	830	865	871	857	839	887	858	730	681	888	895	897	920	902	910	939	887	887	937	900	908	894	9:14~9:50、10:17~10:52給じん停止
14	1号炉	888	896	920	894	912	874	904	877	893	878	859	867	838	833	855	821	840	871	924	882	862	861	868	866	
	2号炉	917	917	930	936	944	934	937	907	947	914	907	928	871	927	904	861	860	941	947	911	901	901	878	897	
15	1号炉	858	861	862	848	869	873	852	895	863	892	925	921	888	893	838	880	856	859	855	864	862	862	871	870	
	2号炉	872	934	968	966	950	890	900	905	884	899	882	879	907	888	941	876	874	889	875	879	875	902	909	880	

9月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	883	883	875	887	899	900	919	916	926	912	915	923	926	925	935	915	911	922	889	869	899	942	948	961	
	2号炉																									
17	1号炉	930	960	959	995	937	930	883	928	951	933	921	975	1,001	955	891	894	919	911	912	932	944	940	942	988	
	2号炉										766	879	932	920	894	870	861	867	887	879	952	982	964	881	936	立ち上げ～定常運転
18	1号炉	915	923	952	927	893	890	944	941	961	948	906	912	900	856	837	861	905	879	886	883	863	857	849	847	
	2号炉	868	879	923	933	877	876	937	917	927	898	932	952	889	869	860	899	896	883	862	875	861	848	868	864	
19	1号炉	879	881	862	862	866	860	859	852	896	894	917	857	854	869	860	896	1,005	924	868	879	889	875	893	901	
	2号炉	865	890	887	850	870	846	861	863	872	877	864	852	881	838	912	894	987	895	866	878	893	883	905	865	
20	1号炉	899	908	895	913	890	917	924	925	928	896	884	882	885	913	922	905	892	873	889	925	917	893	902	910	
	2号炉	859	884	903	892	903	968	912	871	889	896	897	900	874	908	928	939	891	894	938	942	934	976	952	880	
21	1号炉	910	915	927	921	883	881	896	885	884	903	871	887	869	895	928	929	901	868	918	900	853	888	862		
	2号炉	919	961	902	915	915	905	899	926	925	890	920	888	884	941	912	923	909	894	907	915	927	888	887	883	
22	1号炉	888	853	850	859	863	868	848	859	858	860	843	844	867	858	882	822	887	861	860	862	878	877	859	896	
	2号炉	879	902	901	854	878	870	874	878	867	876	875	878	893	918	869	901	871	950	872	880	920	837	930	893	
23	1号炉	863	875	880	880	884	873	865	870	880	863	859	862	879	858	866	879	871	857	881	885	861	876	890	887	
	2号炉	860	897			921	888	867	904	890	837	873	878	924	900	878	932	850	884	893	887	886	896	885	892	
24	1号炉	899	933	909	856	907	925	891	888	863	840	895	869	925	865	900	893	851	886	891	899	848	949	909	876	
	2号炉	915	938	910	879	916	940	931	871	884	829	903	881	912	895	882	871	848	900	891	901	870	881	884	924	
25	1号炉	865	869	875	900	929	926	885	883	916	899	901	872	854	871	870	868	856	866	874	862	874	852	872	877	
	2号炉	920	908	886	920	923	944	919	900	929	978	929	848	858	934	951	878	890	856	870	850	864	873	875	915	
26	1号炉	876	899	887	863	879	881	889	905	918	920	889	910	896	913	855	916	877	893	856	901	895	867	866	848	
	2号炉	871	929	918	920	868	900	905	906	884	928	904	877	874	870	904	912	922	862	843	909	902	874	848	863	
27	1号炉	862	859	866	861	878	857	854	857	856	859	856	854	841	870	884	880	893	890	879	978	1,018	851	912	906	
	2号炉	885	877	847	880	880	890	841	839	860	857	851	860	879	870	855	880	885	871	870	871	871	895	894	852	
28	1号炉	943	973	867	853	842	855	841	830	835	847	835	838	860	862	844	886	891	923	921	913	906	929	928	910	
	2号炉	883	862	893	891	900	895	916	903	880	895	901	887	874	890	913	901	886	896	865	879	867	899			
29	1号炉	938	879	884	902	872	1,019	882	918	920	898	894	923	900	947	935	881	867	881	901	924	933	893	882	888	
	2号炉			929	876	846	843	901	866	879	908	844	896	864	902	870	855	883	857	873	878	913	853	867	874	
30	1号炉	881	906	909	923	915	900	927	918	929	897	908	938	929	902	952	900	962	934	885	891	894	940	898	910	
	2号炉	869	873	890	874	903	857	868	859	893	865	949	913	889	861	859	874	863	843	859	828	849	907	853	872	