

平成27年度 排ガス中のばい煙濃度等

10月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0.01	0	0	29	5	20	39	0	20	2	0	0.5	12	2	7.5
2	0.01	0	0.01	28	9	18.5	40	6	28	1	0	0	7	0	3.5
3	0.01	0	0	28	3	18	48	2	32	0	0	0	8	1	4.5
4	0.01	0	0	27	12	21	38	13	29.5	1	0	0	8	2	5.5
5	0	0	0	25	11	18.5	38	17	30.5	0	0	0	7	3	4.5
6	0	0	0	22	6	15	39	8	29.5	0	0	0	7	2	4.5
7	0	0	0	27	7	20	37	3	27.5	0	0	0	13	3	5
8	0.01	0	0	27	11	19	39	15	31	0	0	0	10	3	5.5
9	0.01	0	0	28	7	18.5	45	20	32	0	0	0	7	3	4.5
10	0	0	0	28	2	23.5	36	2	24.5	0	0	0	11	1	7
11	0.01	0	0	27	11	23.5	36	7	30	0	0	0	10	3	7.5
12	0	0	0	27	2	20.5	39	3	28.5	1	0	0	7	2	5
13	0	0	0	24	9	17	36	14	28.5	0	0	0	6	1	3.5
14	0	0	0	27	7	19	36	3	26	0	0	0	10	2	5.5
15	0	0	0	29	9	19.5	41	8	30.5	1	0	0	14	0	5
16	0.01	0	0	29	5	15.5	61	6	32.5	18	0	2	7	3	5
17	0.01	0	0	72	2	32.5	39	4	29	1	0	0	9	1	5.5
18	0.01	0	0	57	3	29.5	36	0	29	0	0	0	9	0	6
19	0	0	0	74	3	22.5	43	13	30.5	0	0	0	7	3	4.5
20	0	0	0	96	1	43.5	39	0	27	0	0	0	6	2	4
21	0.01	0	0	63	8	29	40	10	29	0	0	0	5	2	3.5
22	0	0	0	75	6	34.5	48	13	29.5	4	0	0	12	3	6
23	0	0	0	64	3	24.5	58	7	29	0	0	0	5	3	4.5
24	0	0	0	75	7	42.5	38	8	29	0	0	0	7	3	5
25	0	0	0	83	2	37.5	61	0	28.5	2	0	0	9	1	6
26	0	0	0	54	1	25	39	0	27	0	0	0	6	4	5
27	0.01	0	0	56	4	27.5	41	5	32	0	0	0	9	3	6
28	0	0	0	64	8	30.5	40	2	29	1	0	0	12	2	5.5
29	0	0	0	79	2	29.5	38	6	28.5	1	0	0	9	3	6.5
30	0	0	0	67	3	33	40	0	26.5	0	0	0	9	1	4
31	0	0	0	85	1	32	40	2	28	3	0	0	10	2	5

平成27年度 排ガス中のばい煙濃度等

11月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0	0	0	59	10	30	40	18	33.5	0	0	0	6	3	5
2	0	0	0	52	7	23	38	14	33	0	0	0	7	3	4.5
3	0	0	0	52	6	23.5	40	20	33.5	0	0	0	7	2	5
4	0	0	0	53	2	21.5	39	5	28.5	0	0	0	8	4	6.5
5	0	0	0	40	2	14	38	3	29.5	0	0	0	7	3	4.5
6	0	0	0	63	10	31.5	37	5	27	0	0	0	7	3	5
7	0	0	0	34	6	17	35	15	26	0	0	0	3	2	3
8	0	0	0	45	7	22	38	12	26	0	0	0	4	2	3
9	0	0	0	43	3	16	61	6	34	0	0	0	4	2	4
10	0	0	0	48	2	22	35	0	18	0	0	0	5	2	4
11	0	0	0	32	5	17	35	3	24	0	0	0	4	2	3
12	0	0	0	27	4	16	38	10	24	0	0	0	5	3	4
13	0	0	0	33	2	14	37	9	26	0	0	0	6	3	4
14	0	0	0	55	7	28	40	8	27	1	0	0	8	1	3.5
15	0	0	0	50	7	24.5	38	15	28.5	0	0	0	4	0	2.5
16	0	0	0	64	3	24.5	41	1	30	0	0	0	5	1	2.5
17	0	0	0	60	3	22	38	11	29.5	0	0	0	6	2	3
18	0	0	0	48	2	18	39	7	28	0	0	0	5	1	3.5
19	0	0	0	44	5	27	39	7	30	0	0	0	4	1	3
20	0	0	0	38	8	19	39	24	33	1	0	0	5	3	4
21	0	0	0	44	2	25	38	1	29	2	0	0	5	1	4
22	0	0	0	56	12	29	38	28	33	0	0	0	5	3	4
23	0	0	0	62	12	31	39	23	33	0	0	0	5	3	4
24	0	0	0	41	10	22	38	26	33	0	0	0	5	3	4
25	0	0	0	43	16	26	38	16	31	2	0	0	5	3	4
26	0	0	0	50	3	22	66	1	32	2	0	0	7	2	4
27	0	0	0	43	6	17	39	19	32	0	0	0	4	1	3
28	0	0	0	42	11	24	38	24	33	1	0	0	4	2	3
29	0	0	0	41	14	24	40	8	32	0	0	0	5	3	4
30	0	0	0	41	9	19	40	27	34	1	0	0	5	3	4

平成27年度 排ガス中のばい煙濃度等

1月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	0	0	0	39	3	24	41	2	34	0	0	0	3	0	3
6	0.01	0	0	60	3	33	45	23	35	0	0	0	4	0	2
7	0.01	0	0.01	71	10	39.5	62	23	36	0	0	0	4	2	2.5
8	0.01	0	0.01	69	20	43	43	25	36	1	0	0	5	3	4
9	0.01	0	0.01	81	15	47.5	43	20	34.5	0	0	0	5	3	4
10	0.01	0	0.01	87	29	64.5	42	19	33	1	0	0	10	3	6
11	0.01	0	0.01	90	12	68	49	4	26.5	1	0	0	7	1	5
12	0.01	0	0.01	89	4	57.5	44	4	31	1	0	0	6	1	5
13	0.01	0	0.01	66	14	40.5	44	12	33	0	0	0	5	3	3.5
14	0.01	0	0.01	81	12	48	48	19	33	0	0	0	6	3	4.5
15	0.01	0	0	87	5	30	46	7	34.5	0	0	0	5	2	3.5
16	0.01	0	0	92	19	57	43	1	33	1	0	0	7	3	4.5
17	0.01	0	0	91	5	46	49	2	28	0	0	0	7	1	4
18	0.01	0	0.01	61	4	30	43	0	32.5	0	0	0	5	2	3.5
19	0	0	0	56	5	25	59	12	36	0	0	0	5	2	3.5
20	0.01	0	0	63	2	26	42	18	35	1	0	0	5	1	2.5
21	0.01	0	0	68	10	35.5	43	30	35.5	0	0	0	6	2	4
22	0.01	0	0	58	3	25	45	21	35	0	0	0	5	3	4
23	0.01	0	0	65	8	33.5	50	1	34	0	0	0	6	4	5
24	0	0	0	83	1	48.5	51	1	33.5	0	0	0	6	0	4.5
25	0	0	0	58	1	21.5	67	6	33.5	1	0	0	5	1	3.5
26	0	0	0	36	1	12.5	45	0	30	0	0	0	4	2	3.5
27	0.01	0	0	67	6	33.5	48	12	32	2	0	0	5	2	4
28	0.01	0	0	70	7	35.5	42	18	32.5	0	0	0	6	1	3
29	0.01	0	0.01	54	5	27	42	19	34	1	0	0	5	2	3
30	0	0	0	57	12	32	40	15	32	2	0	0	6	3	4
31	0	0	0	52	18	35	39	25	32	0	0	0	5	3	4

平成27年度 排ガス中のばい煙濃度等

2月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0	0	0	50	2	29	35	1	27	0	0	0	7	0	5
2	0	0	0	46	10	28	34	5	22	0	0	0	4	2	3
3	0	0	0	66	15	35	37	18	30	1	0	0	4	2	4
4	0	0	0	45	7	26	38	25	31	0	0	0	4	3	3
5	0	0	0	54	12	29	38	17	32	0	0	0	5	3	4
6	0	0	0	58	13	32	39	23	32	0	0	0	5	4	4
7	0	0	0	50	8	33	37	7	28	3	0	0	5	2	4
8	0	0	0	44	11	26	39	20	33	0	0	0	5	3	4
9	0	0	0	70	7	25	40	3	31	0	0	0	5	2	4
10	0	0	0	53	14	28	40	16	32	0	0	0	4	3	3
11	0	0	0	54	14	34	38	20	32	16	0	3	6	3	4
12	0	0	0	59	21	40	38	16	31	3	2	2	6	1	3
13	0	0	0	69	24	40	37	11	29	4	2	2	4	1	3
14	0	0	0	72	21	39	41	21	32	2	1	2	4	2	3
15	0	0	0	52	2	30	40	1	26.5	5	0	1	4	0	2
16	0	0	0	67	11	39	39	13	29	0	0	0	4	2	4
17	0	0	0	69	12	33	38	20	33	0	0	0	4	1	2
18	0	0	0	58	27	43	37	26	33	0	0	0	4	2	3
19	0	0	0	51	9	32	54	22	35	0	0	0	5	3	4
20	0	0	0	85	24	52	40	22	32	0	0	0	6	3	5
21	0	0	0	71	27	43	38	22	33	0	0	0	5	3	4
22	0	0	0	47	6	27	40	5	32	0	0	0	6	1	4
23	0	0	0	64	17	37	37	19	31	0	0	0	7	3	5
24	0	0	0	57	25	39	40	15	31	1	0	0	5	3	4
25	0	0	0	65	5	37	40	2	31	0	0	0	7	1	5
26	0	0	0	74	4	44	37	2	28	0	0	0	5	0	4
27	0	0	0	70	23	51	40	25	33	1	0	0	5	2	4
28	0	0	0	83	7	47	37	1	29	2	0	0	6	2	4
29	0	0	0	66	14	34	39	22	33	0	0	0	4	2	3

平成27年度 排ガス中のばい煙濃度等

3月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0	0	0	52	3	32	47	1	29	4	0	0	5	1	3
2	0	0	0	64	6	33	40	3	27	2	0	0	3	0	3
3	0.01	0	0	67	10	36	41	15	31	5	0	2.5	4	0	1.5
4	0.01	0	0.01	56	13	34	38	12	30.5	5	0	2	4	2	3
5	0.01	0	0.01	81	23	46.5	38	5	28.5	3	0	1	4	2	3.5
6	0.01	0	0.01	82	34	56	37	17	29	3	0	1	6	2	4
7	0	0	0	68	15	37	36	24	32	2	0	1	6	3	4
8	0.01	0	0	72	5	33.5	40	3	27.5	1	0	0	5	0	2.5
9	0.01	0	0.01	74	7	45	48	0	28.5	1	0	0	5	1	3
10	0.01	0	0	75	11	39	40	7	30.5	1	0	0	6	2	4
11	0.01	0	0.01	76	2	37.5	40	1	31	3	0	0	5	0	4
12	0	0	0	67	25	42	37	24	32	1	0	0	5	3	4
13	0	0	0	60	25	41	39	16	32	1	0	0	4	1	3
14	0	0	0	67	1	35	39	1	31	0	0	0	4	0	2
15	0	0	0	62	1	37	35	0	22	1	0	0	3	0	2
16	0	0	0	63	24	38	38	5	29	5	0	0	3	2	3
17	0	0	0	51	15	36	38	12	33	1	0	0	5	2	3
18	0	0	0	55	9	25	39	16	34	1	0	0	3	2	3
19	0	0	0	79	19	44	38	21	31	1	0	0	5	2	3
20	0	0	0	76	17	45	36	22	31	1	0	0	4	2	3
21	0	0	0	79	27	50	49	10	32	1	0	0	4	2	3
22	0	0	0	64	4	33	38	10	29	1	0	0	3	1	2
23	0	0	0	72	33	56	36	7	29	4	0	1	8	2	4
24	0	0	0	77	15	49	40	14	30	1	0	0	7	3	5
25	0	0	0	70	20	40	39	22	35	0	0	0	4	2	3
26	0	0	0	91	29	49	39	19	35	2	0	0	5	2	4
27	0	0	0	68	29	50	41	27	34	1	0	0	7	3	5
28	0	0	0	59	3	33	42	28	34	0	0	0	4	2	3
29	0	0	0	86	15	55	37	22	31	2	0	0	10	2	5
30	0.01	0	0.01	88	14	52	36	2	26.5	6	0	0.5	6	2	4
31	0.01	0	0.01	80	17	57.5	38	3	28.5	3	0	0	11	1	5.5