

令和元年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

| 10月 | ばいじん濃度(mg/Nm <sup>3</sup> )<br>管理値:20mg/Nm <sup>3</sup> 以下<br>排出基準:150mg/Nm <sup>3</sup> 以下 |      |      | 一酸化炭素濃度(ppm)<br>管理値:100ppm以下<br>維持管理基準:100ppm以下 |    |      | 窒素酸化物濃度(ppm)<br>管理値:70ppm以下<br>排出基準:250ppm以下 |    |      | 硫黄酸化物濃度(ppm)<br>管理値:20ppm以下 |    |    | 塩化水素濃度(ppm)<br>管理値:50ppm以下<br>排出基準:430ppm以下 |    |     | 一酸化炭素濃度(ppm)<br>管理値:30ppm以下<br>(4時間平均) |      |       |
|-----|---|------|------|---|----|------|--|----|------|-----------------------------|----|----|---|----|-----|--|------|-------|
|     | 最大  | 最小   | 平均   | 最大  | 最小 | 平均   | 最大   | 最小 | 平均   | 最大                          | 最小 | 平均 | 最大  | 最小 | 平均  | 最大                                     | 最小   | 平均    |
| 1   | 0.58  | 0.31 | 0.45 | 43  | 32 | 38   | 28   | 1  | 15   | 0                           | 0  | 0  | 1   | 1  | 1   | -                                      | -    | -     |
| 2   | 0.84  | 0.01 | 0.46 | 86  | 0  | 24   | 65   | 0  | 32.5 | 0                           | 0  | 0  | 4   | 0  | 1.5 | 40.00                                  | 8.50 | 25.33 |
| 3   | 0.85  | 0.19 | 0.52 | 37  | 0  | 7    | 60   | 24 | 42.5 | 0                           | 0  | 0  | 5   | 2  | 3   | 25.50                                  | 0.00 | 7.03  |
| 4   | 0.86  | 0    | 0.48 | 53  | 0  | 3    | 58   | 0  | 40.5 | 0                           | 0  | 0  | 4   | 0  | 2.5 | 22.50                                  | 0.00 | 3.40  |
| 5   | 0.75  | 0.13 | 0.45 | 64  | 0  | 7    | 47   | 5  | 31   | 0                           | 0  | 0  | 3   | 1  | 2.5 | 41.50                                  | 0.00 | 7.23  |
| 6   | 0.74  | 0.1  | 0.43 | 52  | 0  | 6    | 45   | 8  | 33   | 0                           | 0  | 0  | 3   | 1  | 2.5 | 18.25                                  | 0.00 | 5.88  |
| 7   | 0.70  | 0.03 | 0.42 | 54  | 0  | 8.5  | 50   | 2  | 32.5 | 0                           | 0  | 0  | 3   | 0  | 2.5 | 38.75                                  | 0.00 | 8.81  |
| 8   | 0.75  | 0.11 | 0.48 | 41  | 0  | 5    | 57   | 18 | 37   | 0                           | 0  | 0  | 3   | 2  | 2.5 | 22.00                                  | 0.00 | 4.74  |
| 9   | 0.62  | 0.09 | 0.3  | 64  | 0  | 8.5  | 53   | 1  | 28   | 1                           | 0  | 0  | 4   | 0  | 2.5 | 14.25                                  | 0.00 | 5.91  |
| 10  | 0.65  | 0.17 | 0.41 | 51  | 0  | 8.5  | 53   | 21 | 38   | 0                           | 0  | 0  | 5   | 2  | 3.5 | 35.75                                  | 0.00 | 9.55  |
| 11  | 0.75  | 0.09 | 0.42 | 57  | 0  | 7.5  | 52   | 3  | 34   | 3                           | 0  | 0  | 6   | 0  | 3.5 | 31.25                                  | 0.00 | 6.96  |
| 12  | 0.75  | 0.08 | 0.45 | 92  | 0  | 12   | 45   | 1  | 30.5 | 0                           | 0  | 0  | 4   | 0  | 3   | 37.25                                  | 0.00 | 11.87 |
| 13  | 0.70  | 0.06 | 0.43 | 72  | 0  | 14   | 54   | 2  | 34.5 | 0                           | 0  | 0  | 6   | 1  | 4   | 39.25                                  | 0.00 | 13.31 |
| 14  | 0.70  | 0.09 | 0.41 | 54  | 0  | 11.5 | 52   | 14 | 35.5 | 0                           | 0  | 0  | 7   | 1  | 4   | 33.00                                  | 0.00 | 12.88 |
| 15  | -   | -    | -    | -   | -  | -    | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -     |
| 16  | 0.60  | 0.02 | 0.39 | 50  | 0  | 8.5  | 52   | 0  | 37   | 0                           | 0  | 0  | 3   | 0  | 2.5 | 19.25                                  | 0.25 | 9.93  |
| 17  | 0.67  | 0.01 | 0.43 | 43  | 0  | 8.5  | 60   | 0  | 34.5 | 0                           | 0  | 0  | 4   | 0  | 3   | 18.75                                  | 0.00 | 8.86  |
| 18  | 0.79  | 0.10 | 0.45 | 35  | 0  | 6.5  | 56   | 8  | 33.5 | 0                           | 0  | 0  | 5   | 1  | 3   | 17.25                                  | 0.00 | 6.71  |
| 19  | 0.84  | 0.07 | 0.44 | 60  | 0  | 8    | 54   | 4  | 30   | 0                           | 0  | 0  | 5   | 2  | 3.5 | 25.00                                  | 0.00 | 8.40  |
| 20  | 0.68  | 0.02 | 0.53 | 64  | 2  | 20   | 43   | 0  | 30   | 0                           | 0  | 0  | 7   | 0  | 4   | 44.25                                  | 3.50 | 18.07 |
| 21  | 0.64  | 0.17 | 0.53 | 23  | 3  | 9    | 45   | 6  | 37   | 0                           | 0  | 0  | 4   | 1  | 3   | 19.75                                  | 4.50 | 9.34  |
| 22  | 0.70  | 0.31 | 0.58 | 71  | 1  | 17   | 44   | 18 | 37   | 0                           | 0  | 0  | 5   | 2  | 3   | 37.50                                  | 3.75 | 15.82 |
| 23  | 0.60  | 0.02 | 0.48 | 62  | 1  | 16   | 48   | 1  | 33   | 0                           | 0  | 0  | 5   | 0  | 3   | 27.25                                  | 6.75 | 13.32 |
| 24  | 0.69  | 0.37 | 0.57 | 55  | 4  | 14   | 44   | 18 | 35   | 0                           | 0  | 0  | 5   | 0  | 2   | 31.00                                  | 5.50 | 15.50 |
| 25  | 0.64  | 0.07 | 0.53 | 62  | 1  | 9    | 45   | 3  | 35   | 0                           | 0  | 0  | 2   | 0  | 2   | 23.25                                  | 4.50 | 9.39  |
| 26  | 0.63  | 0.35 | 0.57 | 50  | 2  | 9    | 42   | 27 | 37   | 0                           | 0  | 0  | 2   | 1  | 2   | 19.00                                  | 2.25 | 7.79  |
| 27  | 0.65  | 0    | 0.29 | 85  | 0  | 17.5 | 56   | 0  | 37   | 0                           | 0  | 0  | 3   | 0  | 2   | 39.00                                  | 1.75 | 17.64 |
| 28  | 0.69  | 0.04 | 0.28 | 40  | 0  | 12   | 65   | 10 | 41.5 | 0                           | 0  | 0  | 5   | 0  | 2.5 | 29.00                                  | 1.75 | 12.98 |
| 29  | 0.64  | 0    | 0.26 | 71  | 0  | 22.5 | 63   | 0  | 40.5 | 0                           | 0  | 0  | 7   | 0  | 2.5 | 52.00                                  | 1.75 | 21.21 |
| 30  | 0.65  | 0.04 | 0.31 | 52  | 0  | 10   | 58   | 22 | 43   | 0                           | 0  | 0  | 5   | 2  | 3   | 37.50                                  | 0.00 | 11.04 |
| 31  | 0.67  | 0.01 | 0.29 | 40  | 0  | 11   | 63   | 0  | 42.5 | 0                           | 0  | 0  | 6   | 0  | 3   | 25.50                                  | 0.00 | 11.40 |

令和元年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

| 11月 | ばいじん濃度(mg/Nm <sup>3</sup> )<br>管理値:20mg/Nm <sup>3</sup> 以下<br>排出基準:150mg/Nm <sup>3</sup> 以下 |      |      | 一酸化炭素濃度(ppm)<br>管理値:100ppm以下<br>維持管理基準:100ppm以下 |    |      | 窒素酸化物濃度(ppm)<br>管理値:70ppm以下<br>排出基準:250ppm以下 |    |      | 硫黄酸化物濃度(ppm)<br>管理値:20ppm以下 |    |    | 塩化水素濃度(ppm)<br>管理値:50ppm以下<br>排出基準:430ppm以下 |    |     | 一酸化炭素濃度(ppm)<br>管理値:30ppm以下<br>(4時間平均) |      |       |
|-----|---|------|------|---|----|------|--|----|------|-----------------------------|----|----|---|----|-----|--|------|-------|
|     | 最大  | 最小   | 平均   | 最大  | 最小 | 平均   | 最大   | 最小 | 平均   | 最大                          | 最小 | 平均 | 最大  | 最小 | 平均  | 最大                                     | 最小   | 平均    |
| 1   | 0.65  | 0.02 | 0.27 | 30  | 0  | 8.5  | 55   | 0  | 38.5 | 0                           | 0  | 0  | 5   | 0  | 3   | 18.75                                  | 0.00 | 7.54  |
| 2   | 0.50  | 0.12 | 0.44 | 65  | 0  | 14   | 54   | 3  | 35   | 0                           | 0  | 0  | 3   | 0  | 2   | 44.75                                  | 0.00 | 13.33 |
| 3   | 0.60  | 0.30 | 0.5  | 41  | 0  | 16   | 37   | 20 | 30   | 0                           | 0  | 0  | 3   | 1  | 2   | 22.50                                  | 1.25 | 14.51 |
| 4   | 0.55  | 0.33 | 0.46 | 33  | 0  | 9    | 54   | 16 | 30   | 0                           | 0  | 0  | 4   | 1  | 2   | 23.25                                  | 0.50 | 10.20 |
| 5   | 0.55  | 0.07 | 0.42 | 72  | 1  | 16   | 45   | 1  | 30   | 0                           | 0  | 0  | 2   | 0  | 2   | 32.75                                  | 2.00 | 14.20 |
| 6   | 0.56  | 0.05 | 0.43 | 53  | 1  | 18   | 43   | 0  | 27   | 0                           | 0  | 0  | 3   | 0  | 2   | 48.50                                  | 2.75 | 21.13 |
| 7   | 0.60  | 0.11 | 0.44 | 73  | 3  | 28   | 51   | 1  | 31   | 0                           | 0  | 0  | 4   | 1  | 3   | 48.25                                  | 5.75 | 28.65 |
| 8   | 0.50  | 0.20 | 0.43 | 47  | 2  | 13   | 65   | 12 | 38   | 0                           | 0  | 0  | 4   | 0  | 2   | 25.50                                  | 3.00 | 13.32 |
| 9   | 0.58  | 0.28 | 0.49 | 38  | 3  | 14   | 61   | 31 | 43   | 0                           | 0  | 0  | 3   | 2  | 3   | 25.75                                  | 4.25 | 14.70 |
| 10  | 0.50  | 0    | 0.39 | 62  | 0  | 21   | 50   | 0  | 27   | 0                           | 0  | 0  | 4   | 0  | 2   | 41.00                                  | 3.75 | 19.82 |
| 11  | 0.62  | 0.01 | 0.28 | 69  | 0  | 18   | 66   | 2  | 37.5 | 0                           | 0  | 0  | 7   | 0  | 2.5 | 45.75                                  | 1.75 | 21.32 |
| 12  | 0.60  | 0    | 0.27 | 75  | 0  | 15.5 | 55   | 0  | 36   | 0                           | 0  | 0  | 5   | 0  | 2.5 | 40.00                                  | 0.00 | 16.42 |
| 13  | 0.64  | 0.05 | 0.31 | 56  | 0  | 13.5 | 57   | 25 | 42   | 0                           | 0  | 0  | 4   | 2  | 3   | 33.25                                  | 1.50 | 12.36 |
| 14  | 0.60  | 0.05 | 0.31 | 49  | 0  | 12   | 55   | 20 | 40.5 | 0                           | 0  | 0  | 4   | 2  | 3.5 | 28.75                                  | 2.00 | 12.96 |
| 15  | 0.60  | 0.05 | 0.28 | 47  | 0  | 13.5 | 54   | 14 | 39   | 0                           | 0  | 0  | 5   | 1  | 3   | 36.75                                  | 2.25 | 13.78 |
| 16  | 0.60  | 0.02 | 0.27 | 59  | 0  | 14   | 56   | 1  | 40.5 | 0                           | 0  | 0  | 5   | 0  | 2.5 | 37.50                                  | 0.00 | 13.06 |
| 17  | 0.65  | 0    | 0.27 | 67  | 0  | 16   | 67   | 0  | 37   | 0                           | 0  | 0  | 6   | 0  | 4   | 50.50                                  | 2.00 | 16.42 |
| 18  | 0.69  | 0.04 | 0.33 | 68  | 0  | 6.5  | 56   | 16 | 39.5 | 0                           | 0  | 0  | 5   | 2  | 3.5 | 27.50                                  | 0.25 | 7.10  |
| 19  | 0.99  | 0    | 0.38 | 56  | 0  | 14.5 | 53   | 3  | 32.5 | 0                           | 0  | 0  | 6   | 1  | 4   | 38.50                                  | 0.00 | 15.45 |
| 20  | 1.02  | 0    | 0.45 | 45  | 0  | 10.5 | 51   | 0  | 34.5 | 0                           | 0  | 0  | 5   | 0  | 3.5 | 26.75                                  | 0.00 | 10.05 |
| 21  | 1.05  | 0.05 | 0.48 | 49  | 0  | 8.5  | 49   | 14 | 36.5 | 0                           | 0  | 0  | 5   | 2  | 3.5 | 24.75                                  | 0.00 | 8.58  |
| 22  | 1.00  | 0.04 | 0.49 | 41  | 0  | 7    | 58   | 19 | 42   | 0                           | 0  | 0  | 5   | 1  | 3   | 25.50                                  | 0.00 | 7.03  |
| 23  | 1.04  | 0.05 | 0.46 | 48  | 0  | 10   | 59   | 2  | 38.5 | 0                           | 0  | 0  | 5   | 0  | 3   | 22.25                                  | 0.00 | 8.84  |
| 24  | 1.08  | 0.05 | 0.49 | 65  | 0  | 14   | 52   | 11 | 39   | 0                           | 0  | 0  | 5   | 1  | 3.5 | 33.50                                  | 1.00 | 15.64 |
| 25  | 1.15  | 0.01 | 0.54 | 91  | 0  | 7    | 54   | 12 | 39   | 1                           | 0  | 0  | 5   | 1  | 3   | 27.00                                  | 0.00 | 7.44  |
| 26  | 1.04  | 0.01 | 0.48 | 34  | 0  | 5    | 62   | 4  | 37.5 | 0                           | 0  | 0  | 4   | 0  | 2.5 | 15.50                                  | 0.00 | 4.08  |
| 27  | 1.00  | 0.04 | 0.46 | 52  | 0  | 8    | 57   | 11 | 38.5 | 1                           | 0  | 0  | 4   | 1  | 3   | 23.75                                  | 0.00 | 7.63  |
| 28  | 1.05  | 0.05 | 0.5  | 42  | 0  | 10   | 60   | 22 | 43   | 0                           | 0  | 0  | 9   | 2  | 4   | 27.75                                  | 0.00 | 9.80  |
| 29  | 0.90  | 0.05 | 0.42 | 63  | 0  | 7.5  | 52   | 8  | 37.5 | 0                           | 0  | 0  | 9   | 1  | 4   | 25.00                                  | 0.00 | 8.22  |
| 30  | 0.05  | 0    | 0.04 | 44  | 0  | 12   | 53   | 33 | 42   | 0                           | 0  | 0  | 5   | 3  | 4   | 30.00                                  | 0.00 | 10.99 |

令和元年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

| 12月 | ばいじん濃度(mg/Nm <sup>3</sup> )<br>管理値:20mg/Nm <sup>3</sup> 以下<br>排出基準:150mg/Nm <sup>3</sup> 以下 |      |      | 一酸化炭素濃度(ppm)<br>管理値:100ppm以下<br>維持管理基準:100ppm以下 |    |      | 窒素酸化物濃度(ppm)<br>管理値:70ppm以下<br>排出基準:250ppm以下 |    |      | 硫黄酸化物濃度(ppm)<br>管理値:20ppm以下 |    |    | 塩化水素濃度(ppm)<br>管理値:50ppm以下<br>排出基準:430ppm以下 |    |     | 一酸化炭素濃度(ppm)<br>管理値:30ppm以下<br>(4時間平均) |      |       |
|-----|---|------|------|---|----|------|--|----|------|-----------------------------|----|----|---|----|-----|--|------|-------|
|     | 最大  | 最小   | 平均   | 最大  | 最小 | 平均   | 最大   | 最小 | 平均   | 最大                          | 最小 | 平均 | 最大  | 最小 | 平均  | 最大                                     | 最小   | 平均    |
| 1   | 0.05  | 0    | 0.03 | 66  | 0  | 14   | 53   | 31 | 42   | 0                           | 0  | 0  | 5   | 3  | 4   | 37.75                                  | 0.50 | 14.11 |
| 2   | 0.05  | 0.05 | 0.05 | 37  | 0  | 9    | 61   | 35 | 48   | 0                           | 0  | 0  | 6   | 3  | 4   | 25.00                                  | 0.00 | 8.31  |
| 3   | 0.05  | 0    | 0.05 | 42  | 0  | 8    | 60   | 0  | 43   | 0                           | 0  | 0  | 5   | 0  | 4   | 21.00                                  | 0.75 | 7.48  |
| 4   | 0.05  | 0    | 0.04 | 52  | 0  | 13   | 57   | 6  | 39   | 0                           | 0  | 0  | 5   | 1  | 4   | 32.50                                  | 0.25 | 13.74 |
| 5   | 0.05  | 0.00 | 0.04 | 26  | 0  | 5    | 48   | 18 | 40   | 0                           | 0  | 0  | 6   | 2  | 4   | 14.00                                  | 0.00 | 4.71  |
| 6   | 0   | 0    | 0    | 58  | 0  | 7    | 57   | 32 | 44   | 0                           | 0  | 0  | 5   | 3  | 4   | 18.00                                  | 0.00 | 6.74  |
| 7   | 0   | 0    | 0    | 40  | 0  | 11   | 56   | 35 | 47   | 0                           | 0  | 0  | 6   | 4  | 4   | 23.50                                  | 0.00 | 11.78 |
| 8   | 0.05  | 0    | 0.01 | 52  | 0  | 14   | 49   | 0  | 33   | 0                           | 0  | 0  | 5   | 0  | 4   | 30.50                                  | 0.75 | 14.37 |
| 9   | 0.05  | 0    | 0.01 | 47  | 1  | 18   | 53   | 20 | 42   | 0                           | 0  | 0  | 5   | 3  | 4   | 35.00                                  | 7.50 | 18.30 |
| 10  | 0.05  | 0    | 0.03 | 69  | 0  | 9    | 54   | 3  | 38   | 0                           | 0  | 0  | 7   | 0  | 4   | 29.25                                  | 2.25 | 10.36 |
| 11  | 0.05  | 0    | 0.05 | 41  | 0  | 9    | 45   | 28 | 38   | 0                           | 0  | 0  | 5   | 3  | 4   | 21.50                                  | 0.00 | 9.45  |
| 12  | 0.05  | 0    | 0.03 | 34  | 0  | 4    | 45   | 34 | 39   | 0                           | 0  | 0  | 5   | 3  | 4   | 21.25                                  | 0.00 | 3.91  |
| 13  | 0.05  | 0    | 0.02 | 68  | 0  | 8    | 46   | 20 | 37   | 0                           | 0  | 0  | 4   | 1  | 3   | 22.75                                  | 0.00 | 7.68  |
| 14  | 0.05  | 0.00 | 0.03 | 37  | 0  | 8    | 47   | 7  | 34   | 0                           | 0  | 0  | 5   | 1  | 4   | 17.25                                  | 0.00 | 7.24  |
| 15  | 0.13  | 0    | 0.04 | 31  | 0  | 8    | 51   | 0  | 33   | 8                           | 0  | 0  | 4   | 0  | 3   | 16.50                                  | 0.75 | 8.45  |
| 16  | 0.05  | 0    | 0.05 | 32  | 0  | 6    | 55   | 2  | 40   | 0                           | 0  | 0  | 5   | 0  | 4   | 18.25                                  | 0.25 | 6.31  |
| 17  | 0.09  | 0.02 | 0.05 | 12  | 0  | 3    | 58   | 13 | 39   | 0                           | 0  | 0  | 5   | 1  | 3   | 6.00                                   | 0.00 | 2.42  |
| 18  | 0.87  | 0.03 | 0.28 | 69  | 0  | 19   | 54   | 1  | 32.5 | 0                           | 0  | 0  | 5   | 0  | 2   | 54.75                                  | 0.00 | 20.98 |
| 19  | 1.00  | 0.03 | 0.43 | 68  | 0  | 22.5 | 59   | 10 | 37.5 | 0                           | 0  | 0  | 5   | 0  | 2.5 | 50.50                                  | 0.00 | 22.89 |
| 20  | 0.94  | 0.01 | 0.44 | 63  | 0  | 11   | 57   | 6  | 45   | 0                           | 0  | 0  | 5   | 1  | 2.5 | 35.25                                  | 0.00 | 11.99 |
| 21  | 0.94  | 0.48 | 0.81 | 68  | 3  | 20   | 49   | 37 | 44   | 0                           | 0  | 0  | 3   | 1  | 2   | 28.50                                  | 4.00 | 18.46 |
| 22  | 0.98  | 0.53 | 0.84 | 79  | 6  | 22   | 53   | 34 | 43   | 0                           | 0  | 0  | 3   | 1  | 2   | 46.25                                  | 9.75 | 23.68 |
| 23  | 1.06  | 0.5  | 0.83 | 50  | 2  | 16   | 62   | 25 | 45   | 0                           | 0  | 0  | 3   | 1  | 2   | 32.50                                  | 2.00 | 16.49 |
| 24  | 0.88  | 0.49 | 0.80 | 57  | 2  | 13   | 63   | 41 | 53   | 0                           | 0  | 0  | 4   | 2  | 3   | 27.25                                  | 2.25 | 13.15 |
| 25  | 0.89  | 0.03 | 0.63 | 47  | 0  | 17   | 62   | 0  | 35   | 0                           | 0  | 0  | 4   | 0  | 2   | 25.00                                  | 1.75 | 16.78 |
| 26  | 1.12  | 0.41 | 0.85 | 64  | 0  | 19   | 56   | 16 | 42   | 0                           | 0  | 0  | 4   | 1  | 3   | 36.75                                  | 1.25 | 17.89 |
| 27  | 1.00  | 0.56 | 0.84 | 33  | 0  | 9    | 53   | 41 | 46   | 0                           | 0  | 0  | 4   | 2  | 3   | 32.25                                  | 0.00 | 9.89  |
| 28  | 0.94  | 0.13 | 0.75 | 54  | 2  | 13   | 56   | 3  | 43   | 0                           | 0  | 0  | 4   | 1  | 3   | 30.75                                  | 4.00 | 12.95 |
| 29  | 1.03  | 0.52 | 0.86 | 68  | 1  | 23   | 51   | 30 | 44   | 2                           | 0  | 0  | 5   | 3  | 4   | 48.50                                  | 8.75 | 21.69 |
| 30  | 1.17  | 0    | 0.47 | 83  | 0  | 23.5 | 57   | 0  | 42   | 1                           | 0  | 0  | 5   | 0  | 2.5 | 61.50                                  | 3.25 | 22.04 |
| 31  | 0.90  | 0.05 | 0.26 | 75  | 0  | 20.5 | 63   | 4  | 34   | 0                           | 0  | 0  | 5   | 0  | 2.5 | 51.25                                  | 1.75 | 21.57 |

令和元年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

| 1月 | ばいじん濃度(mg/Nm <sup>3</sup> )<br>管理値:20mg/Nm <sup>3</sup> 以下<br>排出基準:150mg/Nm <sup>3</sup> 以下 |      |      | 一酸化炭素濃度(ppm)<br>管理値:100ppm以下<br>維持管理基準:100ppm以下 |    |      | 窒素酸化物濃度(ppm)<br>管理値:70ppm以下<br>排出基準:250ppm以下 |    |      | 硫黄酸化物濃度(ppm)<br>管理値:20ppm以下 |    |    | 塩化水素濃度(ppm)<br>管理値:50ppm以下<br>排出基準:430ppm以下 |    |     | 一酸化炭素濃度(ppm)<br>管理値:30ppm以下<br>(4時間平均) |      |       |
|----|---|------|------|---|----|------|--|----|------|-----------------------------|----|----|---|----|-----|--|------|-------|
|    | 最大  | 最小   | 平均   | 最大  | 最小 | 平均   | 最大   | 最小 | 平均   | 最大                          | 最小 | 平均 | 最大  | 最小 | 平均  | 最大                                     | 最小   | 平均    |
| 1  | 0.90  | 0.01 | 0.35 | 90  | 0  | 15.5 | 62   | 1  | 41   | 0                           | 0  | 0  | 4   | 0  | 2.5 | 56.00                                  | 2.00 | 16.51 |
| 2  | 0.88  | 0.01 | 0.31 | 56  | 0  | 15.5 | 59   | 2  | 37   | 0                           | 0  | 0  | 5   | 0  | 2.5 | 39.00                                  | 0.00 | 14.52 |
| 3  | 0.96  | 0.05 | 0.33 | 68  | 0  | 17.5 | 61   | 5  | 39   | 0                           | 0  | 0  | 5   | 0  | 3   | 41.00                                  | 0.00 | 17.71 |
| 4  | 0.90  | 0.05 | 0.40 | 77  | 0  | 24   | 60   | 3  | 42   | 0                           | 0  | 0  | 5   | 0  | 3   | 62.25                                  | 7.75 | 24.93 |
| 5  | 0.90  | 0.05 | 0.42 | 81  | 0  | 22.5 | 63   | 3  | 43.5 | 0                           | 0  | 0  | 4   | 0  | 3   | 43.75                                  | 0.00 | 22.27 |
| 6  | 1.00  | 0    | 0.38 | 66  | 0  | 14.5 | 64   | 0  | 42   | 0                           | 0  | 0  | 5   | 0  | 3   | 45.50                                  | 0.50 | 16.00 |
| 7  | 0.94  | 0    | 0.46 | 47  | 0  | 5    | 56   | 0  | 39.5 | 0                           | 0  | 0  | 11  | 0  | 3   | 29.00                                  | 0.00 | 6.14  |
| 8  | 0.95  | 0.05 | 0.47 | 44  | 0  | 9.5  | 66   | 35 | 47.5 | 0                           | 0  | 0  | 6   | 2  | 3.5 | 33.50                                  | 0.00 | 8.27  |
| 9  | 1.00  | 0.01 | 0.46 | 69  | 0  | 15   | 61   | 13 | 45   | 0                           | 0  | 0  | 5   | 1  | 3.5 | 49.75                                  | 0.00 | 15.69 |
| 10 | 0.90  | 0.05 | 0.41 | 48  | 0  | 9    | 59   | 6  | 45   | 0                           | 0  | 0  | 4   | 1  | 3.5 | 18.75                                  | 0.00 | 7.73  |
| 11 | 0.05  | 0    | 0.05 | 67  | 0  | 17   | 53   | 1  | 40   | 0                           | 0  | 0  | 6   | 0  | 4   | 36.75                                  | 5.25 | 16.51 |
| 12 | 0.08  | 0.02 | 0.05 | 55  | 0  | 17   | 41   | 14 | 31   | 0                           | 0  | 0  | 9   | 2  | 6   | 45.50                                  | 0.75 | 20.04 |
| 13 | 0.10  | 0.05 | 0.05 | 28  | 0  | 4    | 52   | 33 | 41   | 0                           | 0  | 0  | 7   | 2  | 3   | 23.50                                  | 0.00 | 5.17  |
| 14 | 0.05  | 0.01 | 0.05 | 28  | 0  | 6    | 60   | 7  | 40   | 0                           | 0  | 0  | 6   | 1  | 3   | 15.75                                  | 0.00 | 5.83  |
| 15 | 0.08  | 0    | 0.04 | 28  | 0  | 5    | 61   | 0  | 41   | 0                           | 0  | 0  | 7   | 0  | 4   | 15.50                                  | 0.00 | 5.14  |
| 16 | 0.07  | 0    | 0.04 | 46  | 0  | 12   | 60   | 3  | 39   | 0                           | 0  | 0  | 5   | 0  | 3   | 24.75                                  | 3.25 | 11.86 |
| 17 | 0.07  | 0    | 0.04 | 58  | 0  | 4    | 53   | 23 | 40   | 0                           | 0  | 0  | 5   | 3  | 3   | 18.25                                  | 0.00 | 2.80  |
| 18 | 0.05  | 0.05 | 0.05 | 32  | 0  | 8    | 61   | 37 | 46   | 0                           | 0  | 0  | 5   | 3  | 4   | 27.25                                  | 2.00 | 9.94  |
| 19 | 1.47  | 0    | 0.49 | 53  | 0  | 13.5 | 54   | 0  | 31   | 0                           | 0  | 0  | 11  | 0  | 3.5 | 37.50                                  | 2.50 | 13.77 |
| 20 | 1.58  | 0.02 | 0.66 | 39  | 0  | 7    | 50   | 4  | 39   | 0                           | 0  | 0  | 5   | 1  | 3   | 16.25                                  | 0.25 | 6.95  |
| 21 | 1.25  | 0.03 | 0.54 | 21  | 0  | 2.5  | 47   | 2  | 34   | 0                           | 0  | 0  | 5   | 1  | 2.5 | 10.50                                  | 0.00 | 2.37  |
| 22 | 1.04  | 0.05 | 0.49 | 51  | 0  | 9    | 48   | 9  | 34.5 | 0                           | 0  | 0  | 5   | 0  | 2.5 | 32.50                                  | 0.00 | 8.69  |
| 23 | 1.09  | 0.05 | 0.52 | 26  | 0  | 4    | 52   | 30 | 40   | 0                           | 0  | 0  | 5   | 1  | 3   | 17.50                                  | 0.00 | 3.98  |
| 24 | 1.05  | 0.02 | 0.51 | 42  | 0  | 9.5  | 48   | 10 | 35   | 0                           | 0  | 0  | 5   | 1  | 3   | 29.00                                  | 0.00 | 9.69  |
| 25 | 1.00  | 0.05 | 0.49 | 60  | 0  | 10   | 53   | 29 | 41   | 0                           | 0  | 0  | 5   | 2  | 3   | 28.25                                  | 0.00 | 10.02 |
| 26 | 1.02  | 0.04 | 0.5  | 54  | 0  | 12.5 | 62   | 27 | 45.5 | 0                           | 0  | 0  | 4   | 2  | 3   | 33.00                                  | 0.00 | 12.55 |
| 27 | 1.07  | 0.03 | 0.41 | 64  | 0  | 7.5  | 64   | 1  | 41.5 | 0                           | 0  | 0  | 7   | 0  | 3   | 30.75                                  | 0.00 | 8.19  |
| 28 | 1.06  | 0.02 | 0.5  | 39  | 0  | 3    | 61   | 5  | 41   | 0                           | 0  | 0  | 4   | 1  | 2.5 | 18.25                                  | 0.00 | 2.33  |
| 29 | 1.03  | 0.05 | 0.47 | 43  | 0  | 4.5  | 57   | 2  | 37.5 | 0                           | 0  | 0  | 5   | 0  | 3   | 31.75                                  | 0.00 | 5.86  |
| 30 | 1.13  | 0.04 | 0.52 | 34  | 0  | 3    | 46   | 22 | 38.5 | 0                           | 0  | 0  | 5   | 2  | 3   | 14.25                                  | 0.00 | 2.96  |
| 31 | 1.07  | 0.00 | 0.5  | 44  | 0  | 6    | 48   | 1  | 37   | 0                           | 0  | 0  | 4   | 0  | 2.5 | 26.25                                  | 0.00 | 5.76  |

令和元年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

| 2月 | ばいじん濃度(mg/Nm3)<br>管理値:20mg/Nm3以下<br>排出基準:150mg/Nm3以下 |      |      | 一酸化炭素濃度(ppm)<br>管理値:100ppm以下<br>維持管理基準:100ppm以下 |    |     | 窒素酸化物濃度(ppm)<br>管理値:70ppm以下<br>排出基準:250ppm以下 |    |      | 硫黄酸化物濃度(ppm)<br>管理値:20ppm以下 |    |    | 塩化水素濃度(ppm)<br>管理値:50ppm以下<br>排出基準:430ppm以下 |    |     | 一酸化炭素濃度(ppm)<br>管理値:30ppm以下<br>(4時間平均) |      |      |
|----|--|------|------|---|----|-----|--|----|------|-----------------------------|----|----|---|----|-----|--|------|------|
|    | 最大   | 最小   | 平均   | 最大  | 最小 | 平均  | 最大   | 最小 | 平均   | 最大                          | 最小 | 平均 | 最大  | 最小 | 平均  | 最大                                     | 最小   | 平均   |
| 1  | 0.95   | 0.02 | 0.47 | 50  | 0  | 8.5 | 50   | 6  | 38   | 0                           | 0  | 0  | 5   | 2  | 3   | 31.00                                  | 0.00 | 8.70 |
| 2  | 1.06   | 0    | 0.48 | 37  | 0  | 6.5 | 51   | 22 | 39.5 | 0                           | 0  | 0  | 4   | 2  | 3   | 14.00                                  | 0.00 | 5.96 |
| 3  | 1.07   | 0    | 0.48 | 35  | 0  | 4.5 | 59   | 24 | 42   | 0                           | 0  | 0  | 5   | 2  | 3   | 26.50                                  | 0.00 | 5.38 |
| 4  | 0.98   | 0    | 0.42 | 32  | 0  | 4   | 44   | 10 | 32   | 0                           | 0  | 0  | 6   | 1  | 3.5 | 13.50                                  | 0.00 | 4.33 |
| 5  | 0.99   | 0.00 | 0.42 | 48  | 0  | 8.5 | 50   | 3  | 36.5 | 0                           | 0  | 0  | 7   | 0  | 3.5 | 23.75                                  | 0.00 | 8.08 |
| 6  | 1.03   | 0    | 0.45 | 56  | 0  | 4.5 | 50   | 20 | 36   | 0                           | 0  | 0  | 7   | 2  | 4   | 20.25                                  | 0.00 | 4.41 |
| 7  | 0.92   | 0    | 0.41 | 62  | 0  | 8   | 49   | 4  | 32   | 0                           | 0  | 0  | 7   | 1  | 3   | 28.50                                  | 1.75 | 7.49 |
| 8  | 0.97   | 0    | 0.44 | 41  | 0  | 7   | 46   | 10 | 34.5 | 1                           | 0  | 0  | 7   | 2  | 4.5 | 32.50                                  | 0.00 | 7.91 |
| 9  | 0.99   | 0    | 0.46 | 48  | 0  | 7.5 | 51   | 5  | 37   | 0                           | 0  | 0  | 6   | 1  | 4   | 35.25                                  | 0.00 | 7.95 |
| 10 | 1.02   | 0    | 0.46 | 18  | 0  | 2.5 | 52   | 0  | 39   | 0                           | 0  | 0  | 5   | 0  | 4   | 10.25                                  | 0.00 | 2.31 |
| 11 | 1.01   | 0    | 0.46 | 67  | 0  | 6.5 | 60   | 31 | 42   | 0                           | 0  | 0  | 7   | 2  | 4.5 | 23.75                                  | 0.00 | 6.45 |
| 12 | 0.93   | 0    | 0.23 | 62  | 0  | 6   | 46   | 18 | 29   | 0                           | 0  | 0  | 8   | 1  | 3   | 25.50                                  | 1.00 | 6.05 |
| 13 | 0.17   | 0    | 0.06 | 45  | 0  | 7   | 50   | 29 | 37   | 0                           | 0  | 0  | 6   | 2  | 3   | 32.00                                  | 0.75 | 8.02 |
| 14 | 0.1  | 0.01 | 0.06 | 18  | 0  | 3   | 46   | 5  | 34   | 0                           | 0  | 0  | 4   | 1  | 4   | 6.50                                   | 0.00 | 2.85 |
| 15 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 16 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 17 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 18 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 19 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 20 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 21 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 22 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 23 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 24 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 25 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 26 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 27 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 28 | -  | -    | -    | -   | -  | -   | -  | -  | -    | -                           | -  | -  | -   | -  | -   | -                                      | -    | -    |
| 29 | 2.51   | 0.01 | 1.01 | 19  | 0  | 3   | 36   | 0  | 19   | 0                           | 0  | 0  | 3   | 0  | 2   | 5.50                                   | 0.00 | 2.35 |

令和元年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

| 3月 | ばいじん濃度(mg/Nm3)<br>管理値:20mg/Nm3以下<br>排出基準:150mg/Nm3以下 |      |      | 一酸化炭素濃度(ppm)<br>管理値:100ppm以下<br>維持管理基準:100ppm以下 |    |     | 窒素酸化物濃度(ppm)<br>管理値:70ppm以下<br>排出基準:250ppm以下 |    |      | 硫黄酸化物濃度(ppm)<br>管理値:20ppm以下 |    |    | 塩化水素濃度(ppm)<br>管理値:50ppm以下<br>排出基準:430ppm以下 |    |     | 一酸化炭素濃度(ppm)<br>管理値:30ppm以下<br>(4時間平均) |      |      |
|----|--|------|------|---|----|-----|--|----|------|-----------------------------|----|----|---|----|-----|--|------|------|
|    | 最大   | 最小   | 平均   | 最大  | 最小 | 平均  | 最大   | 最小 | 平均   | 最大                          | 最小 | 平均 | 最大  | 最小 | 平均  | 最大                                     | 最小   | 平均   |
| 1  | 1.59   | 0.50 | 1.02 | 2   | 0  | 0   | 37   | 23 | 33   | 0                           | 0  | 0  | 4   | 2  | 3   | 0.50                                   | 0.00 | 0.08 |
| 2  | 1.35   | 0.02 | 0.85 | 34  | 0  | 4   | 48   | 0  | 28   | 0                           | 0  | 0  | 4   | 0  | 2   | 16.50                                  | 0.00 | 2.20 |
| 3  | 1.00   | 0.59 | 0.89 | 28  | 0  | 2   | 59   | 18 | 35   | 0                           | 0  | 0  | 3   | 1  | 1   | 8.50                                   | 0.00 | 2.44 |
| 4  | 1.08   | 0    | 0.49 | 8   | 0  | 0   | 41   | 0  | 21   | 0                           | 0  | 0  | 10  | 0  | 3   | 2.00                                   | 0.00 | 0.17 |
| 5  | 1.00   | 0.05 | 0.48 | 25  | 0  | 1.5 | 46   | 15 | 35   | 0                           | 0  | 0  | 16  | 1  | 5   | 8.25                                   | 0.00 | 1.33 |
| 6  | 1.00   | 0    | 0.48 | 7   | 0  | 0.5 | 61   | 11 | 40   | 0                           | 0  | 0  | 6   | 1  | 3   | 2.25                                   | 0.00 | 0.29 |
| 7  | 0.99   | 0    | 0.46 | 0   | 0  | 0   | 64   | 3  | 43   | 0                           | 0  | 0  | 5   | 1  | 3   | 0.00                                   | 0.00 | 0.00 |
| 8  | 1.04   | 0.03 | 0.49 | 2   | 0  | 0   | 58   | 3  | 40   | 0                           | 0  | 0  | 5   | 0  | 2.5 | 0.75                                   | 0.00 | 0.06 |
| 9  | 1.03   | 0.05 | 0.51 | 5   | 0  | 0   | 59   | 31 | 43.5 | 0                           | 0  | 0  | 5   | 2  | 4   | 1.50                                   | 0.00 | 0.19 |
| 10 | 1.10   | 0.02 | 0.53 | 15  | 0  | 1   | 58   | 5  | 36   | 0                           | 0  | 0  | 6   | 1  | 3   | 4.25                                   | 0.00 | 0.72 |
| 11 | 1.05   | 0.02 | 0.45 | 75  | 0  | 5.5 | 61   | 0  | 36   | 1                           | 0  | 0  | 9   | 0  | 4   | 23.00                                  | 0.00 | 1.85 |
| 12 | 1.01   | 0.05 | 0.50 | 12  | 0  | 0.5 | 61   | 14 | 39   | 0                           | 0  | 0  | 6   | 3  | 4   | 19.50                                  | 0.00 | 2.58 |
| 13 | 0.08   | 0    | 0.03 | 13  | 0  | 2   | 65   | 28 | 49   | 0                           | 0  | 0  | 7   | 2  | 5   | 6.75                                   | 0.00 | 2.19 |
| 14 | 0.08   | 0.05 | 0.06 | 6   | 0  | 1   | 60   | 33 | 47   | 0                           | 0  | 0  | 6   | 3  | 5   | 2.50                                   | 0.00 | 0.39 |
| 15 | 0.10   | 0    | 0.04 | 3   | 0  | 0   | 61   | 42 | 53   | 0                           | 0  | 0  | 5   | 3  | 4   | 2.25                                   | 0.00 | 0.30 |
| 16 | 1.19   | 0    | 0.29 | 14  | 0  | 2   | 61   | 1  | 28.5 | 0                           | 0  | 0  | 5   | 0  | 2.5 | 7.75                                   | 0.00 | 2.13 |
| 17 | 1.03   | 0    | 0.41 | 38  | 0  | 8.5 | 59   | 3  | 36   | 0                           | 0  | 0  | 6   | 0  | 3.5 | 25.75                                  | 0.00 | 7.69 |
| 18 | 1.10   | 0.05 | 0.55 | 46  | 0  | 6   | 51   | 23 | 36   | 0                           | 0  | 0  | 6   | 1  | 3.5 | 44.00                                  | 2.00 | 9.48 |
| 19 | 1.19   | 0.05 | 0.57 | 16  | 0  | 1   | 51   | 8  | 35.5 | 0                           | 0  | 0  | 7   | 1  | 3.5 | 12.25                                  | 2.00 | 3.66 |
| 20 | 1.10   | 0.01 | 0.52 | 32  | 0  | 2.5 | 51   | 3  | 29.5 | 0                           | 0  | 0  | 8   | 0  | 4.5 | 15.50                                  | 0.00 | 2.64 |
| 21 | 1.09   | 0.04 | 0.53 | 7   | 0  | 0   | 55   | 10 | 33   | 0                           | 0  | 0  | 7   | 1  | 3.5 | 2.25                                   | 0.00 | 0.29 |
| 22 | 1.16   | 0.05 | 0.55 | 32  | 0  | 1   | 52   | 22 | 35.5 | 0                           | 0  | 0  | 8   | 2  | 3   | 8.25                                   | 0.00 | 1.04 |
| 23 | 1.14   | 0.05 | 0.54 | 2   | 0  | 0   | 55   | 22 | 36.5 | 0                           | 0  | 0  | 6   | 2  | 4   | 1.00                                   | 0.00 | 0.31 |
| 24 | 0.28   | 0.05 | 0.08 | 30  | 0  | 2   | 56   | 28 | 43   | 0                           | 0  | 0  | 8   | 2  | 4   | 9.50                                   | 0.00 | 1.86 |
| 25 | 0.09   | 0    | 0.04 | 16  | 0  | 1   | 50   | 3  | 36   | 0                           | 0  | 0  | 8   | 0  | 5   | 6.25                                   | 0.00 | 1.56 |
| 26 | 0.10   | 0.04 | 0.05 | 30  | 0  | 2   | 67   | 15 | 35   | 0                           | 0  | 0  | 13  | 3  | 7   | 11.25                                  | 0.00 | 1.00 |
| 27 | 0.11   | 0.05 | 0.06 | 1   | 0  | 0   | 48   | 27 | 38   | 0                           | 0  | 0  | 10  | 4  | 6   | 11.25                                  | 0.00 | 1.33 |
| 28 | 0.10   | 0.05 | 0.06 | 4   | 0  | 1   | 48   | 27 | 38   | 0                           | 0  | 0  | 7   | 4  | 5   | 2.75                                   | 0.00 | 0.58 |
| 29 | 0.08   | 0.02 | 0.05 | 12  | 0  | 3   | 57   | 9  | 34   | 0                           | 0  | 0  | 8   | 4  | 5   | 6.75                                   | 0.00 | 2.46 |
| 30 | 0.08   | 0.03 | 0.05 | 1   | 0  | 0   | 51   | 14 | 34   | 0                           | 0  | 0  | 28  | 5  | 8   | 3.25                                   | 0.00 | 0.42 |
| 31 | 0.09   | 0.05 | 0.05 | 8   | 0  | 1   | 44   | 24 | 34   | 0                           | 0  | 0  | 13  | 5  | 8   | 3.50                                   | 0.00 | 0.63 |

※ 硫黄酸化物濃度について、3月25日以降の数値は1号炉での計測器不具合により2号炉のみの数値となっています

※ 一酸化炭素濃度4時間平均値について、3月18, 19日は外部業者による測定の数値です