

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和3年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

11月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	1014	989	979	977	1010	984	980	985	1006	965	939	961	990	976	977	976	975	985	966		943	1010	964	982	19:00~20:18給じん停止
	2号炉																									休炉
2	1号炉	975	999	962	915	973	983	995	1003	985	987	971	971	979	1003	1012	971	988	979	990	975	995	968	994	989	
	2号炉																									休炉
3	1号炉	978	954	954	982	961	983	997	983	1012	1023	1036	1055	997	1011	962	1010	1005	969	992	981	999	964	948	969	
	2号炉																									休炉
4	1号炉	993	988	995	1003	1003	985	964	968	984	960	1001	974	977	979	988	982	976	934	947	971	982	976	984	964	
	2号炉																									休炉
5	1号炉	991	974	978	971	991	962	960	974	917				984	1010	998	1003	981	1010	996	1002	988	995	1036	993	
	2号炉																									休炉
6	1号炉	1005	973	967	973	957	936	1006	1005	1009	986	985	1023	1001	979	994	1015	973	1000	990	992	1002	997	1029	1034	
	2号炉																									休炉
7	1号炉	1007	954	987	993	989	981	982	980	986	995	1002	967	1006	1011	1008	985	1007	1000	1010	1017	1020	1021	987	1008	
	2号炉																						1011	1022	1002	立上げ~定常運転
8	1号炉	991	980	969	992	985	971	992	973	984	1014	1018	977	984	976	980	1007	1011	959	1030	996	972	978	997	988	
	2号炉	976	984	992	987	984	973	979	979	983	984	974	1004	986	975	982	983	992	997	948	986	984	1002	982	1010	
9	1号炉	984	974	967	979	956	969	946	990	971	983	973	992	975	975	983	991	975	977	1019	1003	994	976	991	980	
	2号炉	1014	976	966	975	966	962	979	978	971	982	975	976	962	981	974	960	954	989	1004	993	979	984	978	993	
10	1号炉	979	978	969	980	973	972	969	958	964	970	967	988	1017	1028	1038	1027	1005	972	981	962	980	971	971	988	
	2号炉	992	986	985	967	980	978	982	982	975	997	985	989	1003	978	978	982	972	981	989	978	978	1002	995	988	
11	1号炉	976	962	980	992	973	967	985	983	889			1069	948	970	957	958	994	1014	981	972	992	986	994	995	8:33~11:30給じん停止
	2号炉	985	992	990	987	1004	1022	1007	1025	1003	978	978	969	988	1002	977	970	986	986	1019	977	982	980	990	985	
12	1号炉	975	932	929	955	957	986	985	986	979	962	966	970	973	932	968	950	970	956	970	969	978	953	985	969	
	2号炉	980	983	991	1003	999	991	992	982	979	992	970	976	968	983	973	978	989	972	993	977	978	970	973	982	
13	1号炉	972	936	966	951	989	988	956	975	967	963	956	960	983	988	985	962	973	971	995	1026	1015	984	966	966	
	2号炉	973	1010	992	990	983	978	992	999	1004	977	974	990	976	990	977	985	999	982	1012	1012	970	965	979	977	
14	1号炉	960	1005	1022	1023	1009	984	964	979	971	949	959	977	922	971	974	958	990	979	994	998	988	980	985	991	
	2号炉	975	991	1022	1032	988	992	1006	987	1002	1007	1003	995	983	984	978	993	983	994	1025	1000	980	973	1011	1001	
15	1号炉	990	976	984	994	983	992	997	972	984	963	987	963	991	927	949	933	953	974	966	971	980	965	983	1005	
	2号炉	983	981	975	986	1003	1019	997	1004	927			978	985	972	979	978	976	994	976	967	1006	989	986	992	8:34~11:10給じん停止

11月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	990	963	971	981	967	975	950	969	927	954	988	980	979	992	1005	977	1023	964	934	974	945	965	1013	951	
	2号炉	991	990	987	1002	991	977	985	976	976	977	986	977	986	978	976	976	987	978	972	966	1008	961	964	982	
17	1号炉	1027	957	956	973	963	965	968	966	952	953	947	963	966	975	949	951	969	969	972	965	957	954	949	969	
	2号炉	984	988	990	986	995	972	988	979	934	971	977	980	974	969	975	975	972	972	980	982	990	971	971	972	
18	1号炉	956	955	958	966	954	945	971	948	954	950	949	943	936	947	942	953	948	977	950	948	937	939	957	923	
	2号炉	968	977	971	982	969	968	980	981	963	968	973	966	967	969	969	973	971	968	968	961	965	969	986	988	
19	1号炉	948	916	944	940	938	958	960	935	886																定常運転～立ち下げ(皿38～)
	2号炉	1006	1004	1001	1010	959	965	977	994	957	983	978	979	986	1011	995	1029	1036	994	1006	966	952	961	978	992	
20	1号炉																									休炉
	2号炉	981	1001	993	979	1020	967	951	961	969	981	980	984	964	969	981	996	986	992	982	969	971	973	974	971	
21	1号炉																									休炉
	2号炉	988	984	958	972	965	970	988	982	987	979	983	970	985	978	972	971	983	985	966	977	970	976	1006	994	
22	1号炉																									休炉
	2号炉	1012	986	1004	974	980	1027	1032	1024	942	749	982	987	978	968	975	972	969	953					964	992	982
23	1号炉																									休炉
	2号炉	962	971	960	973	963	960	966	952	960	965	970	965	979	981	980	964	967	957	967	970	966	959	1000	963	
24	1号炉																									休炉
	2号炉	988	978	963	970	981	956	964	964	972	976	969	966	970	963	961	975	976	1007	1023	1011	1013	982	964	962	
25	1号炉																									休炉
	2号炉	979	983	965	965	959	985	980	996	989	972	973	972	959	962	965	958	973	958	961	959	959	951	960	956	
26	1号炉																									休炉
	2号炉	955	956	970	954	957	968	966	968	961	953	958	970	957	956	942	929	959	949	962	967	958	961	961	984	
27	1号炉																									休炉
	2号炉	960	972	947	967	962	973	968	974	954	968	939	963	975	946	936	942	941	955	960	953	975	958	947	953	
28	1号炉																									休炉
	2号炉	956	932	935	922	959	969	969	988	965	951	946	944	947	949	941	953	947	963	944	949	945	936	980	995	
29	1号炉																									休炉
	2号炉	982	977		956	976	962	959	971	977	963	971	963	962	959	952	986	942	948	931	960	937	971	961	955	1:58～3:15給じん停止
30	1号炉												966	971	960	975	956	969	996	981	1012	975	984	967	981	立上げ～定常運転
	2号炉	956	980	967	986	973	961	959	959	887				982	942	966	957	966	949	976	968	980	977	973	974	8:34～12:18給じん停止

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和3年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

12月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	984	976	1003	986	1015	1001	1022	995	999	998	1001	984	981	993	969	1024	1070	1007	1005	991	999	1007	994	1022	
	2号炉	962	956	969	979	972	987	960	970	956	963	967	959	950	957	952	946	961	955	951	951	964	966	943	933	
2	1号炉	980	1003	1001	1003	987	1000	1003	987	973	988	975	973	980	990	1002	986	990	975	995	986	1012	1006	993	1037	
	2号炉	952	953	965	959	947	950	960	956	957	971	947	949	952	950	943	943	951	948	939	930	947	945	935	943	
3	1号炉	1027	1018	1002	1005	1029	998	1011	991	1024	1002	995	1009	1024	1013	1003	1043	1012	971	978	980	981	973	977	978	
	2号炉	953	943	968	969	961	950	977	960	959	957	960	976	940	954	968	961	953	949	962	954	960	952	962	965	
4	1号炉	1011	1011	991	1004	986	997	1003	997	994	961	910	904	900	1002	1005	977	1017	965	975	996	981	990	988	1008	
	2号炉	953	967	971	961	964	970	962	963	964	983	976	973	970	947	961	945	950	970	964	971	968	978	964	971	
5	1号炉	984	988	986	952	955	991	966	973	991	1025	1014	1019	959	755		958	985	974	958	981	959	978	969	984	13:06~15:07給じん停止
	2号炉	967	972	980	951	971	967	967	961	963	933	972	949	954	974	959	968	956	954	966	963	958	969	968	946	
6	1号炉	971	993	992	989	991	971	979	975	978	971	959	947	967	977	970	1003	969	995	992	958	982	965	973	978	
	2号炉	963	952	984	953	951	952	962	962	972	970	958	973	970	976	968	960	979	988	972	979	987	955	960	947	
7	1号炉	981	991	974	970	973	982	1004	978	982	983	962	996	985	967	985	915	975	973	991	1006	989	1018	1010	993	8:32~13:01給じん停止
	2号炉	936	967	972	957	946	967	977	977	892					959	955	877	934	940	927	967	956	978	971	961	
8	1号炉	994	985	977	986	965	972	980	1004	1011	1000	1018	990	965	989	987	995	986	1010	977	982	950	1014	1041	1010	
	2号炉	965	955	942	961	950	960	946	939	978	987	972	961	944	968	969	967	947	974	968	962	974	946	966	951	
9	1号炉	1003	979	1008	984	968	966	953	964	880					1012	958	986	994	973	968	946	951	1005	977	947	8:31~13:00給じん停止
	2号炉	957	959	967	963	964	960	1003	970	967	955	965	974	963	968	962	962	971	978	982	951	948	938	952	946	
10	1号炉	983	935	943	938	937	946	961	951	931	943	915	922	917	930	921	949	918	969	1015	995	962	914	922	904	
	2号炉	948	959	972	969	965	974	965	971	950	983	963	972	961	957	964	950	955	971	973	960	957	975	963	954	
11	1号炉	912	900	895	885	902	886	909	956	958	992	1004	996	1014	971	986	977	981	976	994	999	987	989	972	963	
	2号炉	964	983	965	962	966	972	975	959	977	974	958	976	972	961	956	957	949	953	956	957	970	976	969	970	
12	1号炉	962	970	969	961	957	966	984	972	988	961	974	949	948	952	966	971	960	971	986	982	996	971	969	990	
	2号炉	990	981	970	985	970	962	955	988	995	967	961	955	969	970	996	990	989	985	983	973	1003	973	993	977	
13	1号炉	1007	992	1002	985	999	965	1007	974	1007	965	993	975	995	935	1007	996	978	969	976	979	977	992	951	970	
	2号炉	974	947	939	979	976	987	1003	972	972	952	965	986	941	958	961	970	967	961	966	976	969	970	976	979	
14	1号炉	967	933	940	962	954	1001	983	981	996	956	972	959	953	953	965	931	965	1000	975	958	976	1008	983	1017	
	2号炉	978	956	971	959	968	961	956	940	886			979	958	960	967	938	956	968	970	952	960	953	972	961	8:33~11:34給じん停止
15	1号炉	1010	991	984	972	979	963	975	1000	963			1008	1000	1002	976	1032	1028	1008	963	941	962	979	952	985	8:45~11:24給じん停止
	2号炉	979	994	987	995	948	954	970	961	935	966	968	994	983	960	963	964	975	965	969	965	970	980	978	988	

12月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備考
16	1号炉	961	1034	1024	1000	997	964	960	936	952	985	978	942	961	948	955	967	959	958	967	952	939	937	941	941	
	2号炉	989	970	981	963	957	958	937	987	965	972	953	950	934	951	962	942	948	955	962	939	950	961	959	949	
17	1号炉	949	964	974	928	930	968	949	948	965	944	926	945	925	947	996	986	972	949	953	961	939	914	960	941	
	2号炉	954	957	951	978	978	961	947	976	950	960	950	972	950	952	951	951	946	971	960	971	955	942	980	972	
18	1号炉	956	976	982	980	961	961	944	954	991	972	968	939	961	965	1002	982	956	931	962	991	948	960	1012	1006	
	2号炉	965	960	953	963	971	969	982	978	973	954	950	959	959	941	991	970	967	970	935	950	944	934	957	970	
19	1号炉	981	954	976	949	988	1003	977	967	971	959	962	969	942	996	978	994	969	935	951	993	958	942	953	938	
	2号炉	930	964	966	979	960	959	974	963	937	925	923	954	937	968	993	989	964	944	943	951	925	943	958	958	
20	1号炉	952	959	989	977	952	944	987	958	964	948	936	933	965	979	948	967	935	940	936	914	872	921	947	920	8:33~15:39給じん停止
	2号炉	998	994	1005	982	964	974	993	968	883							924	950	951	946	953	949	953	966	981	
21	1号炉	967	968	973	934	988	958	924	933	843				1025	945	934	971	959	928	922	924	929	936	936	937	8:32~12:30給じん停止
	2号炉	948	958	987	965	964	964	974	957	944	952	936	971	946	954	949	954	933	955	968	963	964	960	960	954	
22	1号炉	930	966	933	948	978	948	935	938	925	937	895	910	933	937	914	935	950	951	968	947	942	937	948	935	
	2号炉	945	932	931	937	943	967	951	943	948	960	957	963	946	938	937	939	965	957	961	952	955	956	950	960	
23	1号炉	945	948	957	932	931	997	992	945	938	963	958	960	931	953	970	960	1011	1030	980	1001	946	985	1001	1007	
	2号炉	943	938	937	943	962	949	981	958	965	994	968	953	982	961	971	962	962	944	970	959	985	997	993	994	
24	1号炉	1004	956	947	941	946	940	1009	997	935	928	944	940	914	923	924	938	937	973	950	956	952	1005	976	990	
	2号炉	973	933	940	943	937	977	961	953	959	991	951	960	954	950	947	951	959	968	976	975	1001	952	986	989	
25	1号炉	932	951	957	979	951	928	944	943	953	942	988	1036	992	952	1014	995	965	1002	1004	988	1018	964	1022	1003	
	2号炉	968	971	957	943	957	949	962	990	992	988	1014	1011	1003	976	987	987	985	1008	1001	986	995	965	953	973	
26	1号炉	1005	973	947	971	945	965	993	991	939	932	975	971	991	967	983	955	965	986	988	967	951	967	949	957	
	2号炉	972	963	964	966	961	971	953	985	970	970	979	975	961	981	957	957	954	969	980	966	953	977	964	950	
27	1号炉	985	943	943	930	942	948	961	914	946	968	952	963	967	952	987	975	960	958	946	958	972	968	959	959	
	2号炉	955	955	955	942	915										994	985	977	980	982	957	971	975	974	975	4:22~14:04給じん停止
28	1号炉	972	955	937	941	958	945	938	920	842					997	949	941	918	927	976	994	984	981	1019	969	8:32~13:30給じん停止
	2号炉	974	943	965	959	975	956	935	944	937	940	967	957	944	965	976	971	952	954	948	951	957	941	960	954	
29	1号炉	982	988	965	997	969	954	946	977	948	961	967	967	959	976	993	1000	1014	994	985	1000	979	999	1015	984	
	2号炉	916	948	970	957	963	980		951	964	933	952	965	968	950	955	974	952	947	952	954	982	1008	979	963	5:54~7:20給じん停止
30	1号炉	1037	993	959	1011	952	829	1020	1012	966	952	925	939	947	949	928	917	933	1007	996	986	992	945	951	952	
	2号炉	953	979	982	992	1009	994	989	961	939	961	946	947	960	960	967	998	983	997	976	995	1007	962	956	968	
31	1号炉	949	935	932	957	921	951	950	941	923	959	929	917	932	942	937	941	919	926	931	936	913	956	960	967	
	2号炉	956	974	942	956	952	929	962	973	964	955	968	943	952	945	964	958	978	968	951	939	930	940	948	970	

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和4年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

2月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考		
1	1号炉																									休炉	
	2号炉																										休炉
2	1号炉																										休炉
	2号炉																										休炉
3	1号炉																										休炉
	2号炉																										休炉
4	1号炉											902	916	972	976	983	965	978	946	956	951	956	956	973	984		立上げ～定常運転
	2号炉																										休炉
5	1号炉	985	963	969	949	954	964	966	948	943	959	943	949	960	975	945	968	976	960	970	965	959	974	962	958		
	2号炉														960	963	929	951	949	951	946	945	950	952		立上げ～定常運転	
6	1号炉	955	957	947	957	962	972	956	944	948	949	965	984	982	979	1013	987	995	1005	943	951	959	955	940	955		
	2号炉	942	943	938	947	958	950	954	945	951	951	944	949	953	966	974	979	959	973	952	946	953	959	955	951		
7	1号炉	947	945	976	936	964	972	960	946	946	941	944	945	940	941	945	944	958	947	969	965	960	951	986	958		
	2号炉	960	960	977	946	983	984	971	937	945	935	936	951	936	943	949	950	956	961	946	986	961	982	997	981		
8	1号炉	968	989	965	992	952	971	989	953	974	977	955	978	949	961	952	958	962	949	954	949	933	944	974	939		
	2号炉	961	1012	978	988	957	957	974	963	866			1039	954	964	959	962	953	955	951	948	971	984	986		8:31～12:36給じん停止	
9	1号炉	946	964	1012	954	951	963	951	961	941	942	934	939	940	948	930	926	966	987	958	962	937	975	945	935		
	2号炉	960	963	961	964	945	968	1000	950	970	965	967	955	953	952	953	956	951	974	948	946	949	1000	971	985		
10	1号炉	954	950	940	924	926	955	935	979	896			1002	972	958	974	993	983	983	984	1005	964	972	995		8:32～12:00給じん停止	
	2号炉	973	963	937	959	911	964	951	975	959	961	970	961	945	946	948	946	946	962	963	969	963	919	963	939		
11	1号炉	982	967	966	984	973	972	967	961	992	971	963	971	988	994	983	973	992	977	993	986	992	994	1004	1006		
	2号炉	957	948	963	944	953	965	942	949	979	1013	983	987	943	973	977	986	973	971	998	977	959	970	957	963		
12	1号炉	969	981	967	969	981	960	941	972	948	983	962	969	957	954	963	956	975	985	963	980	984	997	974	957		
	2号炉	958	962	951	957	944	953	937	944	946	974	962	963	948	952	946	956	947	950	962	944	945	944	953	946		
13	1号炉	969	978	955	946	967	964	953	957	975	1019	984	965	949	948	977	964	954	966	974	984	952	967	975	961		
	2号炉	966	973	946	977	970	963	965	966	995	980	951	950	942	952	952	951	948	965	951	956	951	955	947	945		
14	1号炉	968	946	968	970	951	952	953	972	973	963	959	959	961	962	963	967	952	956	951	955	963	956	964	966		
	2号炉	949	953	953	971	964	956	951	952	907				998	972	965	962	967	948	958	959	956	945	953	942	8:37～12:30給じん停止	
15	1号炉	957	966	967	974	943	971	974	990	957	946	972	962	976	970	937	939	967	969	965	977	962	949	962	973		
	2号炉	948	964	965	949	960	968	966	976	971	954	957	965	953	937	938	942	940	949	949	966	948	949	935	967		

2月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	955	964	968	955	985	991	980	967	879			1091	962	946	944	942	946	955	964	944	944	959	955	945	8:32~11:56給じん停止
	2号炉	954	956	943	952	961	959	940	925	916	938	934	926	932	893	930	918	893	900	953	964	971	969	954	953	
17	1号炉	961	975	943	937	950	963	943	968	968	947	981	959	965	957	948	952	947	922	917	945	939	981	946	956	
	2号炉	963	974	992	978	952	946	950	961	959	954	970	942	937	944	961	954	958	965	956	949	931	936	943	943	
18	1号炉	951	1033	1018	986	991	970	936	940	939	930	934	924	937	931	936	952	957	977	973	948	973	926	960	933	
	2号炉	942	966	958	964	938	940	952	953	961	956	949	945	941	958	956	962	962	971	946	953	944	954	944	954	
19	1号炉	944	997	973	947	950	937	956	952	947	947	965	970	933	957	1000	993	967	992	970	1039	981	993	959	1012	
	2号炉	943	953	971	964	949	962	950	957	951	949	971	970	946	855	920	980	962	950	957	952	952	967	956	963	
20	1号炉	973	990	978	992	1000	994	965	1011	1014	995	969	994	991	1025	1018	998	1007	1002	1016	976	973	973	1033	998	
	2号炉	953	968	973	965	968	979	980	974	981	967	944	952	959	974	972	978	970	959	959	954	959	956	935	929	
21	1号炉	1006	992	1023	1025	974	1009	991	989	996	994	1008	977	988	985	991	972	1000	980	997	1008	989	1000	990	1003	
	2号炉	959	940	955	963	956	960	944	972	910				985	950	960	953	950	955	970	972	963	961	957	966	8:34~12:21給じん停止
22	1号炉	995	971	1018	1026	1008	1001	978	996	978	983	974	1011	1002	967	975	989	979	983	987	970	979	976	986	958	
	2号炉	952	961	954	949	971	964	954	965	970	946	960	961	970	946	948	954	968	938	938	955	945	954	959	955	
23	1号炉	991	968	974	976	978	964	1003	978	981	992	1002	987	974	982	956	969	988	979	984	979	959	991	1013	980	
	2号炉	951	964	961	945	940	949	946	940	959	965	961	967	948	944	971	967	956	953	972	941	969	973	969	959	
24	1号炉	1008	983	1023	1015	993	1020	966	1012	854					1113	998	959	1002	960	945	952	949	966	970	958	8:33~13:30給じん停止
	2号炉	947	953	951	948	952	950	950	958	953	954	952	951	945	952	947	948	954	929	946	960	961	953	940	936	
25	1号炉	954	969	970	975	974	965	950	948	968	947	958	933	961	979	981	982	955	988	1000	1019	1012	1023	999	966	
	2号炉	958	948	951	943	945	944	952	947	945	957	957	957	957	961	957	962	979	944	963	933		988	975	966	19:39~21:10給じん停止
26	1号炉	939	948	960	964	985	992	963	957	992	982	971	966	963	944	984	968	969	967	971	987	991	957	1010	957	
	2号炉	971	943	942	952	953	951	932	968	954	977	957	946	947	937	962	962	944	948	957	965	965	950	952	946	
27	1号炉	984	954	969	954	971	950	970	964	954	955	951	965	962	982	972	964	950	965	1012	981	1001	976	972	971	
	2号炉	957	956	955	962	968	955	955	965	950	957	950	961	961	970	970	976	979	984	995	991	962	960	955	959	
28	1号炉	962	969	989	963	951	962	971	966	975	978	971	1001	985	959	962	959	960	983	975	981	950	973	967	962	
	2号炉	963	953	953	989	977	947	981	971	919				1028	954	966	964	968	965	957	932	964	966	961	970	8:37~12:25給じん停止

3月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備考	
16	1号炉																										休炉
	2号炉																										
17	1号炉								892	911	928	911	941	910	952	928	969	981	971	980	972	999	979	963	953		立上げ～定常運転
	2号炉																										
18	1号炉	969	987	1020	985	987	920	872	923	907	932	913	961	961	952	917	967	915	961	955	1026	1023	1008	1011	984		
	2号炉																										
19	1号炉	1028	992	1004	992	1016	1005	1022	1041	1027	988	1015	980	977	1022	1025	1006	1020	1026	1024	1042	1030	1012	1007	1042		
	2号炉																										
20	1号炉	1032	972		988	971	1034	1031	1038	1022	1007	988	994	1026	980	995	974	968	1069	1064	1049	1029	1068	1053	1018		1:53～3:09給じん停止
	2号炉																										
21	1号炉	1029	1008	1045	1078	1061	1020	1030	1059	1013	1009	1016	988	992	966	1003	989	984	943	1003	986	980	958	982	955		
	2号炉																										
22	1号炉	956	978	1030	1008	997	1024	965	1005	1012	958	962	987	967	1001	984	979	974	987	988	1038	993	982	951	1002		
	2号炉																										
23	1号炉	1000	973	971	957	962	935	921	936	964	994	981	966	944	960	968	957	951	955	950	997	1021	1023	1015	1063		
	2号炉												946	967	992	979	988	963	967	996	989	999	972	965	963		立上げ～定常運転
24	1号炉	1036	1022	959	980	952	1001	1000	977	903			1061	989	940	961	947	976	948	1003	950	930	959	939	966		8:32～11:50給じん停止
	2号炉	946	1006	973	982	964	955	970	995	982	996	989	957	975	961	973	979	976	975	987	956	958	942	949	1003		
25	1号炉	968	996	1010	994	963	987	953	943	910	955	941	942	979	899	999	967	935	921	928	937	953	976	954	961		
	2号炉	1044	999	1014	990	991	958	986	957	983	961	956	970	974	965	960	964	962	966	951	961	967	990	969	936		
26	1号炉	930	954	968	1001	999	977	1002	992	967	958	993	1002	1023	1007	1046	1059	1016	987	983	959	984	987	1030	1009		
	2号炉	954	952	983	977	979	964	964	986	983	952	1025	1003	957	960	1000	1070	1100	1000	974	981	1024	967	959	968		
27	1号炉	1018	1003	1083	1013	994	1017	964	1020	1004	1047	1074	1011	1042	1039	1010	1059	1037	1010	981	996	992	984	986	1001		
	2号炉	957	973	1014	1002	1010	965	993	1038	1048	1010	1022	1028	966	961	961	972	988	995	962	958	971	948	958	966		
28	1号炉	1003	1035	1045	1023	1024	1051	994	986	986	1004	1008	1003	987	1031	1027	1025	1021	997	974	998	1004	983	1006	993		
	2号炉	973	964	961	956	986	1012	1013	985	965	973	993	963	980	981	983	995	956	990	947	998	974	948	995	1031		
29	1号炉	1014	1029	1045	1029	1001	1007	1038	1019	1043	1020	1079	1028	1057	1054	1041	1032	989	1009	1009	1046	1011	999	1019	1045		
	2号炉	992	1010	997	1000	991	990	990	982	1030	1002	1001	1018	998	971	966	1009	1002	948	983	1005	1017	1029	1007	1003		
30	1号炉	1014	987	1030	1003	1006	1023	1045	1009	1055	999	980	948	990	981		983	959	1003	1017	1002	986	1027	1021	1025		14:00～15:35給じん停止
	2号炉	985	1018	964	958	955	1011	1006	954	894				998	942	937	930	934	984	1010	1042	1016	968	975	973		8:36～12:30給じん停止
31	1号炉	1009	1002	991	1002	1006	1002	986	980	846			1140	983	930	975	967	932	985	995	1022	982	984	932	925		8:33～11:52給じん停止
	2号炉	965	989	941	937	962	975	962	975	948	965	1015	944	959	949	943	950	937	975	1018	879	898	964	949	888		