

10月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備考		
16	1号炉																										休炉	
	2号炉																											休炉
17	1号炉																											休炉
	2号炉																											休炉
18	1号炉																											休炉
	2号炉																											休炉
19	1号炉																											休炉
	2号炉																											休炉
20	1号炉																											休炉
	2号炉																											休炉
21	1号炉																											休炉
	2号炉																											休炉
22	1号炉																											休炉
	2号炉											848	933	941	949	968	972	963	962	966	974	953	933	968	983		立ち上げ～定常運転 (10:53～)	
23	1号炉																											休炉
	2号炉	963	963	969	976	978	999	995	955	954	977	976	965	955	964	966	975	1004	977	968	936	938	946	967	998			
24	1号炉																											休炉
	2号炉	965	1042	1059	1011	993	1009	1046	1053	1035	992	995	974	955	963	973	961	963	931	951	938	978	946	933	982			
25	1号炉																											休炉
	2号炉	966	1003	1001	967	980	943	951	962	979	931	952	935	960	980	955	951	956	972	966	971	976	923	934	943			
26	1号炉																											休炉
	2号炉	943	962	966	991	964	984	961	1004	986	1002	954	986	1002	989	944	958	961	970	995	995	972	943	992	1000			
27	1号炉																											休炉
	2号炉	995	978	1015	1015	986	963	945	966	888		960	936	956	991	966	956	978	961	1001	1035	976	1003	1017	994		8:37～10:34給じん停止	
28	1号炉																											休炉
	2号炉	980	954	976	943	954	942	976	960	966	950	968	985	922	968	953	942	953	977	979	965	966	1007	1020	1019			
29	1号炉																											休炉
	2号炉	971	970	990	993	987	956	970	941	933	938	938	919	999	1006	988	984	987	999	1000	982	1012	990	1030	1015			
30	1号炉																											休炉
	2号炉	998	1011	1003	968	957	955	938	972	982	988	960	906	963	1034	1034	1019	1025	996	998	1007	1034	1021	1021	1003			
31	1号炉																											休炉
	2号炉	1012	1019	1019	978	1000	975	992	959	945	955	933	963	985	987	1011	1004	1004	973	987	1011	977	872	961	977			

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和4年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

11月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考		
1	1号炉																								休炉		
	2号炉	979	946	960	965	970	1031	1024	992	981	989	982	946	919	943	952	960	947	697		956	961	954	972	984	17:07~19:11給じん停止	
2	1号炉																									休炉	
	2号炉	1009	1016	1046	1032	1017	1022	1067	1077	987	954	943	955	981	959	997	999	1015	1047	1017	1002	1025	1062	1042	1039		
3	1号炉																									休炉	
	2号炉	1040	991	946	1028	1039	996	990	1011	1003	980	990	986	999	1009	985	963	962	953	962	982	972	955	1009	937		
4	1号炉																									休炉	
	2号炉	929	969	993	957	955	970	944	966	954	964	952	978	935	947	922	968	966	980	984	1001	968	940	939	965		
5	1号炉																									立ち上げ~定常運転 (21:45~)	
	2号炉	941	933	966	956	983	981	1012	1017	999	1017	976	960	981	1005	986	981	973	999	959	941	931	962	979	989		
6	1号炉	1023	968	974	978	986	1000	995	1001	989	924	938	1002	1010	989	1004	994	1009	1005	1013	991	974	991	985	970		
	2号炉	948	1006	1004	986	999	968	974	955	964	976	987	963	950	957	970	947	960	935	942	964	955	930	919	971		
7	1号炉	939	943	996	1012	985	1003	991	982	998	972	976														定常運転~立ち下げ (10:56~)	
	2号炉	969	941	989	1005	972	947	957	958	971	983	918	966	926	909	895	910	911	882		1012	948	935	950	948	17:28~19:33給じん停止	
8	1号炉																									休炉	
	2号炉	957	945	958	959	955	939	988	966	957	968	951	933	959	975	948	933	942	950	988	960	960	987	969	958		
9	1号炉																									休炉	
	2号炉	941	940	952	970	996	977	949	952	942	933	951	945	946	953	957	960	974	951	967	946	999	994	1006	1033		
10	1号炉											932	895	948	990	976	973	988	992	966	958	961	967	980	975	998	立ち上げ~定常運転 (9:51~)
	2号炉	1044	1010	1014	1015	970	949	974	995	922				977	963	971	963	980	983	1003	970	954	973	975	965	8:34~12:15給じん停止	
11	1号炉	970	967	969	955	945	953	953	960	957	963	970	979	940	953	947	946	989	959	948	930	959	998	979	953		
	2号炉	944	952	974	950	947	951	949	968	953	956	939	969	957	946	942	915	909	945	974	952	945	961	949	935		
12	1号炉	965	962	994	993	1003	942	976	965	974	938	937	962	912	935	968	957	977	938	963	958	988	954	994	953		
	2号炉	943	960	970	974	952	945	982	1005	988	977	944	930	928	957	956	953	947	933	945	938	947	950	951	949		
13	1号炉	946	953	949	975	955	990	961	955	965	993	969	965	1002	1027	1016	1013	992	1020	1059	1064	1065	1062	1054	1036		
	2号炉	929	953	946	957	958	961	951	936	919	943	958	919	939	933	922	967	971	955	967	996	972	991	974	1000		
14	1号炉	1041	978	994		935	958	981	990	979	938	937	930	941	953	964	1009	1002	985	986	983	992	1007	977	974	2:36~4:36給じん停止	
	2号炉	999	983	999	981	941	990	989	962	989	980	977	964	962	929	952	949	951	962	980	956	971	951	881	979		
15	1号炉	978	984	975	980	990	980	979	1002	980	979	990	969	957	990	976	961	980	964	986	987	983	968	974	988		
	2号炉	982		930	919	958	959	1007	988	970	945	951	991	961	962	961	954	962	973	966	994	989	965	940	938	1:00~2:22給じん停止	

11月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	961	970	982	979	973	1016	1015	1003	925			1058	940	947	959	953	902	924	955	962	975	953	972	968	8:32~11:35給じん停止
	2号炉	935	941	945	1007	974	989	975	965	957	958	926	938	923	934	916	937	929	952	942	929	937	948	970	962	
17	1号炉	961	969	949	966	977	956	980	967	1000		949	965	954	965	948	961	970	940	982	1010	979	1012	980	986	8:56~10:05給じん停止
	2号炉	944	941	984	984	983	988	948	929	839			943	919	914	916	914	925	953	971	994	973	972	978	997	
18	1号炉	985	980	1011	976	1006	1008	1049	1013	998	989	959	942	927	962	963	967	975	979	989	982	1003	992	1000	998	
	2号炉	1027	963	974	982	966	958	964	974	934	931	947	944	945	949	957	971	922	949	956	965	1026	941	934	980	
19	1号炉	1027	1018	997	999	953	961	964	1023	1015	1020	983	1021	988	1009	1021	990	1000	1026	996	1009	1002	982	989	1010	
	2号炉	984	930	915	915	919	956	978	939	934	918	903	925	960	965	960	921	926	947	984	1019	1008	1030	1002	1002	
20	1号炉	1017	1017	997	965	1001	1037	1003	975	993	1034	1040	1053	1073	1076	1051	986	1004	1020	1104	1070	1057	1044	1014	1070	
	2号炉	1013	986	995	962	963	956	962	960	967	927	941	963	1008	971	959	969	952	969	985	977	992	966	974	975	
21	1号炉	1037	1006	1029	1048	1042	989	1025	1049	998		951	984	987	961	966	957	974	967	965	968	968	969	982	1017	9:00~10:15給じん停止
	2号炉	982	986	946	1005	967	975	938	912	930	963	936	969	942	933	948	942	952	924	950	947	926	937	957	980	
22	1号炉	1024	987	984	958	987	973	974	983	989	1018	990	987	959	967	924	943	957	952	948	950	965	953	1006	998	
	2号炉	956	941	939	959	947	968	947	960	963	933	958	949	932	938	931	927	941	965	979	939	952	922	930	937	
23	1号炉	1003	998	953	970	972	966	1010	1033	1035	1026	1047	971	996	1025	1011	990	1013	982	1013	991	979	1029	987	1011	
	2号炉	967	1005	1020	982	936	953	1007	1016	976	967	975	967	964	962	979	934	944	922	992	1000	966	961	966	926	
24	1号炉	991	998	1006	983	982	1001	986	984	904					1022	952	948	943	955	958	965	959	954	957	973	8:33~13:31給じん停止
	2号炉	931	915	934	922	909	960	955	921	920	969	945	928	918	933	944	963	938	946	936	931	941	905	925	944	
25	1号炉	948	973	973	964	976	980	973	960	963	960	936	964	945	972	973	988	944	963	953	970	975	948	972	985	
	2号炉	913	938	972	968	943	982	959	913	852			1013	920	924	945	966	922	939	943	956	941	963	988	971	8:30~11:38給じん停止
26	1号炉	996	991	976	1007	969	959	969	1009	992	983	972	969	995	1018	996	994	1012	991	1010	1027	990	1029	1013	1004	
	2号炉	958	938	925	937	941	940	982	1017	994	968	966	964	963	959	955	968	964	960	961	956	973	956	931	922	
27	1号炉	998	997	1017	1010	1024	1060	1048	1020	997	1028	1019	1003	972	1012	1035	985	972	975	970	954	971	971	997	990	
	2号炉	958	954	935	957	975	966	993	953	910	940	932	943	950	972	983	938	942	942	940	990	975	987	962	954	
28	1号炉	978	1031	1009	1041	1059	1051	1090	1011	1023	1027	1016	997	998	954	931	972	970	987	957	991	965	992	984	1005	
	2号炉	955	971	976	965	968	984	1007	959	964	960	953	954	965	936	926	920	936	959	970	954	972	922	989	992	
29	1号炉	1026	988	1023	1009	999	989	961	1012	928	946	963	967	954	922	943	939	942	946	991	1001	967	951	970	954	
	2号炉	1021	970	974	960	916	954	975	974	933	923	940	927	920	941	923	918	928	948	937	933	931	963	946	962	
30	1号炉	962	963	973	973	960	972	965	937	965	966	961	960	953	959	970	980	994	984	983	981	964	971	976	982	
	2号炉	976	954	935	926	953	924	955	944	928	931	962	957	948	954	954	948	937	972	962	935	951	976	1005	990	

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和4年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

12月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	959	951	944	943	942	929	939	914	867			991	945	939	925	945	942	940	954	983	937	922	943	8:31~12:19給じん停止	
	2号炉	939	952	925	963	959	934	960	943	926	945	925	930	923	940	940	924	935	873	896	915	922	929	946		940
2	1号炉	939	943	951	975	938	933	965	936	936	932	920	941	925	952	938	955	944	941	941	941	949	951	932	979	8:33~11:51給じん停止
	2号炉	942	916	925	904	947	945	929	927	871			1053	949	926	962	935	955	945	956	952	951	941	953	960	
3	1号炉	980	991	972	982	1005	983	972	1040	956	982	958	942	964	942	959	977	971	980	968	940	959	973	985	975	
	2号炉	929	947	960	967	963	963	986	968	936	971	950	934	972	962	960	973	952	955	949	983	951	915	961	984	
4	1号炉	986	967	961	990	981	1026	991	986	1033	1016	993	991	998	1016	979	968	976	990	979	976	978	978	976	980	
	2号炉	981	968	992	992	986	970	946	971	1004	973	978	984	960	979	993	966	966	979	968	960	961	978	996	976	
5	1号炉	978	1048	1006	988	1010	992	978	993	987	989	993	999	965	965	973	944	951	966	968	984	981	978	1000	978	
	2号炉	990	1008	986	993	972	984	960	963	964	975	982	992	973	956	949	971	963	960	949	967	941	938	948	932	
6	1号炉	980	978	1004	979	992	966	1003	983	959	960	964	962	968	956	961	962	957	960	953	953	972	974	946	939	
	2号炉	940	980	971	952	949	1027	970	963	947	950	948	953	941	962	959	939	928	966	937	940	959	959	942	950	
7	1号炉	956	962	953	943	960	944	951	949	944	931	957	920	943	968	943	944	947	970	979	968	969	982	987	977	
	2号炉	952	953	949	976	961	982	985	1004	967	957	956	956	953	955	947	951	929	951	927	963	983	937	939	945	
8	1号炉	965	936	966	946	930	961	975	945	871				936	908	922	926	934	920	931	972	943	928	960	8:33~13:04給じん停止	
	2号炉	949	968	958	952	957	935	958	961	954	970	960	943	945	922	928	925	911	935	930	950	950	958	967		959
9	1号炉	930	921	909	898	905	910	943	955	921	902	896	904	908	894	929	907	925	912	902	941	920	939	946	954	8:31~12:33給じん停止
	2号炉	954	974	960	941	955	915	950	936	840			990	935	929	920	947	925	927	944	937	934	941	952		
10	1号炉	959	930	940	945	924	936	923	927	926	908	918	928	947	935	912	921	983	944	964	973	954	949	942	958	
	2号炉	941	947	944	949	948	962	949	948	942	942	951	929	926	960	939	955	950	976	973	977	974	969	984	984	
11	1号炉	955	929	954	962	927	917	932	931	955	940	942	945	939	947	907	918	910	923	939	916	912	906	923	923	
	2号炉	981	962	960	950	968	963	963	946	964	966	974	980	965	984	996	990	986	993	993	973	976	996	983	992	
12	1号炉	911	919	927	933	921	891	930	932	937	927	935	908	916	905	879	884	881	907	920	912	936	904	888	914	
	2号炉	999	985	989	973	988	987	990	974	977	976	964	972	962	965	975	947	957	988	952	975	969	979	969	968	
13	1号炉	894	906	945	949	914	936	919	915	922	918	900	919	908	933	933	879	896	934	923	935	951	957	949	940	
	2号炉	969	937	989	972	950	939	982	985	967	963	968	960	952	951	933	937	956	978	977	960	965	983	996	997	
14	1号炉	932	943	939	939	935	922	919	975	959	965	956	947	979	959	941	947	982	961	976	959	940	934	996	987	
	2号炉	953	960	967	964	972	963	942	959	959	962	950	963	971	952	957	954	960	975	986	960	977	944	989	968	
15	1号炉	957	969	935	982	987	999	959	953	872				942	949	964	964	936	936	945	962	962	963	964	961	8:31~12:22給じん停止 3:00~4:27給じん停止
	2号炉	955	941	963		943	961	953	972	957	937	969	964	950	942	955	946	931	926	950	937	955	953	956	967	

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和5年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

1月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考		
1	1号炉																									休炉	
	2号炉																										休炉
2	1号炉																										休炉
	2号炉																										休炉
3	1号炉																										休炉
	2号炉																										休炉
4	1号炉																										休炉
	2号炉																										休炉
5	1号炉																										休炉
	2号炉																										休炉
6	1号炉																										休炉
	2号炉											912	930	965	1007	994	974	991	962	946	975	994	1002	1001	993	立ち上げ～定常運転 (10:30～)	
7	1号炉																										休炉
	2号炉	1014	973	988	964	953	970	965	983	1002	969	989	972	982	974	995	983	1001	1018	1022	1017	1054	1016	994	997		
8	1号炉																										休炉
	2号炉	973	969	982	979	990	976	972	980	981	976	970	986	996	983	968	979	976	990	1032	1025	994	1004	1012	991		
9	1号炉																										休炉
	2号炉	984	989	973	1001	980	973	983	964	984	960	960	957	963	984	971	990	981	998	1006	1000	973	996	991	1012		
10	1号炉																										休炉
	2号炉	995	1004	982	985	1040	989	978	985	954	963	967	972	968	951	900		984	998	994	991	1005	1015	1023	1019	14:23～16:11給じん停止	
11	1号炉																										立ち上げ～定常運転 (9:12～)
	2号炉	983	1019	1013	1000	967	1008	952	974	975	989	941	990	978	973	945	984	952	973	1006	980	1083	1027	1051	1004		
12	1号炉	906	947	986	966	960	1000	946	953	963	936	927	941	931	946	936	942	931		942	933	948	966	945	985	16:35～18:00給じん停止	
	2号炉	1016	1028	984	992	969	979	992	949	948	947	927	947	959	954	963	957	939	886		903	987	975	996	983	17:05～19:48給じん停止	
13	1号炉	1003	986	960	965	961	971	969	928	952	978	950	964	950	945	937	939	964	961	981	958	958	998	978	1005		
	2号炉	976	930	963	958	937	938	926	930	962	972	979	956	936	935	938	928	921	935	956	1013	980	998	982	990		
14	1号炉	984	1021	971	977	955	985	978	969	969	970	979	959	989	973	999	956	995	979	1012	981	988	956	1002	1020		
	2号炉	952	943	929	981	923	971	974	950	940	969	936	957	968	963	956	977	968	954	951	941	1011	1003	1017	990		
15	1号炉	981	948	955	974	978	977	967	963	967	1025	1072	1039	1062	1047	1036	1026	1022	1027	1004	997	1004	977	1006	995		
	2号炉	997	1024	1018	954	988	1061	1047	1016	1000	984	983	987	1022	964	957	963	972	971	1016	1006	933	963	1011	968		

1月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	1019	982	998	1046	1048	1040	1078	1095	1059	1031	998	991	1005	1027	1036	1030	1010	1028	1051	1023	999	1053	1128	1163	
	2号炉	946	983	949	980	976	960	929	944	855				965	952	962	948	967	973	947	942	926	942	946	952	8:34~12:05給じん停止
17	1号炉	1179	1116	1088	1090	1061	1009	975	953	951	988	944	966	966	979	966	950	976	998	971	1002	1098	1124	1102	1095	
	2号炉	921	981	1015	994	953	988	1011	979	980	968	946	932	924	957	942	941	932	952	971	923	951	965	944	963	
18	1号炉	1046	1019	980	965	947	1015	1032	1044	1014	950	958	983	963	997	955	950	982	960	976	1055	1090	1106	1124	1086	
	2号炉	960	975	965	954	948	921	919	937	941	940	913	967	934	952	950	961	953	1003	969	973	975	986	996	986	
19	1号炉	1012	981	955	976	946	980	954	1009	1000	966	975	985	934	945	939	961	973	949	969	998	979	940	951	998	
	2号炉	1019	992	994	993	998	935	945	937	942	954	965	966	942	940	942	962	942	931	953	965	967	942	1006	1008	
20	1号炉	961	965	971	1005	975	960	947	939	947	947	947	979	967	978	946	944	956	916	954	931	941	972	1002	998	
	2号炉	986	970	976	957	943	966	931	941	953	955	969	953	951	937	947	950	952	989	1001	939	981	972	971	969	
21	1号炉	974	959	952	962	938	924	938	956	946	938	971	957	976	990	936	960	933	944	944	959	977	988	997	984	
	2号炉	991	980	958	942	912	986	963	976	976	990	1014	961	950	958	997	966	980	970	962	958	961	957	920	926	
22	1号炉	968	993	995	983	993	1004	999	992	1038	1011	1013	979	997	1009	970	983	1018	992	971	997	979	971	933	913	
	2号炉	911	979	996	996	982	984	962	957	980	992	993	977	962	961	986	977	979	974	969	967	964	979	998	972	
23	1号炉	941	1001	988	1024	1015	956	973	973	893								982	929	920	946	932	932	930	940	8:34~16:07給じん停止
	2号炉	984	958	956	969	944	954	930	940	952	948	943	914	931	945	945	909	929	942	954	959	956	935	934	903	
24	1号炉	970	917	913	922	935	944	926	926	920	942	941	954	924	903	902	901	951	951	946	950	930	917	958	958	
	2号炉	911	901	931	948	927	946	951	930	850			912	959	934	906	935	930	936	968	953	949	942	915	954	8:30~11:28給じん停止
25	1号炉	944	967	976	953	922	951	951	942	947	946	958	955	927	927	916	906	888	929	907	951	941	957	918	920	
	2号炉	968	924	917	970	944	933	965	970	974	974	973	954	911	946	941	948	950	924	929	988	977	960	961	957	
26	1号炉	924	917	903	902	931	957	982	969	1002	962	965	951	964	964	963	954	996	953	957	951	963	1038	969	1023	
	2号炉	961	967	978	929	957	957	965	960	951	980	959	956	945	929	920	907	924	958	947	943	951	962	952	974	
27	1号炉	999	987	993	993	987	987	978	902	974	969	1004	999	988	961	989	972	963	975	974	974	967	985	962	958	
	2号炉	970	993	965	971	968	971	943	923	923	935	983	965	949	946	957	936	942	963	971	960	971	944	962	974	
28	1号炉	948	984	1008	1001	1000	931	930	958	941	954	950	954	944	961	967	955	941	985	965	994	1001	960	952	976	
	2号炉	957	964	974	937	955	970	994	973	962	1007	1004	966	1012	994	939	931	934	954	972	986	972	968	937	959	
29	1号炉	968	1017	983	972	958	998	1002	992	958	1011	993	984	996	1002	964	949	996	970	963	995	962	987	986	966	
	2号炉	953	948	942	972	965	954	959	967	956	977	962	986	995	979	947	965	1004	990	950	956	958	963	964	963	
30	1号炉	990	1000	987	964	940	1027	1020	1025	896					1058	922	929	936	956	997	982	938	964	957	958	8:34~13:32給じん停止
	2号炉	948	954	972	977	950	1019	978	977	970	949	962	980	940	941	926	954	949	946	952	979	954	954	968	962	
31	1号炉	953	956	976	981	982	948	956	967	930	964	949	930	945	945	948	968	954	947	958	960	977	1003	1063	1013	
	2号炉	965	975	993	968	964	976	981	984	832																

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和5年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

2月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	1034	987	957	951	983	996	1019	1006	973	974	973	1013	985	1045	1058	1040	1044	1024	1000	1043	1042	991	1044	1006	
	2号炉																									休炉
2	1号炉	1005	966	998	1037	994	970	971	980	976	1003	1011	1009	988	939	982	942	971	975	968	986	987	990	962	948	
	2号炉				717	917	914	952	938	960	957	955	930	916	917	929	923	890	896	885	917	913	880	953	933	立ち上げ～定常運転(351～)
3	1号炉	949	1040	1017	1015	989	1018	1022	1013	1013	991	989	950	958	942	976	972	983	982	991	986	981	1008	1001	1005	
	2号炉	947	925	934	935	932	931	937	920	932	898	912	904	941	951	954	958	946	946	979	964	954	969	972	951	
4	1号炉	996	1035	1027	975	1004	953	963	955	975	990	978	975	986	990	981	1018	1042	1022	974	935	985	954	971	979	
	2号炉	961	968	966	969	972	976	1003	1006	983	1003	1007	1022	1010	1007	988	1019	997	1004	994	991	952	997	1021	1002	
5	1号炉	961	1025	1013	1007	969	982	987	976	969	996	964	961	959	980	963	1001	992	964	983	984	977	1006	986	990	
	2号炉	981	965	935	984	985	978	960	963	947	964	987	979	969	953	973	999	976	974	973	996	981	1006	1013	1000	
6	1号炉	1025	961	963	963	976	992	985	986	973					966	952	974	965	925	946	955	960	957	957	8:59～14:02給じん停止	
	2号炉	976	1006	995	976	988	987	971	986	992	986	1001	979	973	966	937	977	977	969	989	969	969	986	969	1006	
7	1号炉	969	978	995	973	974	993	982	996	988	989	991	970	941	942	949	941	940	976	988	974	959	977	964	959	
	2号炉	984	989	992	977	990	962	961	937	961				998	946	958	956	980	971	960	958	975	970	963	980	8:48～12:30給じん停止
8	1号炉	962	988	1005	1026	1013	1015	997	976	978	988	980	973	971	992	982	947	959	990	1010	982	1006	970	995	949	
	2号炉	986	983	1004	1010	979	1011	1028	985	960	965	963	982	962	946	985	991	971	966	978	998	1007	984	967	977	
9	1号炉	990	966	981	995	974	987	1023	1041	1041	1000	1008	990	953	965	943	947	1003	984	981	998	988	953	982	967	
	2号炉	975	1005	1007	972	984	1007	970	984	971	979	977	957	964	1011	986	980	980	980	967	990	969	957	970	986	
10	1号炉	968	981	923	939	963	977	1001	1008	1006	935	926	933	932	937	978	1006	953	1024	992	1000	1001	1022	1022	1010	
	2号炉	976	1018	1044	1021	1012	973	980	966	983	953	1010	996	969	957	993	973	1001	988	1025	1000	998	992	983	1003	
11	1号炉	1006	978	969	963	958	978	987	972	989	982	1016	1007	1013	1015	1005	1001	999	975	958	983	1014	1004	1000	1021	
	2号炉	1002	1003	989	1009	983	999	976	1016	1007	976	1002	987	1031	990	1004	1015	1032	1027	1089	979	1029	998	996	1016	
12	1号炉	972	979	1006	983	979	1029	997	1043	1003	978	972	1031	990	982	989	984	986	1039	1017	1003	975	1023	1059	1025	
	2号炉	1002	994	962	980	966	983	988	989	985	1039	979	1004	999	993	981	967	1008	968	1007	1000	990	953	940	933	
13	1号炉	1041	1009	987	999	1009	982	1000	1003	997	997	1012	992	1030	1043	973	1013	1038	985	987	978	961	966	993	983	
	2号炉	938	966	975	966	952	956	940	904	972	961	961	978	994	967	974	927	967	919	951	928	919	939	955	996	
14	1号炉	1031	990	1040	1004	965	983	998	981	943							951	934	931							8:45～15:10給じん停止 定常運転～立ち下げ(17:50～)
	2号炉	998	969	976	990	940	940	938	952	969	898	953	919	955	969	958	970	942	919	920	925	912	939	941	938	
15	1号炉																									休炉
	2号炉	937	947	913	920	933	900	908	930	906	938	926	944	942	827						961	923	935	948	981	1015

2月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備考	
16	1号炉																										休炉
	2号炉	992	993	938	970	970	958	949	934	952	961	985	977	960	954	954	954	937	956	966	934	940	929	922	942		
17	1号炉																										休炉
	2号炉	941	955	955	950	960	954	948	941	901	951	959	975	942	955	935	932	943	946	935	927	942	929	931	941		
18	1号炉																										休炉
	2号炉	970	950	987	960	968	959	963	960	954	950	961	974	974	962	984	941	987	975	960	965	954	954	952	978		
19	1号炉																										休炉
	2号炉	973	978	973	980	961	948	943	951	976	950	974	958	978	983	977	990	988	972	964	971	959	977	971	958		
20	1号炉																										休炉
	2号炉	968	973	973	972	972	932	939	948	968	973	967	960	961	962	967	968	965	963	974	951	991	959	967	986		
21	1号炉																										休炉
	2号炉	977	943	985	987	966	1011	988	1008	983	972	984	977	978	964	973	999	973	994	980	984	946	981	984	984		
22	1号炉																										休炉
	2号炉	980	964	970	971	967	983	977	973	990	967	956	971	951	970	982	964	968	802			1057	964	967	963	17:03~20:59給じん停止	
23	1号炉																										休炉
	2号炉	965	954	963	960	960	959	962	967	966	962	993	981	972	974	965	973	969	977	978	969	1003	977	994	964		
24	1号炉																										休炉
	2号炉	972	972	1006	990	990	989	972	955	944	970	962	967	965	962	959	977	957	990	1002	1012	999	989	952	921		
25	1号炉																										休炉
	2号炉	949	954	949	963	960	948	950	939	958	969	958	961	975	983	970	966	988	973	986	992	967	966	989	998		
26	1号炉																										休炉
	2号炉	993	966	929	963	972	955	952	949	974	1010	1029	1049	1064	1073	1062	1055	1104	929							17:07~24:00給じん停止	
27	1号炉																										休炉
	2号炉														924	968	969	981	980	963	950	954	962	944	942	24:00~13:30給じん停止	
28	1号炉																										休炉
	2号炉	955	953	964	967	958	975	972	979	969	980	997	993	1002	959	934	967	959	970	958	950	973	954	995	975		

