

令和5年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

4月	ばいじん濃度(mg/Nm3) 管理値:20mg/Nm3以下 排出基準:150mg/Nm3以下			一酸化炭素濃度(ppm) 管理値:100ppm以下 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下			一酸化炭素濃度(ppm) 管理値:30ppm以下 (4時間平均)		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	2.61	0.02	1.82	6	0	1.0	55	0	38.0	0	0	0	3	0	2.0	2.50	0.00	0.68
2	4.32	1.32	2.71	11	0	1.0	56	29	41.0	0	0	0	5	1	3.0	4.25	0.00	1.15
3	4.34	0.06	2.86	4	0	0.0	50	1	36.0	0	0	0	4	0	3.0	1.75	0.00	0.21
4	3.85	1.84	3.10	19	0	1.0	54	35	45.0	0	0	0	4	2	3.0	6.50	0.00	1.59
5	3.63	1.30	2.58	10	0	2.0	56	32	46.0	0	0	0	4	2	3.0	4.50	0.50	1.95
6	3.57	0.00	1.78	21	0	3.5	53	0	32.5	0	0	0	4	0	2.0	12.50	0.00	3.30
7	3.32	0.00	1.29	12	0	1.5	55	0	38.0	0	0	0	5	0	3.0	7.75	0.00	1.39
8	2.37	0.70	1.37	26	0	4.5	60	29	41.5	0	0	0	7	2	4.0	22.50	0.00	4.09
9	4.15	0.62	1.81	42	0	3.0	60	21	42.5	0	0	0	8	2	4.0	28.75	0.00	3.70
10	3.20	0.09	1.57	10	0	0.5	61	2	40.5	0	0	0	5	0	3.0	4.00	0.00	0.91
11	3.98	0.01	1.61	20	0	1.0	59	0	40.0	0	0	0	5	0	3.0	5.75	0.00	1.45
12	5.17	0.00	1.98	18	0	2.0	60	0	39.0	0	0	0	4	0	2.5	7.75	0.00	1.59
13	5.48	0.45	2.16	13	0	0.5	61	29	44.5	0	0	0	3	1	2.5	7.75	0.00	1.23
14	5.14	0.13	1.90	6	0	0.5	62	2	38.5	0	0	0	4	0	3.0	2.50	0.00	0.79
15	5.84	0.41	2.38	5	0	0.5	59	30	43.5	0	0	0	4	2	3.0	2.25	0.00	0.36
16	5.79	0.43	2.54	21	0	1.5	56	29	42.5	0	0	0	5	2	3.5	7.00	0.00	0.95
17	5.69	0.36	2.26	15	0	0.5	60	30	42.5	0	0	0	5	1	3.5	7.00	0.00	1.08
18	5.97	0.07	2.14	6	0	0.5	58	6	43.5	0	0	0	4	1	3.5	3.75	0.00	0.94
19	4.40	0.00	1.86	6	0	0.0	57	0	39.5	0	0	0	6	0	3.5	2.50	0.00	0.32
20	4.41	0.17	2.09	15	0	1.0	58	4	42.0	0	0	0	8	2	3.5	4.50	0.00	1.13
21	4.85	0.02	1.86	2	0	0.0	60	0	44.0	0	0	0	4	0	3.0	0.75	0.00	0.09
22	6.02	0.22	2.29	38	0	1.5	65	1	41.5	0	0	0	5	0	3.0	15.00	0.00	1.05
23	8.18	0.23	2.74	6	0	0.5	58	27	41.5	0	0	0	4	2	3.0	12.25	0.00	0.53
24	6.73	0.15	2.70	18	0	0.5	58	1	41.0	0	0	0	7	0	3.0	5.50	0.00	0.78
25	6.23	0.00	2.34	20	0	1.0	61	0	44.5	0	0	0	7	0	3.0	12.75	0.00	1.15
26	4.65	0.31	2.09	17	0	1.0	60	31	43.5	0	0	0	6	2	3.0	4.25	0.00	1.01
27	5.88	0.34	1.90	30	0	3.5	58	10	39.5	0	0	0	4	1	3.0	14.50	0.00	3.18
28	6.22	0.31	2.45	17	0	1.5	58	24	42.0	0	0	0	4	2	3.0	6.25	0.00	1.69
29	5.08	0.37	2.23	21	0	1.5	56	27	41.0	0	0	0	4	2	3.0	9.00	0.00	1.46
30	5.17	0.43	2.31	12	0	0.5	59	27	40.5	0	0	0	5	2	3.5	3.75	0.00	0.61

令和5年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

5月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 管理値:100ppm以下 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下			一酸化炭素濃度(ppm) 管理値:30ppm以下 (4時間平均)		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	5.50	0.34	2.30	7	0	0.5	60	7	40.5	0	0	0	4	1	3.0	3.25	0.00	0.56
2	5.10	0.01	2.15	16	0	1.0	59	0	40.5	0	0	0	5	0	3.0	6.25	0.00	0.84
3	6.54	0.24	2.80	6	0	0.5	59	29	43.0	0	0	0	4	2	3.0	1.50	0.00	0.22
4	5.97	0.00	2.43	14	0	0.5	61	0	42.5	0	0	0	4	0	2.5	5.00	0.00	0.65
5	6.23	0.23	2.75	9	0	0.5	60	17	45.0	0	0	0	4	1	2.5	4.25	0.00	0.51
6	5.49	0.00	2.20	5	0	0.5	63	0	42.5	0	0	0	3	0	2.5	2.00	0.00	0.31
7	4.53	0.10	2.10	14	0	1.0	67	6	43.5	0	0	0	3	0	2.5	4.00	0.00	0.76
8	4.12	0.43	1.98	6	0	0.5	64	31	46.5	0	0	0	4	2	3.0	2.75	0.00	0.45
9	4.98	0.13	2.32	0	0	0.0	63	8	43.5	0	0	0	4	0	2.5	0.00	0.00	0.00
10	5.82	0.35	2.24	16	0	0.5	55	20	42.5	0	0	0	4	0	3.0	5.00	0.00	0.33
11	5.53	0.39	2.24	2	0	0.0	62	31	47.0	0	0	0	5	2	3.0	4.00	0.00	0.17
12	5.86	0.29	1.92	23	0	2.0	63	27	44.0	0	0	0	5	2	3.0	5.75	0.00	0.94
13	0.69	0.32	0.56	17	0	2.0	45	28	36.0	0	0	0	7	2	5.0	8.50	0.00	2.24
14	0.70	0.10	0.59	19	0	2.0	44	4	34.0	0	0	0	7	1	4.0	5.00	0.00	1.15
15	0.70	0.43	0.59	1	0	0.0	42	24	36.0	0	0	0	6	3	4.0	4.75	0.00	0.56
16	0.70	0.03	0.53	5	0	0.0	46	2	36.0	0	0	0	5	0	4.0	1.25	0.00	0.39
17	0.70	0.32	0.60	14	0	2.0	48	31	39.0	0	0	0	5	3	4.0	8.00	0.00	1.98
18	0.72	0.33	0.64	15	0	2.0	47	26	36.0	0	0	0	8	3	5.0	6.50	0.00	2.06
19	0.70	0.38	0.62	22	0	2.0	54	33	41.0	0	0	0	5	3	4.0	6.50	0.00	1.50
20	0.75	0.34	0.61	13	0	1.0	49	25	36.0	0	0	0	6	3	4.0	5.75	0.00	1.33
21	0.60	0.02	0.47	12	0	1.0	45	1	33.0	0	0	0	6	0	4.0	3.25	0.00	0.80
22	0.67	0.05	0.51	11	0	1.0	47	3	37.0	0	0	0	5	0	3.0	3.00	0.00	1.20
23	0.52	0.25	0.45	9	0	1.0	56	34	45.0	0	0	0	5	2	4.0	3.75	0.00	0.63
24	2.99	0.12	1.17	35	0	3.5	57	4	39.5	0	0	0	4	0	3.0	18.00	0.00	4.17
25	4.79	0.33	1.91	43	0	4.5	57	9	43.0	0	0	0	4	1	2.0	28.75	0.00	4.56
26	6.04	0.00	2.05	28	0	4.0	56	0	36.5	0	0	0	3	0	2.5	19.25	0.00	3.71
27	6.13	0.30	2.66	31	0	3.5	58	25	42.0	0	0	0	3	1	2.5	21.50	0.00	4.12
28	5.93	0.35	2.46	31	0	2.0	62	25	41.0	0	0	0	6	1	3.0	15.50	0.00	2.01
29	5.89	0.08	2.21	20	0	3.0	58	6	43.0	0	0	0	4	0	3.0	12.75	0.00	2.98
30	6.38	0.38	2.43	22	0	2.0	59	26	42.5	0	0	0	4	1	2.5	9.75	0.00	1.53
31	4.90	0.33	1.98	24	0	2.0	58	30	43.0	0	0	0	4	1	3.0	9.75	0.00	2.66

令和5年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

6月	ばいじん濃度(mg/Nm3) 管理値:20mg/Nm3以下 排出基準:150mg/Nm3以下			一酸化炭素濃度(ppm) 管理値:100ppm以下 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下			一酸化炭素濃度(ppm) 管理値:30ppm以下 (4時間平均)		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	5.04	0.13	1.50	47	0	5.5	57	2	37.0	0	0	0	3	0	1.5	24.50	0.00	5.00
2	4.40	0.36	1.67	44	0	2.0	64	8	44.0	0	0	0	4	1	3.0	13.75	0.00	2.30
3	6.94	0.01	2.67	44	0	3.0	60	0	43.0	0	0	0	3	0	2.5	22.00	0.00	3.44
4	7.31	0.35	2.56	37	0	3.0	61	16	45.5	0	0	0	4	1	2.0	19.25	0.00	3.09
5	7.49	0.21	2.45	29	0	3.0	63	5	44.5	0	0	0	3	0	3.0	10.25	0.00	2.65
6	6.37	0.11	2.42	33	0	1.5	64	6	45.0	0	0	0	3	0	2.0	11.50	0.00	1.70
7	6.01	0.00	2.39	14	0	1.0	64	0	42.5	0	0	0	4	0	2.5	6.75	0.00	1.07
8	8.05	0.16	2.76	4	0	0.0	59	10	42.5	0	0	0	4	1	3.5	5.00	0.00	0.30
9	6.39	0.38	2.55	7	0	0.5	60	20	41.5	0	0	0	4	0	2.5	3.50	0.00	0.47
10	6.61	2.51	5.02	14	0	3.0	60	44	53.0	0	0	0	3	2	3.0	6.50	0.00	2.85
11	7.90	0.02	5.24	29	0	4.0	62	0	45.0	0	0	0	3	0	3.0	12.50	0.00	4.44
12	7.01	4.30	5.22	18	0	2.0	62	38	51.0	0	0	0	4	2	3.0	8.75	0.00	2.25
13	6.70	2.12	4.58	6	0	1.0	60	13	45.0	0	0	0	4	1	3.0	2.00	0.00	0.84
14	7.72	2.74	4.85	16	0	1.0	64	34	51.0	0	0	0	4	2	3.0	6.25	0.00	0.85
15	8.60	2.94	5.76	1	0	0.0	50	34	42.0	0	0	0	3	2	3.0	6.50	0.00	1.28
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	0.12	0.00	0.01	5	0	1.0	35	1	25.0	0	0	0	4	0	3.0	2.75	0.00	0.65
22	0.91	0.00	0.39	9	0	0.5	52	6	37.0	0	0	0	3	1	2.0	3.00	0.00	0.26
23	1.01	0.00	0.47	4	0	0.5	56	27	40.0	0	0	0	4	1	3.0	2.00	0.00	0.38
24	1.00	0.00	0.45	4	0	0.0	57	30	42.5	0	0	0	3	2	3.0	1.25	0.00	0.13
25	1.05	0.00	0.48	11	0	0.5	54	25	40.0	0	0	0	6	2	3.5	4.25	0.00	0.42
26	0.95	0.00	0.42	6	0	0.0	58	28	40.5	0	0	0	5	2	3.5	2.50	0.00	0.25
27	0.90	0.00	0.41	4	0	0.0	57	29	43.5	0	0	0	4	2	3.0	1.25	0.00	0.10
28	0.87	0.00	0.40	19	0	1.0	58	0	42.5	0	0	0	4	0	3.0	8.00	0.00	0.76
29	0.90	0.00	0.38	4	0	0.0	55	0	38.5	0	0	0	3	0	2.5	6.75	0.00	0.46
30	0.88	0.00	0.40	8	0	0.5	56	24	40.5	0	0	0	3	2	2.5	3.50	0.00	0.30

令和5年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

7月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 管理値:100ppm以下 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下			一酸化炭素濃度(ppm) 管理値:30ppm以下 (4時間平均)		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0.90	0.00	0.40	5	0	0.0	52	26	41.5	0	0	0	3	2	3.0	1.75	0.00	0.26
2	0.90	0.00	0.38	0	0	0.0	57	18	45.0	0	0	0	4	2	3.0	0.00	0.00	0.00
3	0.90	0.00	0.38	3	0	0.0	61	29	45.5	0	0	0	4	1	2.5	1.00	0.00	0.10
4	0.83	0.00	0.33	9	0	0.5	59	2	43.5	0	0	0	3	0	2.5	3.00	0.00	0.29
5	0.92	0.00	0.34	43	0	2.0	59	0	40.5	0	0	0	3	0	2.0	11.00	0.00	2.10
6	0.95	0.00	0.39	1	0	0.0	61	0	39.5	0	0	0	4	0	2.5	3.00	0.00	0.13
7	0.82	0.00	0.34	8	0	0.0	57	3	41.0	0	0	0	3	0	2.0	2.50	0.00	0.21
8	0.95	0.00	0.41	3	0	0.0	56	29	43.0	0	0	0	5	1	2.5	1.00	0.00	0.08
9	0.95	0.00	0.39	7	0	0.5	59	1	43.0	0	0	0	4	0	2.5	2.50	0.00	0.46
10	0.83	0.00	0.32	21	0	0.5	57	0	37.5	0	0	0	3	0	2.0	6.75	0.00	0.58
11	1.07	0.00	0.40	6	0	0.0	60	31	43.5	0	0	0	4	1	2.5	1.75	0.00	0.23
12	0.80	0.00	0.36	13	0	1.0	58	0	41.0	0	0	0	4	0	2.0	4.25	0.00	0.54
13	0.89	0.00	0.35	18	0	1.0	58	0	43.0	0	0	0	5	0	3.5	7.75	0.00	1.18
14	0.85	0.00	0.37	14	0	1.0	61	16	43.0	0	0	0	4	2	3.0	5.00	0.00	0.90
15	0.90	0.00	0.36	2	0	0.0	60	34	45.5	0	0	0	4	2	3.0	1.00	0.00	0.11
16	0.87	0.00	0.37	19	0	0.5	64	29	46.5	0	0	0	4	2	3.0	5.00	0.00	0.49
17	0.86	0.00	0.36	12	0	0.5	62	4	44.0	0	0	0	5	0	3.0	3.25	0.00	0.19
18	0.80	0.00	0.34	0	0	0.0	56	34	44.5	0	0	0	4	0	2.0	3.25	0.00	0.32
19	0.90	0.43	0.73	16	0	1.0	51	27	40.0	0	0	0	6	2	3.0	4.75	0.00	0.79
20	0.80	0.05	0.64	0	0	0.0	46	2	35.0	0	0	0	4	0	3.0	0.00	0.00	0.00
21	0.74	0.38	0.63	1	0	0.0	46	23	36.0	0	0	0	3	2	2.0	0.50	0.00	0.08
22	0.75	0.44	0.65	0	0	0.0	48	27	37.0	0	0	0	3	2	2.0	0.00	0.00	0.00
23	0.77	0.15	0.62	1	0	0.0	48	2	35.0	0	0	0	3	0	2.0	0.25	0.00	0.03
24	0.83	0.41	0.71	0	0	0.0	41	23	36.0	0	0	0	2	2	2.0	0.00	0.00	0.00
25	0.89	0.42	0.71	0	0	0.0	50	32	40.0	0	0	0	2	1	2.0	0.00	0.00	0.00
26	0.87	0.38	0.73	1	0	0.0	44	30	37.0	0	0	0	3	1	2.0	0.25	0.00	0.04
27	0.87	0.07	0.68	9	0	1.0	40	1	35.0	0	0	0	3	0	2.0	2.75	0.00	0.58
28	0.83	0.39	0.71	5	0	0.0	46	31	39.0	0	0	0	2	1	1.0	1.25	0.00	0.46
29	0.85	0.44	0.74	2	0	0.0	43	28	36.0	0	0	0	2	1	1.0	0.50	0.00	0.08
30	0.91	0.00	0.40	26	0	4.0	42	4	31.5	0	0	0	4	0	2.0	11.75	0.00	3.48
31	0.85	0.00	0.39	10	0	0.5	47	0	34.0	0	0	0	7	0	2.0	12.75	0.00	1.15

令和5年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

8月	ばいじん濃度(mg/Nm ³) 管理値:20mg/Nm ³ 以下 排出基準:150mg/Nm ³ 以下			一酸化炭素濃度(ppm) 管理値:100ppm以下 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下			一酸化炭素濃度(ppm) 管理値:30ppm以下 (4時間平均)		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0.95	0.00	0.40	7	0	0.5	48	1	32.0	0	0	0	3	0	2.0	4.00	0.00	0.41
2	0.95	0.00	0.37	14	0	1.5	53	0	33.5	1	0	0	3	0	2.0	7.25	0.00	1.45
3	0.95	0.00	0.44	17	0	1.0	47	14	34.0	0	0	0	3	1	2.0	8.00	0.00	0.97
4	0.92	0.00	0.42	3	0	0.5	61	17	37.0	0	0	0	3	1	2.0	1.75	0.00	0.34
5	0.95	0.00	0.43	33	0	3.0	52	0	35.5	0	0	0	3	0	2.0	13.25	0.00	2.60
6	0.95	0.00	0.41	20	0	2.0	49	0	33.0	1	0	0	4	0	2.5	10.25	0.00	1.88
7	0.88	0.00	0.38	2	0	0.0	49	23	37.5	0	0	0	4	1	2.5	1.25	0.00	0.17
8	0.91	0.00	0.42	2	0	0.0	49	14	37.5	0	0	0	3	1	2.0	0.75	0.00	0.06
9	0.04	0.00	0.40	14	0	1.0	44	0	33.0	0	0	0	4	0	2.0	9.25	0.00	1.26
10	1.16	0.00	0.47	34	0	2.5	52	22	36.5	0	0	0	5	1	2.5	17.50	0.00	2.60
11	0.97	0.00	0.44	6	0	0.5	49	23	36.0	0	0	0	4	1	2.0	8.75	0.00	0.91
12	0.95	0.00	0.43	7	0	0.5	55	21	36.5	0	0	0	4	1	2.5	3.50	0.00	0.67
13	0.95	0.00	0.43	12	0	0.5	46	27	37.5	0	0	0	4	1	2.5	5.25	0.00	0.65
14	0.89	0.00	0.37	0	0	0.0	58	24	41.5	0	0	0	4	2	2.5	0.00	0.00	0.00
15	0.83	0.00	0.38	9	0	0.5	58	23	40.5	0	0	0	4	1	2.0	2.50	0.00	0.35
16	0.00	0.00	0.00	15	0	1.0	52	1	39.0	0	0	0	3	0	2.0	5.00	0.00	0.71
17	0.00	0.00	0.00	5	0	1.0	54	34	42.0	0	0	0	3	0	2.0	3.00	0.00	1.19
18	0.00	0.00	0.00	10	0	1.0	55	33	45.0	0	0	0	7	1	3.0	3.75	0.00	0.72
19	0.15	0.00	0.01	5	0	0.0	54	39	48.0	0	0	0	3	2	3.0	1.50	0.00	0.33
20	0.03	0.00	0.00	11	0	2.0	54	36	45.0	0	0	0	3	2	3.0	5.75	0.00	1.73
21	0.00	0.00	0.00	16	0	3.0	53	3	42.0	0	0	0	3	0	3.0	8.25	0.00	2.96
22	0.00	0.00	0.00	10	0	1.0	53	26	42.0	0	0	0	3	2	3.0	4.00	0.00	1.02
23	0.00	0.00	0.00	14	0	3.0	54	3	36.0	0	0	0	4	0	3.0	10.50	0.00	2.72
24	0.00	0.00	0.00	9	0	1.0	46	28	37.0	0	0	0	4	2	3.0	3.75	0.00	1.28
25	0.00	0.00	0.00	10	0	2.0	49	20	37.0	0	0	0	5	2	4.0	4.50	0.00	2.19
26	0.00	0.00	0.00	1	0	0.0	51	28	39.0	0	0	0	4	2	3.0	2.25	0.00	0.38
27	0.00	0.00	0.00	6	0	0.0	56	34	44.0	0	0	0	4	2	3.0	1.50	0.00	0.27
28	0.00	0.00	0.00	12	0	2.0	50	29	42.0	0	0	0	3	2	3.0	7.50	0.00	2.06
29	0.00	0.00	0.00	12	0	1.0	49	0	37.0	0	0	0	3	0	2.0	5.75	0.00	1.69
30	0.95	0.00	0.41	32	0	1.5	49	0	32.5	0	0	0	4	0	3.0	14.00	0.00	1.76
31	1.00	0.00	0.43	7	0	0.5	49	19	36.5	0	0	0	4	2	3.0	3.50	0.00	0.56

令和5年度 排ガス中のばい煙濃度等 (※特に表示が無いものは1時間平均の値)

9月	ばいじん濃度(mg/Nm3) 管理値:20mg/Nm3以下 排出基準:150mg/Nm3以下			一酸化炭素濃度(ppm) 管理値:100ppm以下 維持管理基準:100ppm以下			窒素酸化物濃度(ppm) 管理値:70ppm以下 排出基準:250ppm以下			硫黄酸化物濃度(ppm) 管理値:20ppm以下			塩化水素濃度(ppm) 管理値:50ppm以下 排出基準:430ppm以下			一酸化炭素濃度(ppm) 管理値:30ppm以下 (4時間平均)		
	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均	最大	最小	平均
1	0.91	0.00	0.41	6	0	0.0	52	24	37.0	0	0	0	7	1	3.0	2.50	0.00	0.33
2	0.90	0.00	0.42	22	0	1.0	56	25	36.5	0	0	0	4	1	2.0	9.00	0.00	0.88
3	0.84	0.00	0.37	2	0	0.0	45	11	35.5	0	0	0	3	1	2.0	1.25	0.00	0.10
4	0.87	0.00	0.37	4	0	0.5	53	30	40.0	0	0	0	3	2	2.0	1.50	0.00	0.25
5	0.88	0.00	0.36	14	0	0.5	51	2	35.0	0	0	0	3	0	2.0	5.00	0.00	0.55
6	0.86	0.00	0.37	28	0	1.0	52	7	33.5	0	0	0	4	1	2.0	9.75	0.00	1.26
7	0.90	0.00	0.38	15	0	2.0	54	24	36.5	0	0	0	5	1	2.5	7.75	0.00	1.82
8	0.87	0.00	0.37	9	0	1.0	49	25	36.0	0	0	0	3	0	1.5	3.50	0.00	0.78
9	0.90	0.00	0.38	22	0	1.0	51	0	35.0	0	0	0	4	0	2.0	7.75	0.00	1.10
10	0.96	0.00	0.44	1	0	0.0	59	23	39.0	0	0	0	6	2	3.5	0.50	0.00	0.08
11	0.90	0.00	0.42	7	0	0.5	54	28	39.5	0	0	0	5	2	3.5	3.00	0.00	0.35
12	0.95	0.00	0.40	8	0	0.5	60	4	37.0	0	0	0	3	0	2.5	3.25	0.00	0.44
13	0.90	0.00	0.38	30	0	1.5	58	0	36.5	0	0	0	6	0	3.0	11.75	0.00	1.08
14	0.95	0.00	0.43	9	0	0.5	53	25	36.5	0	0	0	5	2	3.0	11.75	0.00	1.08
15	0.95	0.00	0.42	21	0	0.5	54	6	38.0	0	0	0	3	0	2.5	7.50	0.00	0.77
16	0.92	0.00	0.41	6	0	0.5	58	1	40.5	0	0	0	5	0	2.0	3.75	0.00	0.59
17	0.91	0.00	0.41	18	0	1.0	60	24	41.5	0	0	0	4	1	2.0	7.50	0.00	0.47
18	0.90	0.00	0.37	15	0	1.0	58	27	42.5	0	0	0	4	1	2.0	10.00	0.00	1.09
19	0.94	0.00	0.41	12	0	1.0	63	26	45.0	0	0	0	3	1	2.0	6.50	0.00	1.10
20	0.99	0.00	0.41	7	0	1.0	55	0	36.0	0	0	0	4	0	3.0	5.50	0.00	1.13
21	1.00	0.00	0.39	16	0	1.0	60	0	41.0	0	0	0	5	0	2.5	5.50	0.00	0.93
22	0.89	0.00	0.34	4	0	0.0	63	3	42.5	0	0	0	5	0	2.0	3.50	0.00	0.24
23	0.82	0.00	0.35	7	0	0.5	55	21	39.0	0	0	0	3	1	2.0	3.25	0.00	0.50
24	0.75	0.00	0.33	0	0	0.0	51	29	40.5	0	0	0	3	1	2.0	2.00	0.00	0.10
25	0.82	0.00	0.34	1	0	0.0	60	21	41.0	0	0	0	3	1	2.0	0.50	0.00	0.04
26	0.90	0.00	0.33	5	0	0.0	52	0	37.0	0	0	0	2	0	2.0	1.25	0.00	0.15
27	0.90	0.00	0.39	7	0	0.5	57	2	34.0	0	0	0	4	0	2.5	3.50	0.00	0.68
28	0.90	0.00	0.39	7	0	0.5	57	2	34.0	0	0	0	4	0	2.5	2.00	0.00	0.32
29	0.85	0.00	0.36	6	0	0.5	46	12	34.5	0	0	0	3	1	2.0	2.75	0.00	0.51
30	0.89	0.00	0.38	1	0	0.0	53	20	36.5	0	0	0	3	1	2.0	0.50	0.00	0.05