

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和5年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

4月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	970	951	1007	980	1011	1006	948	1008	981	988	998	970	991	973	1011	1011	1008	999	939	959	956	950	963	985	
	2号炉																									休炉
2	1号炉	973	954	961	976	973	974	968	980	993	999	988	1005	981	993	1015	974	995	960	980	988	973	933	977	970	
	2号炉																									休炉
3	1号炉	990	1026	1033	1025	992	949	991	967	962	969	956	976	945	942	936	940	935	696			1009	948	942	962	17:03~20:45給じん停止
	2号炉																									休炉
4	1号炉	948	941	937	915	935	921	952	949	930	952	942	926	922	927	950	925	911	971	950	972	950	960	978	980	
	2号炉																									休炉
5	1号炉	955	946	963	954	936	935	922	949	929	936	936	937	942	929	939	925	963	957	971	951	954	908	921	907	
	2号炉																									休炉
6	1号炉	939	909	940	933	952	937	942	932	953	902	927	905	932	929	933	928	919	919	930	925	937	963	1000	982	
	2号炉									919	968	920	962	994	1003	985	981	1031	1001	1006	1037	1002	1035	1023	1010	立ち上げ~定常運転(8:47~)
7	1号炉	987	905	939	946	937	933	960	951	888			1010	908	914	909	914	906	939	917	935	939	934	926	961	8:47~12:00給じん停止
	2号炉	988	1009	1074	999	1009	1012	1003	996	966	970	969	964	944	935	944	961	956	963	1014	999	1028	1013	1041	1054	
8	1号炉	937	974	975	942	924	933	936	946	943	937	928	928	949	938	924	946	935	939	914	946	911	909	897	886	
	2号炉	1013	990	986	1007	1010	1002	1022	1004	1035	987	998	1010	996	988	1000	1020	1010	985	978	981	1052	1041	1004	1047	
9	1号炉	902	915	949	947	949	994	955	953	990	956	952	931	960	974	969	968	946	1009	976	983	1003	953	967	921	
	2号炉	1037	1038	1022	981	1026	1005	1043	1067	1029	1022	1018	1017	1001	972	1003	1026	1007	1074	1059	1045	1044	1019	1017	954	
10	1号炉	939	977	975	973	982	973	979	988	959	944	918	915	952	921	913	977	950	961	934	915	924	921	918	963	
	2号炉	998	1010	1029	1011	1026	985	967	992	977	1040	984	972	966	936	929	948	969	977	992	947	967	1027	996	971	
11	1号炉	922	969	947	943	948	967	917	926	902	948	945	921	898	888	890	927	935	929			948	942	908	913	17:50~20:52給じん停止
	2号炉	969	1017	1020	1020	1005	1006	1027	1004	1011	994	973	982	944	920	925	954	953	962	984	983	981	980	993	974	
12	1号炉	945	889	942	828	922	921	1004	950	942	923	949	936	965	955	943	934	919	937	954	949	945	966	925	970	
	2号炉	961	975	999	995	995	1003	1013	956	954			1006	943	964	983	969	939	967	998	987	964	997	984	1012	8:57~11:51給じん停止
13	1号炉	948	951	948	942	939	949	965	943	958	953	991	977	911	915	932	934	931	950	955	983	939	960	968	967	
	2号炉	934	924	969	981	939	1010	965	951	928	980	972	946	919	919	925	923	916	952	937	972	943	959	982	1004	
14	1号炉	965	965		909	963	966	997	990	912				983	935	943	944	980	956	965	956	963	966	974	982	1:37~3:14、8:32~12:37給じん停止
	2号炉	1000	1000	1015	1011	935	989	997	996	983	962	957	972	952	938	916	955	932	977	1000	947	981	971	1021	1001	
15	1号炉	949	960	942	942	961	980	991	979	980	980	981	944	952	939	959	974	949	963	978	989	970	1005	988	1008	
	2号炉	967	939	952	961	914	959	965	943	964	970	962	955	957	979	977	1012	955	961	973	988	975	999	976	957	

4月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	1002	996	996	968	1003	954	1006	976	976	985	1015	991	1002	1003	987	982	1011	995	1007	992	962	937	955	950	
	2号炉	979	1006	993	960	977	954	975	939	954	923	929	997	1005	958	997	991	1001	1024	1013	998	980	990	1000	1031	
17	1号炉	962	961	959	975	970	969	975	960	972	938	982	984	919	954	922	924	935	945	970	962	950	973	928	931	
	2号炉	1019	995	1002	974	1005	1023	1007	979	976	1011	970	971	958	936	971	945	930	958	977	937	942	995	976	989	
18	1号炉	970	952	898	933	917	888	938	923	927	913	914	919	914	892	909	921	957	999	966	992	941	997	967	964	
	2号炉	998	956	922	968	965	941	961	962	936			948	916	919	915	905	933	966	984	995	979	987	980	986	8:50～11:17給じん停止
19	1号炉	969	985	967	942	943	977	975	962	966			1010	972	944	960	946	937	972	966	993	957	962	949	1013	8:47～12:00給じん停止
	2号炉	961	936	944	946	956	961	1001	958	991	983	978	926	956	926	943	932	925	948	982	981	974	990	970	1017	
20	1号炉	965	956	939	939	963	957	955	942	950	959	914	936	944	958	970	929	951	960	951	964	952	931	927	948	
	2号炉	1015	930	955	949	990	996	1014	976	986	983	955	952	962	988	986	975	976	961	1000	1008	968	994	963	981	
21	1号炉	939	959	941	951	969	1008	974	984	961	950	922	947	922	948	989	960	961	936	943	935	957	974	943	952	
	2号炉	973	974	1003	976	1002	953	965	933	945	1006	974	972	927	942	962	971	942	895	943	940	960	962	957	962	
22	1号炉	951	939	930	948	908	875	960	984	952	950	954	955	946	968	944	932	963	938	943	925	917	883	890	930	
	2号炉	949	939	939	1016	982	986	1021	1003	965	989	1010	1004	1000	985	1020	1037	1036	1026	1031	1001	978	995	1015	1006	
23	1号炉	920	928	928	972	944	935	966	965	943	947	949	950	957	961	933	936	952	938	943	936	895	933	914	935	
	2号炉	983	989	951	948	963	1005	1015	1018	983	956	988	957	993	1005	1001	971	962	991	993	994	968	952	1029	982	
24	1号炉	936	936	978	920	951	929	961	931	868			1000	929	915	924	931	920	966	977	929	917	943	925	918	8:47～11:41給じん停止
	2号炉	985	1001	1015	976	979	969	995	985	954	927	944	961	979	967	981	953	940	972	924	938	944	960	956	932	
25	1号炉	919	920	922	885	907	925	916	927	923	904	907	913	906	907	911	934	905	920	929	892	942	928	915	914	
	2号炉	931	933	970	965	906	939	931	902						989	922	906	915	938	928	937	944	937	940	972	7:54～13:46給じん停止
26	1号炉	933	929	904	927	907	895	921	907	911	924	920	926	926	922	930	923	921	953	954	946	967	939	964	989	
	2号炉	960	950	961	946	943	979	989	988	971	963	978	971	966	939	958	938	955	992	985	966	950	960	966	938	
27	1号炉	986	956	943	934	963	964	997	940	992	926	945	922	929	931	951	925	930	967	970	965	985	993	948	961	
	2号炉	923	952	972	986	945	934	950	940	967	955	972	927	923	941	940	932	956	972	953	948	934	984	933	998	
28	1号炉	937	962	939	975	963	950	979	968	972	980	989	998	950	940	955	933	984	985	979	1021	964	973	938	976	
	2号炉	941	955	960	960	973	936	919	938	960	955	911	942	965	949	931	927	934	959	934	969	986	971	937	938	
29	1号炉	976	967	982	966	957	961	957	958	968	956	962	964	974	975	967	990	1002	1035	1041	1029	1012	965	988	960	
	2号炉	953	1013	956	982	990	1013	980	990	986	962	961	992	1019	975	966	985	992	960	917	977	967	937	1011	988	
30	1号炉	988	1045	998	1008	986	986	1016	974	1033	992	974	975	1009	946	966	1001	992	969	1044	1051	1002	975	1021	974	
	2号炉	944	926	941	988	941	978	981	972	969	968	955	950	936	919	970	985	979	970	967	981	937	939	938	968	

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和5年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

5月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	972	1007	1000	977	1013	999	978	998	898			974	934	968	951	956	950	965	950	940	952	957	955	8:33~12:12給じん停止	
	2号炉	915	999	975	931	973	958	956	955	957	974	979	965	925	909	930	938	912	914	966	959	955	950	926	922	
2	1号炉	982	960	978	980	975	984	983	964	983	975	967	971	963	961	973	963	955	936	959	962	973	955	973	965	
	2号炉	937	848	970	927	932	932	906	916	822			952	921	907	944	944	928	891	909	880	936	906	907	904	8:45~11:47給じん停止
3	1号炉	956	967	949	960	996	985	967	975	972	996	972	984	966	977	972	1016	958	961	984	968	974	959	965	955	
	2号炉	904	912	968	903	898	946	933	940	913	971	974	985	951	978	982	1003	993	972	1025	977	968	995	964	970	
4	1号炉	961	957	965		850	904	960	1006	980	964	966	957	958	959	966	959	967	956	966	974	973	944	953	969	3:24~5:05給じん停止
	2号炉	999	963	946	952	980	949	1003	951	969	980	934	978	989	984	996	996	968	981	1007	992	981	976	984	980	
5	1号炉	962	1035	979	1015	965	983	966	960	985	981	984	959	952	946	970	966	950	970	989	1000	972	971	982	1006	
	2号炉	987	988	992	986	988	923	950	951	971	966	950	951	944	955	995	1001	983	955	955	1007	965	969	1003	1008	
6	1号炉	986	963	1041	1005	990	1031	1048	998	999	982	967	963	976	1007	992	982	975	993	975	994	1021	936	937	985	
	2号炉	1031	1006	1010	965	980	1003	1023	985	1033	1002	987	976	1025	984	984	968	970	987	986	960	992	871	902	956	
7	1号炉	973	990	1004	993	987	1001	987	999	1018	1004	993	978	1011	1007	989	997	998	1002	1018	979	981	951	957	1003	
	2号炉	960	985	945	996	951	935	958	975	959	972	942	934	946	921	926	952	930	949	931	915	897	896	910	912	
8	1号炉	1026	988	974	1021	963	980	971	1005	983	980	979	988	951	957	982	1002	983	956	943	965	963	968	979	958	
	2号炉	919	952	936	931	906	913	903	906	910	940	914	913	921	929	928	942	914	931	927	959	945	923	961	925	
9	1号炉	978	975	1009	1011	993	993	978	961	1002	973	980	981	966	988	1000	992	944	961	1020	996	956	948	975	1000	
	2号炉	911	956	958	954	955	917	927	949	858				969	936	922	893	910	932	937	920	927	913	974	939	8:33~12:19給じん停止
10	1号炉	991	1000	986	993	967	953	956		961	1001	1006	991	969	966	974	1006	983	1012	1035	1016	1016	1028	987	993	6:34~8:01給じん停止
	2号炉	952	948	981	986	985	966	966	936	948	998	973	959	934	945	968	941	936	985	958	975	948	990	949	995	
11	1号炉	989	997	1016	1056	1000	1010	969	982	959	958	968	979	954	953	942	973	1000	1004	948	960	982	1013	980	1011	
	2号炉	992	945	961	1002	955	963	981	1007	963	971	998	955	945	932	953	950	974	965	939	927	952	945	970	938	
12	1号炉	1019	959	969	978	1031	1033	1014	1007	893																定常運転~立ち下げ(838~)
	2号炉	940	949	989	951	993	971	981	930	951	941	963	942	931	961	939	952	962	983	950	970	958	947	988	947	
13	1号炉																									休炉
	2号炉	1005	1009	977	1008	954	1034	992	992	959	969	947	967	952	982	1003	1007	1003	991	981	965	979	957	1036	998	
14	1号炉																									休炉
	2号炉	1003	978	967	983	988	944	971	989	955	973	963	951	924	960	1004	976	974	973	977	949	966	992	961	989	
15	1号炉																									休炉
	2号炉	982	982	1016	972	974	977	980	949	936	991	958	954	930	945	987	987	972	945	938	964	971	1003	949	960	

5月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
16	1号炉																										休炉
	2号炉	943	961	970	990	976	952	976	930	945	967	947	919	951	967	1005	950	927	724					984	989	1007	17:02~21:15給じん停止
17	1号炉																										休炉
	2号炉	1012	969	951	948	969	984	992	969	975	949	990	969	1004	991	985	978	944	953	950	948	964	964	982	992		
18	1号炉																										休炉
	2号炉	988	974	975	994	982	1010	936	982	987	951	969	959	962	975	947	923	938	956	953	980	917	950	993	968		
19	1号炉																										休炉
	2号炉	978	977	956	964	955	945	976	969	937	942	937	921	930	959	959	988	980	941	918	940	958	960	970	979		
20	1号炉																										休炉
	2号炉	994	975	971	956	981	961	957	1020	994	978	995	1005	991	1011	973	1014	1009	1021	1018	970	975	966	986	1004		
21	1号炉																										休炉
	2号炉	1010	974	1010	1022	1012	1020	995	1027	1012	963	991	948	994	982	965	1022	1005	986	986	1012	995	983	995	971		
22	1号炉																										休炉
	2号炉	975	1051	1021	1011	997	980	1003	995	1005	966	983	990	940	951	952	940	948	682				937	939	934	970	17:03~20:01給じん停止
23	1号炉																										休炉
	2号炉	990	958	960	941	994	991	992	1032	987	943	969	934	942	930	960	939	944	961	941	944	945	978	977	987		
24	1号炉					946	934	925	943	953	954	947	916	954	925	928	923	982	951	967	959	945	962	952			立ち上げ~定常運転(5:15~)
	2号炉	967	966	982	970	955	932	963	895	956	952	941	958	970	961	946	941	967	971	975	981	967	950	998	966		
25	1号炉	962	972	978	922	973	948	955	960	980	937	975	978	975	957	993	969	915	941	950	955	946	971	985	980		
	2号炉	949	998	989	919	923	953	980	971	978	948	987	1004	937	951	989	1004	954	970	961	958	934	965	942	943		
26	1号炉	976	1027	1020	954	970	988	977	982	963	968	973	963	947	985	985	960	983	983	960	971	977	943	910	964		
	2号炉	954	923	936	958	954	919	928	975	1003	1032	973	971	981	936	938	942	968	963	1016	978	974	1019	1049	970		
27	1号炉	995	1031	999	1023	1016	1041	951	952	979	1008	954	969	995	953	978	986	1014	1006	1022	1011	977	948	993	995		
	2号炉	1019	994	972	952	984	972	979	965	963	966	944	989	943	998	988	1002	996	1008	1019	978	978	927	1009	991		
28	1号炉	995	978	1032	989	961	951	983	922	940	994	1023	980	1028	991	961	967	999	955	947	968	1022	1002	1021	1003		
	2号炉	955	974	999	962	948	1015	1001	1018	1053	1018	987	968	980	950	933	999	1022	946	942	947	1021	1022	1019	1008		
29	1号炉	990	976	963	1012	994	1006	1015	1003	957	969	975	1004	951	948	934	996	965	936	979	977	1003	943	978	984		
	2号炉	975	977	971	1018	1018	1014	974	948	840			980	941	925	924	918	926	953	967	961	927	919	909	964	8:33~11:29給じん停止	
30	1号炉	995	994	971	985	979	991	1002	963	1044	1018	1002	953	948	964	982	938	979	964	1008	980	962	949	1005	1028		
	2号炉	953	949	973	971	980	919	932	923	917	956	927	959	924	909	930	905	940	933	931	916	874	965	1008	1014		
31	1号炉	971	979	985	964	939	983	1001	980	995	960	953	973	977	960	955	974	988	1009	1007	1017	996	959	981	977		
	2号炉	976	981	939	939	922	944	973	979	953	927	920	928	968	930	921	921	931	930	922	942	905	937	908	944		

6月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考		
16	1号炉																										休炉	
	2号炉																											休炉
17	1号炉																											休炉
	2号炉																											休炉
18	1号炉																											休炉
	2号炉																											休炉
19	1号炉																											休炉
	2号炉																											休炉
20	1号炉																											休炉
	2号炉																											休炉
21	1号炉					879	981	975	971	960	955	933	944	939	957	949	940	946	955	936	902	938	956	924	941		立ち上げ～定常運転(4:32～)	
	2号炉																											休炉
22	1号炉	942	937	953	949	946	938	940	943	955	977	953	934	922	949	943	939	954	956	943	945	936	936	950	938			
	2号炉									949	998	977	974	949	973	960	977	978	955	957	955	943	959	941			立ち上げ～定常運転(9:15～)	
23	1号炉	949	931	946	952	963	953	945	954	933	946	936	952	950	945	942	959	992	986	993	1005	1006	996	977	996			
	2号炉	957	952	954	954	963	968	966	956	941	966	953	963	956	960	965	963	976	966	976	999	975	949	970	942			
24	1号炉	984	990	965	990	970	966	978	992	990	979	982	971	974	981	991	985	980	991	984	952	988	989	990	991			
	2号炉	979	958	979	987	978	1113	981	981	991	965	969	964	961	941	956	964	958	971	954	951	948	944	957	947			
25	1号炉	984	972	971	966	986	1016	991	1008	1006	995	1000	995	969	1015	981	993	1032	981	1022	1021	992	1008	993	1013			
	2号炉	958	973	983	991	984	984	976	990	981	990	990	969	962	978	995	1001	1012	985	1015	979	1004	988	990	1042			
26	1号炉	1028	974	974	978	945	973	1010	1020	995	980	966	986	969	954	948	948	955	953	967	996	993	960	961	970			
	2号炉	1002	968	955	928	951	969	980	977	945	983	989	938	949	925	929	933	955	955	960	964	977	967	973	973			
27	1号炉	951	954	965	973	1007	1010	970	931	967	957	964	975	965	968	996	980	974	976	962	975	960	960	964	987			
	2号炉	954	965	951	1006	948	957	934	926	937	950	927	935	944	948	944	947	929	943	927	928	934	937	931	956			
28	1号炉	986	986	978	986	981	989	984	987	925			1049	955	960	957	943	963	970	955	945	975	979	976	975		8:32～12:00給じん停止	
	2号炉	943	930	945	931	935	965	964	970	955	952	984	937	944	923	935	916	933	962	964	961	958	1002	997	957			
29	1号炉	968	974	983	964	977	988	986	949	959	983	990	976	952	944	946	958	960	974	994	979	1001	991	964	995			
	2号炉	916	956	956	938	948	926	957	955	847			985	929	936	923	937	934	922	943	946	950	919	922	945		8:30～11:49給じん停止	
30	1号炉	990	986	982	969	1003	972	995	980	992	990	998	986	973	971	946	978	988	969	1001	960	968	984	965	1011			
	2号炉	956	921	917	936	946	919	956	929	915	961	953	920	919	911	927	948	927	925	924	986	908	972	969	963			

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和5年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

7月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	972	987	974	982	981	1000	1005	1010	998	1039	1019	996	986	1008	1004	1014	997	1000	1006	1004	986	992	998	1020	
	2号炉	973	985	963	943	941	938	964	971	948	979	950	916	942	965	932	965	953	948	948	938	936	914	921	931	
2	1号炉	1015	991	986	987	1029	992	980	987	998	985	994	1000	991	982	999	1015	1004	995	1010	1012	999	965	965	963	
	2号炉	938	954	941	931	939	959	957	958	956	931	928	919	943	988	950	934	915	918	950	953	932	929	937	936	
3	1号炉	976	986	993	980	970	986	983	964	979	999	962	949	973	983	992	989	1005	996	1005	1008	1008	1001	983	1008	
	2号炉	965	968	957	938	953	944	937	925	937	915	910	909	924	922	921	937	929	909	952	982	953	963	967	954	
4	1号炉	984	974	964	927	968	1014	1009	981	986	995	964	959	971	978	955	962	979	982	995	1020	987	1027	981	996	
	2号炉	957	929	941	930	912	960	944	933	936	932	930	912	901	926	899	901	931	902	915	917	906	917	918	918	
5	1号炉	992	1013	1055	1018	991	1002	1002	1015	1006	1023	1029	958	946	967	949	981	973	942	917	949	981	992	1000	1021	
	2号炉	924	907	920	938	942	936	912	937	850			975	924	913	936	934	906	909	904	914	926	917	937	918	8:30~12:00給じん停止
6	1号炉	1023	978	988	967	996	1028	1002	995	918			1056	953	936	929	951	942	943	941	974	957	950	970	989	8:31~11:49給じん停止
	2号炉	954	937	944	943	950	912	1009	946	972	960	994	963	923	882	906	910	921	904	914	940	905	905	934	956	
7	1号炉	1002	989	964	968	980	962	959	992	959	952	961	956	986	967	968	1007	975	985	977	962	959	979	965	999	
	2号炉	944	960	935	915	921	913	917	945	918	931	915	914	912	925	914	944	900	949	907	914	911	929	940	963	
8	1号炉	970	959	955	983	950	986	984	980	975	1007	1001	1011	1038	1005	967	940	951	997	995	1001	995	978	987	1003	
	2号炉	941	921	914	917	934	924	952	933	917	922	934	935	957	955	923	926	952	951	986	959	964	945	924	936	
9	1号炉	1005	989	990	976	985	985	955	963	993	997	975	983	976	1021	1011	980	976	974	989	976	1000	1008	1029	1031	
	2号炉	937	942	954	962	925	913	967	947	897		978	959	927	971	975	977	952	909	969	965	956	958	936	920	8:24~10:40給じん停止
10	1号炉	1020	954	960	967	987	980	1013	1009	986	997	977	965	1003	955	964	993	977	885	941	1000	984	986	1033	1009	
	2号炉	918	923	953	920	909	901	943	974	959	926	939	904	907	913	915	947	910	916	930	932	935	913	919	920	
11	1号炉	1025	987	958	950	981	970	978	979	983	989	980	953	962	930	970	973	973	981	991	999	981	990	992	1039	
	2号炉	950	931	928	914	910	907	919	917	924	917	905	911	904	898	943	921	921	936	952	980	937	923	951	979	
12	1号炉	1029	989	956	976	985	984	1019	997	930			1037	970	937	981	985	954	947	955	1019	1000	954	980	948	8:30~11:48給じん停止
	2号炉	959	931	942	950	960	939	947	922	947	955	993	969	946	925	931	938	931	925	975	992	988	932	917	921	
13	1号炉	968	970	952	980	958	979	958	955	956	981	972	964	972	934	953	965	982	969	964	945	940	949	972	972	
	2号炉	933	929	935	945	936	953	951	959	867			1020	935	920	929	942	936	923	918	926	924	923	932	925	8:32~12:00給じん停止
14	1号炉	956	985	983	982	961	944	977	967	986	965	969	951	940	949	963	975	972	960	978	974	996	995	971	986	
	2号炉	910	1006	986	945	924	929	943	927	980	898	951	950	955	954	994	1012	983	949	969	1015	969	958	987	1026	
15	1号炉	988	990	969	981	971	981	968	960	961	959	991	970	962	945	970	967	963	979	965	962	988	986	955	969	
	2号炉	1008	1009	1026	972	962	989	996	1011	984	962	945	938	957	960	955	970	948	954	950	962	963	954	958	955	

7月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	967	961	981	982	957	946	962	951	950	945	951	968	966	940	964	967	967	955	952	956	964	959	988	972	
	2号炉	945	954	973	963	946	968	932	927	924	932	936	946	940	923	966	967	951	953	971	972	957	944	951	950	
17	1号炉	987	974	935	928	926	951	982	968	971	969	965	973	940	937	976	942	947	968	971	962	963	982	999	1002	
	2号炉	944	953	950	924	933	916	937	927	912	933	939		847	913	926	938	946	936	950	947	943	945	971	944	10:53~12:25給じん停止
18	1号炉	982	957	956	961	970	965	973	946	927																定常運転~立ち下げ(8:51~)
	2号炉	962	957	975	951	957	934	940	956	924	936	933	936	949	945	968	971	962	942	930	929	937	953	994	938	
19	1号炉																									休炉
	2号炉	922	971	963	959	920	916	948	962	931	925	918	959	961	934	931	918	913	919	949	982	965	943	942	924	
20	1号炉																									休炉
	2号炉	952	955	983	942	902	895	906	925	806				976	953	963	947	950	973	939	975	947	935	932	954	8:30~12:24給じん停止
21	1号炉																									休炉
	2号炉	960	957	959	945	954	960	949	925	923	939	982	948	920	932	911	946	953	932	966	1028	1020	1001	983	969	
22	1号炉																									休炉
	2号炉	962	975	955	938	971	985	976	980	1006	939	954	963	938	933	955	975	941	938	995	965	952	967	956	943	
23	1号炉																									休炉
	2号炉	983	965	944	958	945	945	964	990	961	988						948	969	949	941	961	941	932	930	9:55~16:23給じん停止	
24	1号炉																									休炉
	2号炉	954	942	923	960	943	939	939	923	916	929	939	915	927	937	928	934	917	928	922	931	923	925	928	940	
25	1号炉																									休炉
	2号炉	967	957	947	959	978	955	938	924	927	901	909	895	899	917	938	923	908	907	940	937	946	932	926	933	
26	1号炉																									休炉
	2号炉	942	976	971	939	959	924	920	909	910	954	929	948	932	962	923	929	951	971	974	987	958	983	971	978	
27	1号炉																									休炉
	2号炉	944	950	939	943	944	954	921	948	941	964	927	904	915	911	913	948	940	811			984	915	906	918	17:24~20:31給じん停止
28	1号炉																									休炉
	2号炉	899	900	894	888	916	889	906	908	889	896	897	885	889	914	925	989	954	969	957	959	977	972	982	989	
29	1号炉																									休炉
	2号炉	975	1006	943	934	938	966	949	952	951	958	932	944	944	955	992	956	959	941	944	921	954	929	955	934	
30	1号炉																	933	987	988	988	982	959	947	933	立ち上げ~定常運転(16:14~)
	2号炉	950	936	920	905	948	942	924	929	884	911	937	931	956				890	946	926	959	934	924	887	943	12:55~16:07給じん停止
31	1号炉	936	939	949	942	935	949	930	928	946	955	956	947	926	929	927	942	941	998	956	985	969	975	945	926	
	2号炉	891	899	902	938	952	925	940	921	906	916	920	925	882	890	901	881	914	758	789	916	926	945	912	927	

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和5年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

8月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	934	987	953	988	951	961	966	939	945	949	931	940	940	940	969	955	933	938	977	968	974	961	955	957	
	2号炉	932	935	909	937	905	893	884	881	885	890	1050	963	969	968	988	974	969	967	979	992	959	1018	993	960	
2	1号炉	942	948	935	965	943	955	956	968	954	934	971	972	965	962	961	967	936	958	946	946	963	987	974	959	
	2号炉	992	988	988	981	993	987	986	970	844				1045	976	964	983	1000	985	1005	1009	1062	1033	1005	992	8:31~12:41給じん停止
3	1号炉	967	940	954	946	936	970	970	955	947	947	932	925	931	916	927	932	941	933	901	929	929	929	940	945	
	2号炉	1018	986	1001	989	991	1002	1009	992	985	983	959	988	959	992	968	997	980	993	987	989	969	991	991	961	
4	1号炉	950	951	961	961	951	946	937	959	924	944	942	942	969	973	929	921	927	963	980	973	970	957	967	941	
	2号炉	1001	998	996	964	1000	987	991	958	977	975	980	966	963	954	964	976	982	995	1011	978	968	1012	1016	984	
5	1号炉	949	929	934	979	936	883	943	969	948	949	930	946	935	950	942	963	944	945	985	967	968	948	967	995	
	2号炉	967	1012	973	1029	1015	992	992	979	967	965	976	974	997	984	986	986	979	956	1030	972	1017	961	967	968	
6	1号炉	941	970	990	955	964	946	944	940	934	958	933	958	939	908	931	930	936	948	958	971	964	993	936	955	
	2号炉	975	988	988	986	975	999	984	976	989	971	979	990	949	978	1013	953	967	968	1000	941	970	965	961	974	
7	1号炉	981	959	962	953	942	945	967	973	959	943	948	951	946	933	941	940	942	946	943	957	952	955	947	947	
	2号炉	964	948	970	961	939	944	972	965	961	976	977	928	920	918	949	930	921	960	939	922	931	921	928	920	
8	1号炉	936	932	942	943	936	956	959	948	922					945	931	940	938	934	939	944	948	940	937	965	8:40~13:07給じん停止
	2号炉	911	922	921	925	908	909	930	938	909	915	915	914	902	919	934	943	925	898	931	934	917	912	949	982	
9	1号炉	960	951	930	954	928	948	957	960	949	935	909	925	942	937	959	957	951	942	940	938	945	962	953	959	
	2号炉	950	939	937	938	934	930	952	925	804			1034	906	913	905	922	920	915	931	906	915	913	895	982	8:30~11:44給じん停止
10	1号炉	955	950	931	998	965	957	955	977	964	966	962	967	954	947	949	948	934	948	975	952	961	970	954	982	
	2号炉	973	955	959	999	942	982	953	946	938	979	970	950	939	920	929	941	939	927	914	946	927	955	911	944	
11	1号炉	969	975	945	962	946	943	967	943	950	958	972	941	949	967	954	935	951	963	1001	988	979	953	941	958	
	2号炉	924	945	963	986	962	957	965	952	973	970	937	931	958	966	968	974	974	963	982	988	933	968	947	973	
12	1号炉	935	979	980	963	959	949	940	935	940	935	962	967	979	1006	995	951	952	973	971	999	956	964	955	959	
	2号炉	946	962	983	961	959	925	925	937	937	932	959	982	977	981	937	908	946	970	943	933	980	977	937	936	
13	1号炉	946	951	958	955	972	973	953	949	956	950	951	967	960	949	945	952	940	960	961	939	942	952	973	959	
	2号炉	952	1003	997	939	942	968	963	952	967	957	928	987	962	972	971	980	968	979	972	956	948	921	937	960	
14	1号炉	948	960	950	948	964	976	1006	991	957	960	943	951	952	950	958	955	952	945	951	955	985	939	952	953	
	2号炉	940	937	956	943	934	962	967	978	974	979	970	933	918	941	923	940	937	960	944	966	930	949	942	932	
15	1号炉	956	972	958	962	975	984	955	956	962	961	964	952	935	951	947	935	951	956	941	978	1012	974	932	963	
	2号炉	908	930	934	921	965	949	948	914	897																定常運転~立ち下げ(8:41~)

8月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
16	1号炉	958	935	953	934	962	975	972	972	959	950	962	943	946	941	960	945	966					976	941	950	925	17:01～20:42給じん停止
	2号炉																										
17	1号炉	936	929	936	943	962	964	942	938	932	944	937	949	943	932	929	939	948	952	962	953	962	959	948	936		
	2号炉																										
18	1号炉	934	936	940	942	954	951	933	955	928	915	940	932	934	941	933	933	938	953	946	936	948	941	938	939		
	2号炉																										
19	1号炉	947	955	952	946	965	956	929	951	941	945	918	941	942	939	925	929	950	952	939	940	945	960	966	960		
	2号炉																										
20	1号炉	950	916	933	940	954	933	943	931	943	960	941	963	954	952	956	955	945	972	951	938	934	968	949	942		
	2号炉																										
21	1号炉	951	932	925	859	923	927	941	946	943	964	965	946	945	924	933	951	943	940	951	965	960	978	945	959		
	2号炉																										
22	1号炉	969	947	928	940	968	935	954	956	968	949	977	923	933	944	938	957	948	947	962	981	961	981	946	939		
	2号炉																										
23	1号炉	960	961	956	962	957	939	977	954	903						948	985	983	985	984	992	963	979	967	984	8:33～14:28給じん停止	
	2号炉																										
24	1号炉	981	968	971	970	991	981	964	990	946	986	964	957	961	948	963	962	982	973	968	963	971	959	970	980		
	2号炉																										
25	1号炉	955	963	995	985	974	981	989	989	988	960	981	973	953	941	964	903	962	968	973	972	989	964	965	967		
	2号炉																										
26	1号炉	966	971	985	968	960	968	974	993	991	971	993	981	986	968	967	964	979	984	1004	995	979	999	969	998		
	2号炉																										
27	1号炉	976	989	981	1004	983	1001	999	977	984	976	967	960	959	984	981	970	988	999	999	991	980	983	987	1009		
	2号炉																										
28	1号炉	1027	987	975	978	983	971	968	980	961	961	956	969	968	979	972	986	968	992	982	1021	987	969	970	958		
	2号炉																										
29	1号炉	955	949	986	980	979	992	983	977	883				1056	915	912	896	885	905	907	918	925	907	900	889	8:32～12:48給じん停止	
	2号炉																										
30	1号炉	886	905	920	922	890	923	893	898	903	919	898	912	1007	961	941	885	965	983	965	958	960	955	967	965		
	2号炉								1017	1031	1017	1024	985	1006	985	973	976	962	1028	1043	1016	979	971	988	1002	立ち上げ～定常運転(7:05～)	
31	1号炉	973	958	965	972	948	952	956	964	951	957	965	958	938	964	951	950	948	947	952	946	955	967	974	989		
	2号炉	994	989	981	966	963	971	1018	970	989	978	977	993	969	962	956	974	976	965	976	979	956	999	963	1040		

燃烧室中の燃烧ガス温度(維持管理基準800℃以上)

令和5年 ※1時間ごとの平均値(二次燃烧室入口温度)。空白部分はごみの供給停止中。

(単位:℃)

9月	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考	
1	1号炉	972	986	960	974	955	1005	969	970	946	952	971	958	956	951	946	960	981	968	971	957	991	996	989	969	
	2号炉	1005	989	964	982	988	997	1000	986	985	967	970	966	963	957	959	958	958	955	964	979	969	980	1012	999	
2	1号炉	989	1011	1011	999	957	964	952	997	963	957	945	942	929	971	998	953	999	981	983	980	977	965	971	977	
	2号炉	999	995	992	988	977	984	1021	1016	1013	979	1022	1004	989	989	1001	1003	1032	962	960	957	1019	1026	967	968	
3	1号炉	969	989	987	979	981	978	978	994	987	966	983	1000	978	998	975	966	991	993	971	969	988	995	989	991	
	2号炉	993	995	988	1016	1010	986	1001	1016	966		960	989	993	989	1000	1018	995	993	999	1000	1030	1009	987	962	8:57~10:04給じん停止
4	1号炉	1016	991	985	994	976	1029	989	977	1000	989	977	964	940	973	973	951	982	975	983	988	979	980	987	987	
	2号炉	976	981	1003	1005	991	1001	980	970	990	1025	1009	966	953	958	955	958	973	1000	967	979	970	985	973	976	
5	1号炉	1027	979	991	986	1004	1011	1022	987	1033	978	963	940	958	984	976	994	956	957	965	1004	970	995	996	1025	
	2号炉	979	1000	964	983	980	1017	1004	1006	928			1022	963	979	961	976	977	962	978	1011	961	967	1045	1034	8:30~11:28給じん停止
6	1号炉	1009	989	982	966	967	954	1023	1028	918					1031	973	935	951	934	960	962	988	959	961	980	8:30~13:23給じん停止
	2号炉	1028	1026	1056	1004	957	997	1060	1011	972	994	1016	983	987	968	986	982	974	1002	975	991	974	1001	995	1014	
7	1号炉	963	981	1025	1002	977	982	1051	1018	984	982	1003	986	945	943	948	966	956	961	951	959	960	945	967	964	
	2号炉	962	1002	990	1013	975	979	1017	977	1001	1033	1019	1016	973	963	967	986	963	980	976	1026	995	985	989	1007	
8	1号炉	959	968	1001	1018	982	940	965	939	954	957	949	932	983	957	953	976	970	970	1020	1055	1054	999	982	964	
	2号炉	1003	1022	992	997	994	961	997	989	951	965	954	961	956	958	955	952	972	984	966	989	984	977	1024	1015	
9	1号炉	983	968	974	993	1002	962	967	979	1002	1002	1013	1001	971	972	993	1002	978	962	970	989	991	998	1000	995	
	2号炉	997	951	1023	958	982	983	958	1015	992	968	974	971	1023	1023	1005	1006	981	980	1031	1031	1001	1001	1025	988	
10	1号炉	981	983	980	1020	987	990	996	978	1001	985	983	995	1002	980	1002	981	994	989	996	1000	1000	984	1001	1030	
	2号炉	992	971	1005	997	980	974	970	961	990	1039	1007	995	967	997	1008	982	987	1043	978	1023	1014	988	1018	1029	
11	1号炉	1022	1006	1000	1008	1004	992	1034	993	973	954	988	987	952	956	1009	989	972	974	948	972	995	981	982	996	
	2号炉	1025	973	996	997	995	988	1012	1012	983	979	1008	1001	960	972	980	965	950	958	965	996	975	1002	1034	971	
12	1号炉	995	952	980	959	1005	985	983	957	916				1046	955	922	952	942	917	946	1029	980	989	960	965	8:36~12:32給じん停止
	2号炉	941	937		963	964	990	973	986	999	986	974	947	965	990	950	981	960	993	999	1022	993	960	978	994	1:50~3:07給じん停止
13	1号炉	960	973	970	978	935	939	957	961	963	951	968	936	943	961	950	982	962	991	986	999	997	929	954	960	
	2号炉	973	957	968	974	960	950	994	974	909			1095	971	960	974	1007	982	994	1035	1040	997	1043	1008	995	8:32~11:56給じん停止
14	1号炉	968	968	1037	1049	1039	995	1011	984	1023	961	972	947	965	948	934	954	966	966	972	969	980	977	1001	987	
	2号炉	995	1014	1015	1029	1036	1011	1028	1024	1041	1033	1009	1000	959	975	968	975	980	986	1021	1029	993	1014	1011	1019	
15	1号炉	936	985	999	977	972	991	990	978	1020	986	1007	1000	958	1003	972	994	971	977	999	963	987	1019	1030	1024	
	2号炉	972	986	996	965	985	1005	1036	980	998	1022	1002	1003	993	988	983	996	977	1006		1031	978	976	987	981	17:42~19:20給じん停止

9月		1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	24:00	備 考
16	1号炉	1048	1037	1024	1011	984	971	1000	997	990	966	993	969	963	967	976	959	983	957	982	1000	1006	992	1026	994	
	2号炉	1029	990	1031	1025	1049	1022	1014	1015	1007	974	986	1011	963	994	994	971	1018	1016	1037	1016	1003	993	1009	1084	
17	1号炉	980	947	974	963	962	968	980	1021	991	970	967	966	962	968	984	1033	1016	1017	1006	984	1002	1003	993	1000	
	2号炉	984	1016	1020	983	967	983	1046	996	964	978	973	987	977	976	1047	1023	1058	1012	982	1007	1004	994	1014	981	
18	1号炉	977	998	990	993	1005	1033	1008	985	979	951	976	952	940	946	960	964	974	977	999	978	967	984	974	971	
	2号炉	990	986	1022	1004	989	989	1006	983	991	951	973	969	972	966	957	975	984	979	990	973	983	997	994	1001	
19	1号炉	997	989	1032	995	988	964	973	941	950	955	955	966	976	965	960	982	985	1024	1010	996	1027	1002	994	991	
	2号炉	998	1021	1007	991	990	991	996	981	952	970	977	973	971	956	967	981	996	993	1013	1023	1017	1015	1029	1013	
20	1号炉	1010	1039	1008	1013	1003	1018	990	1009	944			1073	989	944	934	948	969	931	960	984	965	979	958	937	8:28～12:00給じん停止
	2号炉	1021	1013	993	1001	1016	1023	1011	1013	1014	1009	1003	976	991	964	980	1006	1010	977	1007	1042	1017	980	1013	955	
21	1号炉	976	996	986	974	982	951	957	972	964	969	983	941	972	963	952	956	975	958	956	973	957	964	1007	1008	
	2号炉	1033	996	1029	982	1004	972	965	1042	899		1027	953	958	967	955	970	971	985	962	973	971	980	949	971	8:31～11:00給じん停止
22	1号炉	976	925	975	959	984	965	985	1001	985	974	962	940	943	976	962	954	971	973	961	958	959	975	1028	1030	
	2号炉	961	956	977	966	994	973	961	955	981	996	973	950	981	955	964	967	956	975	976	1033	960	970	966	1015	
23	1号炉	1011	995	1004	1002	985	1013	1011	1009	1045	1005	1009	1015	979	983	980	956	1009	1002	978	991	956	1023	1008	1002	
	2号炉	938	952	975	996	967	1008	984	1009	1013	989	981	971	986	974	991	986	1029	1022	1010	989	1041	981	1001	977	
24	1号炉	976	982	976	1001	995	951	979	959	990	1006	966	950	948	959	988	965	986	973	1014	1025	986	946	962	969	
	2号炉	988	987	973	977	982	951	965	966	980	970	963	965	952	964	979	973	965	964	1024	1006	987	978	978	993	
25	1号炉	948	994	1036	1009	1010	957	971	961	952	952	981	980	962	948	952	944	933	953	966	1004	1008	996	982	978	
	2号炉	957	1008	1026	1012	1010	975	954	957	960	968	989	953	973	945	937	970	952	959	962	977	973	998	985	977	
26	1号炉	998	1004	989	989	990	1014	1011	965	964	961	985	964	989	995	974	982	993	995	971		1022	993	994	1043	18:14～20:52給じん停止
	2号炉	1001	1025	989	979	979	959	967	969	965	956	963	953	954	964	966	1001	1013	991	1057	976	1002	1027	1005	1018	
27	1号炉	1028	1006	1043	1062	1022	960	966	972	965	941	923	941	950	935				895	955	972	1011	985	955	946	13:32～17:24給じん停止
	2号炉	1001	991	996	984	996	1012	1010	980	1000	996	960	951	972	975	986	1006	993	976	990	997	998	1012	1001	1036	
28	1号炉	996	946	935	910	920	957	970	1000	1003	954	955	926	927	930	924	953	967	945	958	943	935	953	958	969	
	2号炉	1005	1051	1002	949	983	995	996	996	843				1022	976	964	1009	1016	1058	1010	1019	960	974	983	997	8:31～12:37給じん停止
29	1号炉	960	937	943	939	958	939	965	1006	906					969	926	889	911	928	929	918	920	943	928	939	8:30～13:05給じん停止
	2号炉	999	986	1004	995	970	948	995	986	1000	970	960	961	983	944	979	1008	982	971	1001	991	982	988	1009	1007	
30	1号炉	912	945	956	936	936	915	925	963	956	939	965	963	932	914	905	933	907	963	945	960	936	949	925	932	
	2号炉	1003	977	1009	1006	987	990	1015	996	1019	1035	1018	959	961	1001	1008	980	976	1002	1023	1027	1019	988	987	958	