

# 令和 6 年度大桑島中之組地区外管渠築造工事

基 幹 事 業

推 進 工

数 量 計 算 書

## 数量総括表

推進工 基幹事業

[illegible]

数量総括表

推進工 基幹事業

[illegible]

推進工 基幹事業

[illegible]

推進工 基幹事業

[illegible]

推進工 基幹事業

[illegible]

## 数量総括表

推進工 基幹事業

| 工<br>種 | 種<br>別          | 細 目    | 規 格 | 単位     | 数 量 (合計/路線毎) |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       |                      |
|--------|-----------------|--------|-----|--------|--------------|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|----------------------|
|        |                 |        |     |        | 合 計          | 10-8-7-2号線<br>既設M3～M1 | 10-8-7-3号線<br>M1～M1 | 10-8-7-4号線<br>M1～M1 | 10-8-7-4号線<br>M1～M2 | 10-8-7-5号線<br>M2～M1 | 10-8-7-6号線<br>M1～M1 | 10-8-7-2-1号線<br>M1～M1 | 10-8-7-2-1号線<br>M1～M2 | 10-8-7-5-1号線<br>M1～M1 | 10-8-7-7号線<br>M1～M1 | 10-8-7-6-1号線<br>M1～M1 | 10-8-7-2'号線<br>既M3～M1 | 10-8-7-3'号線<br>M1～M1 |
| 立坑工    |                 |        |     |        |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       |                      |
|        | 鋼製ケーシング式土留工及び土工 | φ 2000 | 箇所  | 3      | 1            |                       |                     |                     |                     |                     |                     |                       | 1                     |                       |                     |                       | 1                     |                      |
|        |                 | φ 1800 | 箇所  | 2      |              | 1                     |                     |                     |                     |                     |                     | 1                     |                       |                       |                     |                       |                       |                      |
|        |                 | φ 1500 | 箇所  | 1      |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       | 1                    |
|        | 鋼製ケーシング圧入掘削     | φ 2000 | m   | 11.572 | 4.786        |                       |                     |                     |                     |                     |                     |                       | 3.304                 |                       |                     |                       | 3.482                 |                      |
|        |                 | φ 1800 | m   | 8.910  |              | 4.305                 |                     |                     |                     |                     |                     | 4.605                 |                       |                       |                     |                       |                       |                      |
|        |                 | φ 1500 | m   | 3.210  |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       | 3.210                |
|        | 底盤コンクリート        |        | m3  | 13.6   | 3.1          | 2.5                   |                     |                     |                     |                     |                     | 2.5                   | 3.1                   |                       |                     |                       | 3.1                   | 1.8                  |
|        | 圧入掘削設備          | 設置撤去   | 箇所  | 6      | 1            | 1                     |                     |                     |                     |                     |                     | 1                     | 1                     |                       |                     |                       | 1                     | 1                    |
|        | ケーシング引上         |        | m   | 5.4    | 0.9          | 0.9                   |                     |                     |                     |                     |                     | 0.9                   | 0.9                   |                       |                     |                       | 0.9                   | 0.9                  |
|        | ケーシング切断         |        | m   | 71.0   | 12.3         | 11.7                  |                     |                     |                     |                     |                     | 11.7                  | 12.3                  |                       |                     |                       | 12.3                  | 10.7                 |
|        | ケーシング溶接         |        | m   | －      |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       |                      |
|        | 鋼製ケーシング存置       | φ 2000 | m   | 9.2    | 4.0          |                       |                     |                     |                     |                     |                     |                       | 2.5                   |                       |                     |                       | 2.7                   |                      |
|        |                 | φ 1800 | m   | 7.3    |              | 3.5                   |                     |                     |                     |                     |                     | 3.8                   |                       |                       |                     |                       |                       |                      |
|        |                 | φ 1500 | m   | 2.5    |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       | 2.5                  |
|        | 仮設ケーシング         | φ 2000 | 箇所  | 3      | 1            |                       |                     |                     |                     |                     |                     |                       | 1                     |                       |                     |                       | 1                     |                      |
|        |                 | φ 1800 | 箇所  | 2      |              | 1                     |                     |                     |                     |                     |                     | 1                     |                       |                       |                     |                       |                       |                      |
|        |                 | φ 1500 | 箇所  | 1      |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       | 1                    |
|        | 立坑排水            |        |     |        |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       |                      |
|        | うわ水排水           |        | 箇所  | 6      | 1            | 1                     |                     |                     |                     |                     |                     | 1                     | 1                     |                       |                     |                       | 1                     | 1                    |
|        | スライム処理          |        | 箇所  | 6      | 1            | 1                     |                     |                     |                     |                     |                     | 1                     | 1                     |                       |                     |                       | 1                     | 1                    |
|        | 排水運搬処理          |        |     |        |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       |                      |
|        | 泥水処理            |        | m3  | 6.3    | 1.2          | 1.0                   |                     |                     |                     |                     |                     | 1.0                   | 1.2                   |                       |                     |                       | 1.2                   | 0.7                  |
|        | 土工              |        |     |        |              |                       |                     |                     |                     |                     |                     |                       |                       |                       |                     |                       |                       |                      |
|        | 残土処分            |        | m3  | 49.21  | 12.16        | 8.96                  |                     |                     |                     |                     |                     | 9.73                  | 6.81                  |                       |                     |                       | 7.37                  | 4.18                 |
|        | 鋼材スクラップ         |        | t   | 5.00   | 0.90         | 0.80                  |                     |                     |                     |                     |                     | 0.80                  | 0.90                  |                       |                     |                       | 0.90                  | 0.70                 |
|        | 埋戻              | コンクリート | m3  | 11.83  | 3.59         | 1.85                  |                     |                     |                     |                     |                     | 2.15                  | 1.58                  |                       |                     |                       | 1.98                  | 0.68                 |
|        |                 | 流用土    | m3  | 15.44  | 2.87         | 1.97                  |                     |                     |                     |                     |                     | 1.97                  | 3.56                  |                       |                     |                       | 3.56                  | 1.51                 |
|        | 調整コンクリート        |        | m3  | 1.19   | 0.25         |                       |                     |                     |                     |                     |                     |                       | 0.47                  |                       |                     |                       | 0.47                  |                      |

[illegible]

推進工 基幹事業

# 令和 6 年度大桑島中之組地区外管渠築造工事

## 基 幹 事 業

### 開 削 工

### 数 量 計 算 書

#### サービス管



[illegible]















# 令和 6 年度大桑島中之組地区外管渠築造工事

## 基 幹 事 業

### 開 削 工

### 数 量 計 算 書

### サービス管以外











[illegible]

[illegible]



# 令和 6 年度大桑島中之組地区外管渠築造工事

単 独 事 業

開 削 工

数 量 計 算 書

[illegible]

[illegible]

[illegible]

[illegible]

開削工 単独事業

| 工種 | 種別 | 細 目              | 規 格                 | 単位 | 数 量 (合計/路線毎) |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|----|----|------------------|---------------------|----|--------------|-----------------------|--------------|------------|-----------------------|-------------|------------------------|------------------------|------------------------|--------------------------|-----------|--------------|-------------------------|---------------|---------------|---------------------------|-------------|
|    |    |                  |                     |    | 合 計          | 10-8-7-3-1            | 10-8-7-5-1-1 | 10-8-7-9-1 | 10-8-7-7-1            | 10-8-7-9-1' | 10-8-7-10-1            | 10-8-7-12~             | 10-8-7-6-4~            | 10-8-7-6-3-1~            | 10-8-7-6' | 10-8-7-2'-1' | 10-8-7-2'-1~            | 10-8-7-2'-1-1 | 10-8-7-2'-1-2 | 10-8-7-3'-2~              | 10-8-7-5'-1 |
|    |    |                  |                     |    |              | 10-8-7-4-1<br>縦断面図(3) | 縦断面図(4)      | 縦断面図(5)    | 10-8-7-8-1<br>縦断面図(7) | 縦断面図(7)     | 10-8-7-10-2<br>縦断面図(8) | 10-8-7-12-1<br>縦断面図(9) | 10-8-7-6-6<br>縦断面図(10) | 10-8-7-6-5-1<br>縦断面図(11) | 縦断面図(12)  | 縦断面図(13)     | 10-8-7-2'-3<br>縦断面図(14) | 縦断面図(14)      | 縦断面図(14)      | 10-8-7-3'-2-1<br>縦断面図(15) | 縦断面図(15)    |
|    |    | 取付管およびます工        |                     |    |              |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 管路土工             |                     |    |              |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 管路掘削             | バックホウ掘削<br>BH0.28m3 | m3 | 35           |                       |              |            |                       |             |                        |                        |                        |                          | 6.6       | 0.3          | 4.0                     | 5.0           | 0.3           | 14.0                      | 5.0         |
|    |    | 管路埋戻             | 再生砕石<br>BH0.28m3    | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 管路埋戻             | 流用土<br>BH0.28m3     | m3 | 21           |                       |              |            |                       |             |                        |                        |                        |                          | 3.9       | 0.2          | 2.4                     | 3.2           | 0.1           | 8.1                       | 2.8         |
|    |    | 発生土処理            | 4t車                 | m3 | 12           |                       |              |            |                       |             |                        |                        |                        |                          | 2.2       | 0.1          | 1.4                     | 1.5           | 0.2           | 5.1                       | 1.9         |
|    |    | 管路掘削             | バックホウ掘削<br>BH0.13m3 | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 管路埋戻             | 再生砕石<br>BH0.13m3    | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 管路埋戻             | 流用土<br>BH0.13m3     | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 発生土処理            | 2t車                 | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 管路掘削             | バックホウ掘削<br>BH0.08m3 | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 管路埋戻             | 再生砕石<br>BH0.08m3    | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 管路埋戻             | 流用土<br>BH0.08m3     | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 発生土処理            | 2t車                 | m3 | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    |                  |                     |    |              |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | ます設置工            |                     |    |              |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 材料               |                     |    |              |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | ます蓋              | 鋳鉄製φ200<br>T-25     | 個  | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 〃                | 鋳鉄製φ200<br>T-14     | 個  | -            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 〃                | 鋳鉄製φ200<br>T-8      | 個  | 27           |                       |              |            |                       |             |                        |                        |                        |                          | 4.0       | 1.0          | 3.0                     | 1.0           | 1.0           | 13.0                      | 4.0         |
|    |    | 〃                | 樹脂製<br>φ200         | 個  | 4            |                       |              |            |                       |             |                        |                        |                        |                          |           |              | 4.0                     |               |               |                           |             |
|    |    | ます設置工            | 公共汚水ます              | 箇所 | 31           |                       |              |            |                       |             |                        |                        |                        |                          | 4.0       | 1.0          | 7.0                     | 1.0           | 1.0           | 13.0                      | 4.0         |
|    |    | 蓋設置工             | 鋳鉄製防護蓋φ200          | 箇所 | 31           |                       |              |            |                       |             |                        |                        |                        |                          | 4.0       | 1.0          | 7.0                     | 1.0           | 1.0           | 13.0                      | 4.0         |
|    |    |                  |                     |    |              |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 取付管布設工           |                     |    |              |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         |               |               |                           |             |
|    |    | 取付管布設及び<br>支管取付工 | 取付管長 3.0m未満         | 箇所 | 26           |                       |              |            |                       |             |                        |                        |                        |                          | 3.0       | 1.0          | 7.0                     |               | 1.0           | 12.0                      | 2.0         |
|    |    |                  | 取付管長 3.0m以上5.0m未満   | 箇所 | 3            |                       |              |            |                       |             |                        |                        |                        |                          | 1.0       |              |                         |               |               |                           | 2.0         |
|    |    |                  | 取付管長 5.0m以上12.0m未満  | 箇所 | 2            |                       |              |            |                       |             |                        |                        |                        |                          |           |              |                         | 1.0           |               | 1.0                       |             |

[illegible]

[illegible]